

1998




LOCAL CLIMATOLOGICAL DATA  
ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-2567

FLINT,  
MICHIGAN (FNT)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

*Thomas R. Karl*

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
 NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
 NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
 NATIONAL CLIMATIC DATA CENTER  
 NATIONAL CLIMATIC DATA CENTER  
 DIRECTOR NATIONAL CLIMATIC DATA CENTER  
 ASHEVILLE, NORTH CAROLINA

# METEOROLOGICAL DATA FOR 1998

## FLINT, MI (FNT)

LATITUDE: 42° 58' 00" N      LONGITUDE: 83° 44' 58" W      ELEVATION (FT): GRND: 771      BARO: 770      TIME ZONE: EASTERN (UTC+ 5)      WBAN: 14826

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE ° F	MEAN DAILY MAXIMUM	34.8	41.4	43.1	58.9	75.5	78.7	83.4	82.6	78.9	62.7	49.4	41.0	60.9	
	HIGHEST DAILY MAXIMUM	55	56	79	72	90	94	95	93	91	81	64	66	95	
	DATE OF OCCURRENCE	05	28	30	13	15+	25	21	24	06	06	30+	06	JUL 21	
	MEAN DAILY MINIMUM	24.9	27.6	29.6	36.3	50.2	54.8	57.3	58.9	51.7	40.3	34.2	23.6	40.8	
	LOWEST DAILY MINIMUM	6	19	4	23	37	33	43	41	37	29	21	3	3	
	DATE OF OCCURRENCE	14	08	11	06	22	04	11	19	23	29	13	22	DEC 22	
	AVERAGE DRY BULB	29.9	34.5	36.4	47.6	62.9	66.8	70.4	70.8	65.3	51.5	41.8	32.3	50.9	
	MEAN WET BULB	29.1	32.4	34.1	42.7	57.8	61.0	63.9	65.2	59.4	47.8	39.0			
	MEAN DEW POINT	26.5	29.7	30.3	36.2	53.2	56.7	59.3	61.9	55.0	43.6	34.7			
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	1	7	4	3	2	0	0	0	0	17
	MAXIMUM ≤ 32°	15	2	5	0	0	0	0	0	0	0	0	8	30	
	MINIMUM ≤ 32°	26	21	22	9	0	0	0	0	0	3	11	25	117	
MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	1080	847	890	517	111	118	8	12	72	421	689	1006	5771	
	COOLING DEGREE DAYS	0	0	11	0	55	178	180	197	88	8	0	0	717	
RH	MEAN (PERCENT)	86	85	79	66	71	71	69	75	72	75	76	78	75	
	HOUR 01 LST	89	90	83	76	81	86	86	90	88	84	79	82	84	
	HOUR 07 LST	88	90	85	83	83	83	86	93	91	88	83	85	86	
	HOUR 13 LST	83	75	74	55	60	54	50	57	50	60	68	72	63	
	HOUR 19 LST	86	83	78	57	63	61	54	65	62	71	75	76	69	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	3	4	5	1	5	1	2	1	1	1	0	4	28	
	THUNDERSTORMS	0	0	0	1	4	6	5	8	5	1	0	0	30	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.19	29.16	29.14	29.14	29.08	29.04	29.17	29.24	29.14	29.33	29.20			
	MEAN SEA-LEVEL PRESS. (IN.)	30.04	30.00	29.99	29.97	29.89	29.85	29.98	30.06		30.16	30.04			
WINDS	RESULTANT SPEED (MPH)	1.7	3.1	2.2	1.5	0.2	1.5	2.9	1.6	3.2	2.5	4.9			
	RES. DIR. (TENS OF DEGS.)	24	07	30	07	02	24	28	22	27	26	25			
	MEAN SPEED (MPH)	9.6	8.3	11.2	9.2	8.3	7.8	7.1	6.3	7.3	8.3	10.5	9.6	8.6	
	PREVAIL. DIR. (TENS OF DEGS.)	08	08	29	08	08	28	25	22	23	26	28	23	23	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	29	24	31	38	32	33	40	28	28	29	40	36	40	
	DIR. (TENS OF DEGS.)	25	11	29	25	26	25	33	30	36	25	22	35	22	
	DATE OF OCCURRENCE	10+	27+	14	01	29	25	14	09	30	18	11	06	NOV 11	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	37	31	38	46	43	46	49	36	37	35	55	46	55	
DIR. (TENS OF DEGS.)	26	07	26	24	25	25	32	28	34	24	22	32	22		
DATE OF OCCURRENCE	10	17	28	01	29	25	14	10	30	18	11	06	NOV 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	3.05	1.67	3.41	1.43	0.99	1.25	1.13	2.62	1.28	2.23	1.58	1.50	22.14	
	GREATEST 24-HOUR (IN.)	0.82	0.64	1.11	0.27	0.23	0.57	0.53	0.94	0.69	1.74	0.92	0.88	1.74	
	DATE OF OCCURRENCE	05	11-12	08-09	01	01	21	14	06	07	06-07	9-10	06-07	OCT 06-07	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	19	7	13	10	10	14	8	10	6	9	8	12	126	
PRECIPITATION ≥ 0.10	7	5	7	6	4	3	3	5	4	4	4	3	55		
PRECIPITATION ≥ 1.00	0	0	0	0	0	0	0	0	0	1	0	0	1		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	8.0	0.4	6.9	0.0	0.0	0.0	0.0	T	0.0	0.0	0.2	3.4	18.9	
	GREATEST 24-HOUR (IN.)	3.8	0.4	2.5	0.0	0.0	0.0	0.0	T	0.0	0.0	0.2	1.0	3.8	
	DATE OF OCCURRENCE	23	12	13					10			20	21	JAN 23	
	MAXIMUM SNOW DEPTH (IN.)	6	1	4	0	0	0	0	0	0	0	T	1	6	
	DATE OF OCCURRENCE	26	01	15								21	22	JAN 26	
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0	1	0	2	0	0	0	0	0	0	0	0	1	4		

# NORMALS, MEANS, AND EXTREMES

## FLINT, MI (FNT)

LATITUDE: 42° 58' 00" N      LONGITUDE: 83° 44' 58" W      ELEVATION (FT): GRND: 771      BARO: 770      TIME ZONE: EASTERN (UTC+ 5)      WBAN: 14826

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	28.7	31.3	42.3	55.9	68.0	76.9	81.5	79.2	71.6	59.7	46.6	33.8	56.3
	MEAN DAILY MAXIMUM	50	29.4	32.0	41.7	56.1	68.2	77.6	81.8	79.7	71.8	60.5	46.0	34.1	56.6
	HIGHEST DAILY MAXIMUM	42	61	63	79	87	93	101	101	98	93	89	76	67	101
	YEAR OF OCCURRENCE		1997	1984	1998	1990	1988	1988	1995	1988	1983	1963	1978	1982	JUL 1995
	MEAN OF EXTREME MAXS.	50	47.7	49.8	65.9	77.3	84.1	90.4	92.3	90.7	86.5	78.6	66.2	54.1	73.6
	NORMAL DAILY MINIMUM	30	14.2	15.6	25.6	36.0	45.7	54.7	59.7	57.9	51.1	40.5	32.1	20.6	37.8
	MEAN DAILY MINIMUM	50	15.0	16.1	24.7	35.5	45.4	55.1	59.4	57.7	50.3	40.4	31.1	20.8	37.6
	LOWEST DAILY MINIMUM	42	-25	-22	-12	6	22	33	40	37	26	19	6	-12	-25
	YEAR OF OCCURRENCE		1976	1967	1978	1982	1966	1998	1965	1982	1991	1974	1976	1989	JAN 1976
	MEAN OF EXTREME MINS.	50	-6.3	-5.1	5.0	20.7	31.1	40.4	46.4	44.2	34.2	25.2	14.9	-1	20.9
	NORMAL DRY BULB	30	21.5	23.5	34.0	46.0	56.8	65.9	70.6	68.6	61.4	50.1	39.4	27.2	47.1
	MEAN DRY BULB	50	22.2	24.1	33.3	45.7	56.9	66.3	70.6	68.6	61.1	50.5	38.5	27.5	47.1
	MEAN WET BULB	15	22.2	23.2	30.8	41.2	51.4	60.4	64.6	63.7	56.5	45.9	35.3	26.5	43.5
	MEAN DEW POINT	15	17.8	18.4	25.0	34.5	45.1	55.4	60.3	60.4	52.9	41.5	31.1	22.7	38.8
	NORMAL NO. DAYS WITH:														
	MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.0	0.3	1.5	3.1	1.4	0.5	0.0	0.0	0.0	6.8
MAXIMUM ≤ 32°	30	18.8	14.7	5.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.9	13.4	54.5	
MINIMUM ≤ 32°	30	29.3	25.6	23.1	11.0	1.7	0.0	0.0	0.0	0.2	5.5	16.4	26.8	139.6	
MINIMUM ≤ 0°	30	5.0	3.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	11.2	
H/C	NORMAL HEATING DEG. DAYS	30	1349	1162	961	570	292	64	11	25	137	468	768	1172	6979
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	37	91	184	136	29	6	0	0	483
RH	NORMAL (PERCENT)	30	75	73	70	66	66	68	70	73	76	73	76	77	72
	HOUR 01 LST	30	78	77	76	74	75	80	82	86	86	81	80	80	80
	HOUR 07 LST	30	79	79	79	77	77	80	84	88	89	84	82	81	82
	HOUR 13 LST	30	71	67	62	55	54	56	55	57	60	60	67	72	61
	HOUR 19 LST	30	74	70	66	58	56	58	58	63	70	70	74	77	66
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	58	1.8	1.6	1.9	0.8	1.2	0.9	1.0	1.9	1.9	2.1	1.5	1.9	18.5
	THUNDERSTORMS	58	0.2	0.2	1.2	2.8	4.1	5.8	6.1	5.7	3.5	1.3	0.8	0.2	31.9
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	1						6.4							
	MIDNIGHT-MIDNIGHT (OKTAS)	1						7.2							
	MEAN NO. DAYS WITH:														
CLEAR	1		2.0	3.0		3.0	6.0								
PARTLY CLOUDY	1	2.0	3.0	5.0		9.0	2.0								
CLOUDY	1	4.0	6.0	9.0		6.0	13.0								
PR	MEAN STATION PRESSURE (IN)	26	29.20	29.20	29.20	29.10	29.10	29.10	29.20	29.20	29.20	29.20	29.21	29.20	29.18
	MEAN SEA-LEVEL PRES. (IN)	15	30.06	30.07	30.06	29.96	29.98	29.96	29.99	30.04	30.05	30.06	30.05	30.08	30.03
WINDS	MEAN SPEED (MPH)	41	11.4	10.8	11.4	11.2	9.9	8.7	8.0	7.5	8.6	9.5	11.1	11.0	9.9
	PREVAIL. DIR (TENS OF DEGS)	27	23	27	29	27	24	20	23	20	20	18	23	23	23
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	3	37	37	38	39	33	33	40	34	32	39	40	36	40
	DIR. (TENS OF DEGS)		25	27	24	25	27	25	33	30	27	25	22	35	22
	YEAR OF OCCURRENCE		1996	1996	1996	1997	1996	1998	1998	1996	1997	1996	1998	1998	NOV 1998
	MAXIMUM 5-SECOND:														
	SPEED (MPH)	3	52	49	47	51	43	46	49	46	39	49	55	46	55
	DIR. (TENS OF DEGS)		18	25	25	25	25	25	32	27	26	26	22	32	22
YEAR OF OCCURRENCE		1996	1997	1996	1997	1998	1998	1998	1996	1997	1996	1998	1998	NOV 1998	
PRECIPITATION	NORMAL (IN)	30	1.39	1.28	2.16	2.94	2.65	3.21	2.71	3.49	3.56	2.18	2.60	2.11	30.28
	MAXIMUM MONTHLY (IN)	57	3.56	5.28	4.33	5.90	7.35	6.52	9.35	11.04	10.86	4.21	4.94	4.66	11.04
	YEAR OF OCCURRENCE		1947	1954	1948	1947	1945	1994	1992	1975	1986	1954	1988	1971	AUG 1975
	MINIMUM MONTHLY (IN)	57	0.07	0.17	0.25	0.62	0.34	0.63	0.73	0.45	0.32	0.33	0.66	0.44	0.07
	YEAR OF OCCURRENCE		1945	1969	1958	1942	1988	1988	1978	1969	1979	1944	1980	1969	JAN 1945
	MAXIMUM IN 24 HOURS (IN)	57	1.81	2.85	2.33	2.89	2.25	3.55	3.72	4.45	6.04	3.19	2.30	1.77	6.04
	YEAR OF OCCURRENCE		1967	1954	1948	1976	1974	1943	1957	1968	1950	1981	1995	1971	SEP 1950
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	13.1	10.7	12.6	12.7	10.2	10.2	9.4	9.6	10.4	9.9	12.0	14.0	134.8	
PRECIPITATION ≥ 1.00	30	0.1	0.1	0.2	0.4	0.4	0.7	0.7	0.6	0.8	0.3	0.3	0.3	4.9	
SNOWFALL	NORMAL (IN)	30	12.3	10.3	8.0	2.8	0.*	0.0	0.0	0.0	T	0.3	3.9	11.3	48.9
	MAXIMUM MONTHLY (IN)	57	28.5	20.8	19.4	17.3	0.6	T	T	T	T	4.4	16.2	24.9	28.5
	YEAR OF OCCURRENCE		1976	1990	1965	1975	1961	1992	1992	1998	1975	1989	1951	1951	JAN 1976
	MAXIMUM IN 24 HOURS (IN)	57	19.8	11.3	12.6	16.7	0.5	T	T	T	T	3.5	13.4	9.7	19.8
	YEAR OF OCCURRENCE		1967	1965	1973	1975	1961	1992	1992	1998	1975	1989	1951	1970	JAN 1967
	MAXIMUM SNOW DEPTH (IN)	49	23	23	13	17	0	0	0	0	0	2	8	14	23
	YEAR OF OCCURRENCE		1967	1967	1973	1975						1997	1975	1951	FEB 1967
	NORMAL NO. DAYS WITH:														
SNOWFALL ≥ 1.0	30	3.8	3.4	2.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	1.3	3.9	15.6	

## PRECIPITATION (inches) 1998 FLINT, MI (FNT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	1.86	0.17	1.31	4.25	4.64	3.29	5.92	0.45	0.33	2.96	2.96	0.44	28.58
1970	0.78	0.56	2.30	2.69	2.55	3.23	3.85	2.36	4.03	3.19	2.90	1.24	29.68
1971	0.46	2.32	1.85	1.62	1.98	2.43	3.90	1.62	2.10	2.12	1.46	4.66	26.52
1972	1.21	0.81	2.69	3.82	3.36	3.10	3.86	4.57	4.54	3.73	2.33	4.01	38.03
1973	1.38	1.20	4.20	2.84	3.74	3.24	1.78	1.76	2.80	2.73	4.93	2.78	33.38
1974	2.61	2.16	3.60	3.35	5.50	1.93	1.72	2.75	2.20	1.44	2.78	2.35	32.39
1975	2.89	2.01	2.78	4.31	3.70	4.68	1.92	11.04	3.48	1.37	3.17	4.03	45.38
1976	1.53	2.27	3.66	5.59	4.24	4.11	1.98	0.81	2.66	3.17	1.22	0.92	32.16
1977	0.57	0.70	2.78	3.28	0.95	4.70	1.91	3.15	4.59	2.09	2.67	1.47	28.86
1978	2.02	0.51	1.99	1.03	2.97	1.66	0.73	2.62	4.57	1.51	1.44	2.64	23.69
1979	1.78	0.34	1.58	2.33	1.58	3.96	2.96	2.53	0.32	1.90	3.64	2.30	25.22
1980	1.25	0.88	2.20	3.40	2.35	2.38	5.61	3.28	4.75	2.17	0.66	2.95	31.88
1981	0.59	1.83	0.76	4.32	3.07	2.95	3.93	3.22	7.65	3.09	1.41	1.24	34.06
1982	1.57	0.66	2.49	1.23	2.15	3.24	3.06	3.24	2.76	0.57	4.76	2.75	28.48
1983	1.01	0.91	2.40	3.63	3.76	3.94	2.24	2.26	4.06	2.62	3.46	1.85	32.14
1984	0.56	0.52	2.83	2.85	3.54	0.92	3.48	3.66	2.77	2.61	2.65	3.76	30.15
1985	2.06	3.01	4.00	3.60	2.81	1.54	2.99	4.33	8.29	3.45	3.16	1.38	40.62
1986	0.70	2.10	1.44	2.68	1.61	5.13	3.12	5.29	10.86	1.96	0.94	1.71	37.54
1987	1.16	0.42	1.45	1.80	2.28	1.60	2.20	5.03	5.57	1.90	3.29	2.54	29.24
1988	1.27	1.52	1.45	2.69	0.34	0.63	3.74	4.00	3.03	2.76	4.94	1.27	27.64
1989	1.31	0.52	2.11	1.50	3.93	4.90	2.65	5.56	4.33	1.67	2.86	1.00	32.34
1990	1.84	2.59	1.45	2.10	3.26	3.77	1.80	2.37	3.06	4.06	4.29	2.49	33.08
1991	1.49	0.68	2.87	4.07	3.23	2.91	3.78	3.33	0.63	3.52	3.01	2.15	31.67
1992	1.15	1.59	2.56	3.80	1.64	2.26	9.35	3.50	2.50	2.46	4.05	2.01	36.87
1993	2.80	1.16	1.21	4.55	1.68	5.23	2.32	3.37	4.66	2.21	1.32	0.51	31.02
1994	1.91	0.93	1.70	5.01	0.79	6.52	2.84	3.39	2.81	2.70	3.51	1.75	33.86
1995	2.08	0.72	1.24	2.76	2.23	0.72	2.64	4.29	1.05	2.60	4.22	1.15	25.70
1996	2.07	1.20	1.86	3.15	3.02	3.90	1.94	0.68	2.82	2.79	1.66	2.05	27.14
1997	0.98	3.12	2.39	1.21	3.33	1.57	2.70	2.72	4.31	1.55	1.05	0.77	25.70
1998	3.05	1.67	3.41	1.43	0.99	1.25	1.13	2.62	1.28	2.23	1.58	1.50	22.14
POR= 57 YRS	1.64	1.49	2.22	2.95	2.91	3.26	2.94	3.33	3.08	2.20	2.43	1.87	30.32

WBAN : 14826

## AVERAGE TEMPERATURE (°F) 1998 FLINT, MI (FNT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	22.6	26.1	31.1	47.1	54.2	60.1	69.0	70.1	62.5	49.2	36.9	25.5	46.2
1970	15.1	23.5	30.1	47.2	58.3	65.7	70.3	68.9	61.7	52.1	39.4	26.8	46.6
1971	19.6	26.3	29.7	43.3	54.6	69.5	67.5	67.4	64.8	57.6	38.8	32.4	47.6
1972	21.8	22.5	30.9	42.5	59.1	62.5	70.0	67.7	61.1	46.2	36.9	28.8	45.8
1973	28.8	24.3	41.3	46.8	52.7	67.4	70.4	71.0	62.6	55.3	40.3	28.2	49.1
1974	24.8	20.9	34.9	48.1	53.9	64.9	71.3	69.7	58.9	48.1	40.2	29.2	47.1
1975	28.0	27.2	30.6	40.3	61.8	67.2	70.5	69.9	57.4	53.6	47.3	28.8	48.6
1976	18.1	31.1	38.7	48.2	54.5	69.4	71.1	68.2	60.6	46.8	33.3	17.4	46.5
1977	10.9	22.4	39.2	49.5	62.6	63.1	73.8	68.2	63.6	48.8	41.3	25.8	47.4
1978	18.2	13.4	26.7	43.8	58.7	65.1	69.6	70.0	65.4	50.3	40.6	26.5	45.7
1979	15.9	12.8	38.1	44.6	56.8	66.7	69.9	66.8	62.7	49.9	39.6	32.1	46.3
1980	23.4	20.3	29.9	44.6	57.7	61.6	70.5	70.5	60.5	44.3	36.2	24.4	45.3
1981	18.1	28.3	35.6	48.2	54.2	65.9	70.7	69.0	57.7	44.7	38.7	26.1	46.4
1982	16.4	20.2	32.7	43.3	65.0	62.9	71.3	66.6	61.0	52.5	41.4	37.2	47.5
1983	27.7	31.8	37.8	43.7	53.5	67.3	74.0	73.3	64.8	51.5	41.1	20.1	48.9
1984	14.4	31.2	26.8	45.3	51.5	69.3	70.0	71.8	60.7	54.0	39.4	33.4	47.3
1985	19.8	22.7	37.0	51.8	59.3	62.5	70.4	67.2	63.3	51.4	39.8	21.3	47.2
1986	21.7	21.1	35.8	49.4	58.9	64.9	72.2	66.3	63.0	50.5	35.5	29.9	47.4
1987	24.7	28.7	38.1	49.9	62.8	70.3	75.6	69.3	62.6	45.2	41.6	32.2	50.1
1988	22.0	20.1	34.1	46.5	60.3	67.7	75.2	72.6	61.2	44.8	41.4	27.3	47.8
1989	30.9	20.8	32.7	44.0	56.2	66.2	71.3	68.0	59.6	51.2	35.9	16.1	46.1
1990	31.8	26.9	38.1	48.4	55.3	66.8	70.0	69.4	61.5	49.9	42.4	29.8	49.2
1991	21.2	29.3	37.7	50.2	64.2	69.7	71.7	70.0	59.6	52.8	36.2	29.4	49.3
1992	25.8	29.4	32.9	43.6	57.3	64.2	66.9	65.2	60.2	48.1	38.3	31.5	47.0
1993	26.2	20.5	32.2	45.3	58.0	65.8	72.9	70.4	56.3	47.3	36.8	27.0	46.6
1994	13.8	18.4	33.5	47.6	55.0	67.9	70.6	65.9	62.7	51.6	42.5	32.0	46.8
1995	25.4	20.6	36.1	42.6	56.9	68.4	72.4	74.3	58.5	52.1	32.0	23.0	46.9
1996	21.9	23.7	28.1	42.4	54.8	68.5	67.6	70.1	61.6	50.1	32.7	28.8	45.9
1997	21.3	27.1	34.0	42.9	48.8	67.1	69.5	65.0	59.8	48.1	35.5	29.9	45.8
1998	29.9	34.5	36.4	47.6	62.9	66.8	70.4	70.8	65.3	51.5	41.8	32.3	50.9
POR= 56 YRS	22.4	24.3	32.9	45.6	56.8	66.4	70.4	68.9	61.9	51.1	39.6	28.1	47.4

## HEATING DEGREE DAYS (base 65°F) 1998 FLINT, MI (FNT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1969-70	16	11	143	485	836	1216	1539	1156	1075	544	238	80	7339
1970-71	19	26	151	395	761	1177	1400	1079	1088	646	324	41	7107
1971-72	29	28	108	248	782	1005	1328	1226	1052	669	192	117	6784
1972-73	34	40	139	574	835	1118	1116	1136	725	542	374	17	6650
1973-74	8	18	153	300	733	1132	1240	1230	924	504	344	71	6657
1974-75	4	10	211	519	737	1101	1142	1055	1059	736	162	56	6792
1975-76	8	2	225	355	525	1117	1448	978	809	518	322	16	6323
1976-77	1	33	169	559	943	1467	1671	1186	794	468	152	118	7561
1977-78	7	35	97	496	701	1210	1444	1438	1178	632	238	87	7563
1978-79	17	8	89	449	725	1187	1516	1458	829	606	291	64	7239
1979-80	17	36	120	477	753	1014	1282	1288	1079	607	250	154	7077
1980-81	2	8	152	633	856	1252	1445	1023	903	499	336	41	7150
1981-82	10	24	231	621	780	1199	1501	1246	996	648	83	91	7430
1982-83	3	58	163	385	700	851	1153	924	838	633	351	65	6124
1983-84	12	5	106	422	711	1385	1565	977	1178	586	411	23	7381
1984-85	14	12	176	335	761	972	1395	1177	860	418	197	103	6420
1985-86	7	28	153	413	748	1345	1338	1224	899	475	218	69	6917
1986-87	13	54	113	444	881	1081	1242	1010	826	447	174	25	6310
1987-88	11	44	119	605	695	1011	1326	1295	954	547	189	82	6878
1988-89	5	24	144	626	700	1161	1053	1233	993	626	289	49	6903
1989-90	5	28	199	422	864	1507	1020	1061	829	529	299	42	6805
1990-91	18	10	164	469	668	1084	1352	994	838	450	165	22	6234
1991-92	3	9	218	381	855	1098	1206	1024	988	638	266	78	6764
1992-93	26	56	193	516	793	1032	1194	1238	1007	583	218	71	6927
1993-94	1	16	267	544	837	1169	1581	1298	969	528	326	49	7585
1994-95	2	53	116	408	670	1017	1220	1236	889	665	249	39	6564
1995-96	14	0	217	403	982	1295	1328	1191	1137	675	340	19	7601
1996-97	26	2	150	457	965	1114	1346	1055	951	655	497	44	7262
1997-98	22	57	165	526	878	1081	1080	847	890	517	111	118	6292
1998-	8	12	72	421	689	1006							

WBAN : 14826

## COOLING DEGREE DAYS (base 65°F) 1998 FLINT, MI (FNT)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1969	0	0	0	0	13	48	150	173	73	1	0	0	458
1970	0	0	0	17	36	108	191	152	57	4	0	0	565
1971	0	0	0	0	11	187	116	111	105	25	0	0	555
1972	0	0	0	0	18	50	199	130	30	0	0	0	427
1973	0	0	0	4	0	97	182	214	84	6	0	0	587
1974	0	0	0	4	6	77	206	163	35	2	0	0	493
1975	0	0	0	0	68	128	187	158	1	9	0	0	551
1976	0	0	0	20	5	155	196	140	41	3	0	0	560
1977	0	0	0	12	86	70	286	140	62	0	0	0	656
1978	0	0	0	0	51	95	165	172	108	0	0	0	591
1979	0	0	0	0	43	118	177	97	57	17	0	0	509
1980	0	0	0	3	27	55	181	183	27	0	0	0	476
1981	0	0	0	0	10	77	196	151	19	0	0	0	453
1982	0	0	0	0	91	35	204	118	49	6	0	0	503
1983	0	0	0	0	0	142	301	268	110	11	0	0	832
1984	0	0	0	0	1	157	179	231	53	1	0	0	622
1985	0	0	0	28	29	33	179	107	108	0	0	0	484
1986	0	0	0	12	38	73	246	103	57	0	0	0	529
1987	0	0	0	1	113	189	345	185	55	0	2	0	890
1988	0	0	0	0	50	171	328	266	34	6	0	0	855
1989	0	0	0	0	19	88	207	128	46	1	0	0	489
1990	0	0	5	40	5	100	177	153	65	9	1	0	555
1991	0	0	0	11	151	171	217	173	67	10	0	0	800
1992	0	0	0	2	34	61	91	74	53	0	0	0	315
1993	0	0	0	0	9	101	251	189	12	1	0	0	563
1994	0	0	0	9	24	142	180	88	54	0	0	0	497
1995	0	0	0	0	7	147	250	293	28	8	0	0	733
1996	0	0	0	0	30	129	111	170	56	1	0	0	497
1997	0	0	0	0	0	117	166	64	17	8	0	0	372
1998	0	0	11	0	55	178	180	197	88	8	0	0	717

SNOWFALL (inches) 1998 FLINT, MI (FNT)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1969-70	0.0	0.0	0.0	T	6.2	6.1	13.4	8.1	12.5	8.7	T	0.0	55.0
1970-71	0.0	0.0	0.0	0.0	1.5	19.9	9.7	6.1	16.8	0.9	0.0	0.0	54.9
1971-72	0.0	0.0	0.0	T	10.4	7.2	14.6	12.9	5.5	1.5	0.0	0.0	52.1
1972-73	0.0	0.0	0.0	T	8.9	18.3	1.3	16.7	14.3	3.1	0.3	0.0	62.9
1973-74	0.0	0.0	0.0	0.0	T	18.3	9.3	14.2	6.0	0.4	T	0.0	48.2
1974-75	0.0	0.0	0.0	T	9.2	21.3	6.8	12.3	16.0	17.3	0.0	0.0	82.9
1975-76	0.0	0.0	T	0.0	10.5	21.1	28.5	7.8	5.6	3.1	T	0.0	76.6
1976-77	0.0	0.0	0.0	T	2.4	17.6	15.6	3.8	5.1	0.3	0.0	0.0	44.8
1977-78	0.0	0.0	0.0	T	3.4	9.9	23.6	8.4	5.0	0.3	0.0	0.0	50.6
1978-79	0.0	0.0	0.0	0.0	6.2	9.8	26.1	3.0	5.4	1.5	0.0	0.0	52.0
1979-80	0.0	0.0	0.0	T	9.4	2.5	6.2	7.2	10.8	3.6	0.0	0.0	39.7
1980-81	0.0	0.0	0.0	T	0.6	13.8	9.5	8.4	4.1	T	0.0	0.0	36.4
1981-82	0.0	0.0	0.0	T	2.8	11.9	19.3	10.7	9.3	8.2	0.0	0.0	62.2
1982-83	0.0	0.0	0.0	0.0	1.3	3.6	3.8	4.8	13.0	7.1	0.0	0.0	33.6
1983-84	0.0	0.0	0.0	0.0	2.4	20.0	9.0	3.6	6.5	0.5	0.0	0.0	42.0
1984-85	0.0	0.0	0.0	0.0	1.1	11.0	15.3	14.4	6.4	1.2	0.0	0.0	49.4
1985-86	0.0	0.0	0.0	0.0	3.4	13.2	11.2	20.6	4.3	0.6	0.0	0.0	53.3
1986-87	0.0	0.0	0.0	0.0	4.8	8.9	16.9	2.2	4.3	1.5	0.0	0.0	38.6
1987-88	0.0	0.0	0.0	0.5	T	8.8	5.9	19.6	4.3	0.1	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	T	1.3	6.2	8.7	8.7	3.3	1.3	0.0	T	29.5
1989-90	0.0	0.0	0.0	4.4	7.8	11.3	5.6	20.8	2.9	2.6	0.0	0.0	55.4
1990-91	0.0	0.0	0.0	0.0	T	10.6	16.6	5.8	1.2	T	0.0	0.0	34.2
1991-92	0.0	0.0	0.0	T	4.9	16.7	14.0	1.4	14.4	3.0	T	T	54.4
1992-93	T	0.0	0.0	1.8	0.6	4.6	11.3	16.1	11.8	7.0	0.0	0.0	53.2
1993-94	0.0	0.0	0.0	0.8	0.8	3.5	14.7	20.1	4.2	0.2	0.3	0.0	44.6
1994-95	0.0	0.0	0.0	0.0	1.2	10.2	18.4	7.4	4.5	0.8	0.0	0.0	42.5
1995-96	0.0	0.0	0.0	T	3.5	7.1	4.9	5.4	17.7	T	0.0	0.0	38.6
1996-97	0.0	0.0	0.0	T	2.3	11.9	17.3	5.4	3.7	2.9	0.0	0.0	43.5
1997-98	0.0	0.0	0.0	2.8	3.3	6.9	8.0	0.4	6.9	0.0	0.0	0.0	28.3
1998-	0.0	T	0.0	0.0	0.2	3.4							
POR= 56 YRS	T	0.0	T	0.2	3.7	9.5	11.5	9.3	7.4	2.3	0.0	T	43.9

WBAN : 14826

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	---

1998  
FLINT,  
MICHIGAN (FNT)

Flint, Michigan, is located in the Flint River Valley, in the center of Genesee County. Lake Huron lies approximately 65 miles to the east, while Saginaw Bay is about 40 miles to the north. The surrounding terrain is generally level with a slight rising tendency to a range of hills 15 to 20 miles southeast of the city.

Flint is generally under the climatic influence of the Great Lakes. Temperatures of 100 degrees or higher are rare and cold waves are less severe than expected. During the winter months, snow showers occur with strong northwesterly winds, and Lake Michigan, lying 120 miles to the west, causes a tempering effect upon cold waves coming from the northwest. The lake effect also results in delaying the coming of spring and prolonging warmer weather in late autumn. This results in conditions favorable for orchards and small fruit.

Precipitation is usually ample for growth and development of vegetation. The wettest periods normally occur in the late spring, early summer, and early fall. The driest period is normally during the winter, and although there is an occasional heavy snowfall, most of the snow occurs in the form of frequent light flurries.

Winter months are marked by considerable cloudiness and rather high relative humidity, while during the summer relative humidity is usually not excessive and sunshine is plentiful.

Violent windstorms associated with thunderstorms and squall lines occasionally hit this area. Tornadoes are infrequent but have caused extensive property damage and loss of life.

Weather changes are frequent throughout the year, since a majority of atmospheric disturbances moving eastward across the country pass near enough to affect the weather in Flint.

# STATION LOCATION

FLINT, MICHIGAN

LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE													* Type	REMARKS
						SEA LEVEL	GROUND													
							WIND	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY		
<u>COOPERATIVE</u>																				
City Water Works	12/1/88	2/19/19	NA	43°01'	83°39'	730	NA	4	NA	NA	NA	NA	NA	4	NA	NA	NA	Known as Flint-Genessee Co. prior to June 1915.		
Michigan School for Deaf, 2 mi. SW of P.O.	3/5/19	9/30/32	Unknown	43°01'	83°39'	730	NA	3	NA	NA	NA	NA	2	NA	NA	NA	Surrounded by buildings; exposure only fair.			
Flint Journal Office Bldg., 519 Harrison St.	10/1/32	5/6/41	2 mi. E	43°91'	83°40'	730	NA	4	NA	NA	NA	NA	3	NA	NA	NA	Instruments located on roof of 4 story building. Elevations are above roof.			
<u>AIRPORT</u>																				
Municipal Hangar Bishop Airport	1/15/37	9/22/54	4.6 mi. SW	42°58'	83°44'	761	NA	a60 b62	5 b4 c40 d5	NA	NA	NA	4 b3	NA	NA	NA	INSAC quarters. Country level. a - Installed 9/19/38. b - Effective 5/6/41. c - Moved to roof 5/19/47. d - Moved to field site 6/22/50. CAA observations 5/6/41-1/31/56. WRAS established 2/1/56.			
New Administration Bldg Bishop Airport	9/22/54	3/17/57	500 ft. W	42°58'	83°44'	761	65	20	20	NA	NA	NA	17	NA	NA	NA				
Weather Bureau Bldg. + Bishop Airport	3/17/57	Present	0.6 mi. W	42°58'	83°45'	766 h770 i771	35 e35 f21	5 e5	5 e5	NA	NA	5 e5	3 e4	NA g4	NA	NA	e - Moved 250' NE 11/15/57. f - Moved 3600' ESE 9/9/63. g - Commissioned 2100' S of thermometer site 10/1/63. h - Effective 10/1/63. i - Revised 12/31/68.			
+ National Weather Service Building (Effective 1970)																	S ASOS Commissioned 06/01/95			

SUBSCRIPTION: Price and ordering information available through: National Climatic Data Center, Federal Building, Asheville, North Carolina 28801.  
INQUIRIES/COMMENTS CALL: (828) 271-4800

National Climatic Data Center  
151 Patton Avenue, Rm 120  
Asheville NC 28801-5001

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
FORWARD AND ADDRESS CORRECTION

FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19