

# 1999




## LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-4721

### RAPID CITY, SOUTH DAKOTA (RAP)

#### Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
NATIONAL CLIMATIC DATA CENTER  
NATIONAL CLIMATIC DATA CENTER  
DIRECTOR NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 1999

## RAPID CITY, SD (RAP)

LATITUDE: 44° 02' 44" N      LONGITUDE: 103° 03' 14" W      ELEVATION (FT): GRND: 3166      BARO: 3166      TIME ZONE: MOUNTAIN (UTC + 7)      WBAN: 24090

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	37.8	51.2	48.8	53.5	65.0	74.3	84.8	86.2	70.8	65.8	59.5	46.2	62.0	
	HIGHEST DAILY MAXIMUM	60	72	78	73	84	90	103	96	91	86	83	63	103	
	DATE OF OCCURRENCE	11	25	30	19	29	25	28	31	06	11	08	29	JUL 28	
	MEAN DAILY MINIMUM	13.4	22.0	23.7	31.7	40.9	50.8	57.7	56.6	40.5	34.0	29.3	20.4	35.1	
	LOWEST DAILY MINIMUM	-7	15	9	12	31	41	46	49	26	21	17	4	-7	
	DATE OF OCCURRENCE	04	17+	06	04	12+	01	10+	24	29	17+	24+	20	JAN 04	
	AVERAGE DRY BULB	25.6	36.6	36.3	42.6	53.0	62.6	71.3	71.4	55.7	49.9	44.4	33.3	48.6	
	MEAN WET BULB	22.5	30.7	31.9	38.5	48.0	57.2	62.9	61.8	47.7	40.2	35.0	28.0	42.0	
	MEAN DEW POINT	17.5	21.1	25.5	32.9	42.8	53.5	57.5	56.0	39.6	29.0	23.2	19.2	34.8	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	1	9	10	1	0	0	0	0	21
	MAXIMUM ≤ 32°	8	0	6	2	0	0	0	0	0	0	0	3	19	
	MINIMUM ≤ 32°	31	27	27	18	3	0	0	0	4	14	21	29	174	
	MINIMUM ≤ 0°	5	0	0	0	0	0	0	0	0	0	0	0	5	
H/C	HEATING DEGREE DAYS	1214	790	885	666	366	104	22	6	284	460	609	976	6382	
	COOLING DEGREE DAYS	0	0	0	0	2	40	225	212	9	0	0	0	488	
RH	MEAN (PERCENT)	75	57	69	72	70	75	64	63	60	51	53	60	64	
	HOUR 05 LST	81	69	82	84	85	87	78	82	77	65	62	69	77	
	HOUR 11 LST	70	44	59	64	57	62	52	49	43	38	44	48	52	
	HOUR 17 LST	72	47	57	58	61	61	49	45	45	38	46	58	53	
	HOUR 23 LST	78	66	74	80	82	86	75	75	72	59	59	64	72	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	3	1	6	7	2	2	2	2	1	1	5	3	35	
	THUNDERSTORMS	0	0	0	1	5	11	6	3	1	0	0	0	27	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	26.66	26.59	26.68	26.68	26.62	26.66	26.71	26.74	26.75	26.79	26.75	26.72	26.70	
	MEAN SEA-LEVEL PRESS. (IN.)	30.05	29.92	30.01	29.99	29.88	29.89	29.91	29.95	30.02	30.09		30.08		
WINDS	RESULTANT SPEED (MPH)	4.4	6.4	0.7	4.6	4.3	0.6	1.8	1.3	5.3	3.7	2.9	7.2	3.4	
	RES. DIR. (TENS OF DEGS.)	35	32	10	01	34	01	01	02	34	34	33	33	34	
	MEAN SPEED (MPH)	10.4	12.9	11.3	12.1	13.3	9.4	9.4	8.5	9.4	10.2	8.8	10.4	10.5	
	PREVAIL. DIR. (TENS OF DEGS.)	35	34	15	34	33	35	35	15	35	34	33	33	34	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	47	51	47	44	57	37	39	41	47	55	54	43	57	
	DIR. (TENS OF DEGS.)	34	33	34	34	32	32	34	32	33	33	33	33	32	
	DATE OF OCCURRENCE	01	10	16	15	06	06	08	06	07	31+	01	19+	MAY 06	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	56	60	54	55	68	44	47	48	56	67	64	54	68	
DIR. (TENS OF DEGS.)	35	32	33	34	32	32	32	33	34	34	32	33	32		
DATE OF OCCURRENCE	01	03	16	15	06	06+	08	06	07	27	01	13	MAY 06		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.21	0.02	1.32	2.45	4.49	5.24	3.68	0.47	0.85	0.11	0.43	0.21	19.48	
	GREATEST 24-HOUR (IN.)	0.15	0.01	0.30	0.44	2.80	1.52	2.00	0.25	0.30	0.06	0.33	0.15	2.80	
	DATE OF OCCURRENCE	06	17+	05	25	21	12	31	21	03	02	18	21-22	MAY 21	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	5	2	10	11	12	18	6	3	7	2	2	4	82	
PRECIPITATION ≥ 0.10	1	0	2	9	6	11	4	2	4	0	2	1	42		
PRECIPITATION ≥ 1.00	0	0	0	0	1	1	2	0	0	0	0	0	4		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	2.0	0.2	18.5	6.3	0.0	T	0.0	0.0	0.0	T	0.3	3.7	31.0	
	GREATEST 24-HOUR (IN.)	1.5	0.1	12.5	2.6	0.0	T	0.0	0.0	0.0	T	0.3	3.2	12.5	
	DATE OF OCCURRENCE	06	17+	05	01		27+				02+	18	21-22	MAR 05	
	MAXIMUM SNOW DEPTH (IN.)	2	T	13	3	0	0	0	0	0	0	T	3	13	
	DATE OF OCCURRENCE	06	27+	06+	03							18	23	MAR 06+	
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0	1	0	2	3	0	0	0	0	0	0	0	1	7		

# NORMALS, MEANS, AND EXTREMES

## RAPID CITY, SD (RAP)

LATITUDE: 44° 02' 44" N      LONGITUDE: 103° 03' 14" W      ELEVATION (FT): GRND: 3166      BARO: 3166      TIME ZONE: MOUNTAIN (UTC + 7)      WBAN: 24090

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	33.8	38.2	45.9	57.9	68.1	77.8	86.2	85.1	74.4	62.5	46.7	35.6	59.4
	MEAN DAILY MAXIMUM	51	33.5	38.5	45.3	57.4	67.8	77.6	86.1	85.8	75.0	61.4	46.6	37.2	59.4
	HIGHEST DAILY MAXIMUM	57	76	75	82	93	98	106	110	106	104	94	83	75	110
	YEAR OF OCCURRENCE		1987	1995	1993	1989	1969	1988	1989	1988	1978	1993	1999	1965	JUL 1989
	MEAN OF EXTREME MAXS.	51	60.1	63.2	71.8	81.7	87.3	94.1	100.6	99.9	94.6	83.7	71.1	62.8	80.9
	NORMAL DAILY MINIMUM	30	10.7	15.2	22.2	32.2	42.3	51.7	58.2	56.1	45.5	34.9	22.8	12.7	33.7
	MEAN DAILY MINIMUM	51	10.3	15.2	21.7	32.0	43.0	52.1	58.3	57.0	46.2	34.9	22.9	14.2	34.0
	LOWEST DAILY MINIMUM	57	-27	-31	-21	1	18	31	39	38	18	-2	-19	-30	-31
	YEAR OF OCCURRENCE		1950	1996	1996	1975	1950	1951	1987	1992	1985	1991	1959	1990	FEB 1996
	MEAN OF EXTREME MINS.	51	-12.9	-7.2	0.7	17.1	29.6	40.2	48.1	46.1	30.5	18.9	3.4	-9.3	17.1
	NORMAL DRY BULB	30	22.3	26.7	34.1	45.1	55.2	64.8	72.2	70.6	60.0	48.7	34.8	24.2	46.6
	MEAN DRY BULB	51	21.9	26.8	33.5	44.8	55.4	65.0	72.3	71.3	60.7	48.2	34.7	25.7	46.7
	MEAN WET BULB	16	20.8	23.8	30.3	38.4	48.9	57.2	60.9	59.7	50.4	37.6	28.8	21.8	39.9
	MEAN DEW POINT	16	13.8	16.2	22.9	29.6	42.1	51.3	53.8	52.0	41.6	29.2	21.7	14.4	32.4
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.1	0.5	3.7	11.4	11.2	3.3	0.2	0.0	0.0	30.4	
MAXIMUM ≤ 32°	30	13.3	9.3	5.7	0.7	0.0	0.0	0.0	0.0	0.0	0.3	5.0	11.8	46.1	
MINIMUM ≤ 32°	30	30.0	26.6	26.8	14.8	2.5	*	0.0	0.0	2.0	10.9	24.9	30.0	168.5	
MINIMUM ≤ 0°	30	8.1	4.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.0	19.6	
H/C	NORMAL HEATING DEG. DAYS	30	1324	1072	958	597	311	103	18	31	211	505	906	1265	7301
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	7	97	241	205	61	0	0	0	611
RH	NORMAL (PERCENT)	30	64	65	64	59	61	62	56	53	54	54	62	65	60
	HOUR 05 LST	30	66	71	74	73	76	77	74	71	70	66	70	69	71
	HOUR 11 LST	30	58	58	55	48	50	51	45	41	42	42	52	59	50
	HOUR 17 LST	30	62	59	52	45	47	47	40	36	39	45	58	64	50
	HOUR 23 LST	30	67	70	71	68	71	72	66	62	63	63	68	68	67
S	PERCENT POSSIBLE SUNSHINE	54	57	60	63	62	60	65	73	74	70	66	55	55	63
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	58	1.7	2.2	2.7	1.8	1.2	1.2	0.5	0.6	0.6	0.8	2.1	2.0	17.4
	THUNDERSTORMS	58	0.0	0.0	0.1	1.2	5.7	10.6	11.4	8.3	3.3	0.4	0.0	0.0	41.0
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	1					9.6	3.2		4.8	5.6		5.6		
	MIDNIGHT-MIDNIGHT (OKTAS)	1					9.6	3.2			6.4				
	MEAN NO. DAYS WITH:														
CLEAR	1		7.0	3.0		1.0	10.0								
PARTLY CLOUDY	1	4.0	3.0	6.0		7.0	9.0								
CLOUDY	1	3.0	6.0	9.0		21.0	4.0								
PR	MEAN STATION PRESSURE (IN)	27	26.71	26.71	26.67	26.66	26.67	26.68	26.73	26.74	26.75	26.74	26.70	26.70	26.71
	MEAN SEA-LEVEL PRES. (IN)	16	30.07	30.07	30.01	29.95	29.92	29.90	29.93	29.95	29.98	30.02	30.05	30.11	30.00
WINDS	MEAN SPEED (MPH)	32	10.5	11.2	12.4	12.9	11.9	10.8	10.1	10.0	10.7	11.0	11.0	10.5	11.1
	PREVAIL. DIR (TENS OF DEGS)	20	33	33	33	33	33	33	33	33	33	33	33	33	33
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	4	51	59	49	61	57	54	43	41	47	55	57	52	61
	DIR. (TENS OF DEGS)		33	33	33	32	32	30	28	32	33	33	33	33	32
	YEAR OF OCCURRENCE		1997	1998	1997	1997	1999	1996	1997	1999	1999	1999	1998	1996	APR 1997
	MAXIMUM 5-SECOND:														
SPEED (MPH)	4	60	70	60	69	68	67	53	48	56	67	67	61	70	
DIR. (TENS OF DEGS)		32	31	33	31	32	30	27	33	34	34	33	33	31	
YEAR OF OCCURRENCE		1997	1996	1996	1997	1999	1996	1997	1999	1999	1999	1998	1996	FEB 1996	
PRECIPITATION	NORMAL (IN)	30	0.39	0.52	1.03	1.89	2.68	3.06	2.04	1.67	1.23	1.10	0.56	0.47	16.64
	MAXIMUM MONTHLY (IN)	57	1.77	2.46	3.02	5.16	8.18	7.00	6.13	4.83	3.94	5.60	2.22	1.65	8.18
	YEAR OF OCCURRENCE		1944	1953	1945	1967	1996	1968	1969	1982	1946	1998	1985	1975	MAY 1996
	MINIMUM MONTHLY (IN)	57	0.01	0.02	0.12	0.02	0.33	0.64	0.38	0.10	0.03	T	0.03	0.01	T
	YEAR OF OCCURRENCE		1952	1999	1981	1987	1966	1973	1988	1943	1975	1960	1945	1986	OCT 1960
	MAXIMUM IN 24 HOURS (IN)	57	1.26	1.00	2.19	3.19	3.40	4.01	2.51	2.60	2.13	2.49	1.09	1.04	4.01
	YEAR OF OCCURRENCE		1944	1953	1945	1997	1965	1963	1944	1982	1966	1982	1944	1975	JUN 1963
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	6.7	7.2	8.4	9.6	11.7	11.7	9.3	7.8	7.2	5.2	5.6	6.8	97.2	
PRECIPITATION ≥ 1.00	30	0.0	0.0	0.1	0.2	0.4	0.7	0.4	0.2	0.2	0.2	0.0	*	2.4	
SNOWFALL	NORMAL (IN)	30	4.3	6.5	9.3	6.3	0.7	0.*	0.0	0.0	0.2	1.6	5.2	5.8	39.9
	MAXIMUM MONTHLY (IN)	55	24.0	23.7	30.7	30.6	11.6	3.6	T	T	2.0	10.2	33.6	17.9	33.6
	YEAR OF OCCURRENCE		1949	1953	1950	1970	1950	1951	1993	1994	1970	1995	1985	1975	NOV 1985
	MAXIMUM IN 24 HOURS (IN)	55	16.3	10.0	14.9	16.0	13.4	3.6	T	T	2.0	7.8	9.4	9.8	16.3
	YEAR OF OCCURRENCE		1944	1953	1973	1970	1967	1951	1993	1994	1970	1995	1977	1975	JAN 1944
	MAXIMUM SNOW DEPTH (IN)	48	16	14	16	17	13	2	0	0	1	6	15	11	17
	YEAR OF OCCURRENCE		1993	1987	1977	1970	1967	1951			1965	1954	1985	1985	APR 1970
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	1.3	2.3	2.7	1.8	0.2	0.0	0.0	0.0	0.1	0.5	1.7	1.9	12.5	

PRECIPITATION (inches) 1999 RAPID CITY, SD (RAP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1970	0.73	0.54	1.48	4.63	2.41	2.16	1.04	0.67	1.57	1.23	0.80	0.61	17.87
1971	1.18	1.00	1.25	2.86	3.70	1.92	1.46	0.52	2.32	2.02	0.79	0.15	19.17
1972	0.22	0.44	0.47	2.78	3.28	4.11	1.67	2.49	0.24	0.77	0.38	0.34	17.19
1973	0.11	0.31	2.71	2.69	2.37	0.64	1.46	0.74	1.44	1.38	0.73	0.54	15.12
1974	0.16	0.30	0.34	1.55	1.32	1.10	0.68	1.37	0.88	1.18	0.12	0.12	9.12
1975	1.05	0.35	2.45	1.37	1.23	5.63	1.57	0.87	0.03	0.69	0.57	1.65	17.46
1976	0.28	0.47	0.33	2.70	2.74	4.81	1.05	1.31	0.28	0.21	0.61	0.41	15.20
1977	0.83	0.25	2.63	1.57	2.49	1.76	2.98	1.79	2.86	1.06	0.82	0.36	19.40
1978	0.19	0.84	0.40	2.19	3.12	2.01	4.08	1.42	0.18	0.26	0.63	0.25	15.57
1979	0.49	0.33	0.47	0.31	1.17	3.60	4.11	2.32	0.07	0.90	0.15	0.07	13.99
1980	0.20	0.51	0.86	1.13	1.58	4.75	1.78	2.38	0.48	2.28	0.57	0.66	17.18
1981	0.14	0.09	0.12	0.32	2.81	1.89	4.47	1.74	0.16	1.81	0.23	0.35	14.13
1982	0.39	0.37	1.35	0.69	6.50	2.89	1.81	4.83	2.69	3.82	0.27	0.36	25.97
1983	0.34	0.18	0.84	1.00	2.18	3.01	1.94	2.39	0.33	1.74	1.07	0.47	15.49
1984	0.10	0.18	0.69	3.10	1.57	4.72	1.57	1.00	0.74	0.67	0.51	0.38	15.23
1985	0.46	0.06	1.55	0.32	1.24	1.58	1.03	1.86	1.57	0.98	2.22	0.77	13.64
1986	0.49	0.92	0.88	4.74	1.43	4.56	0.91	1.32	3.14	1.64	1.40	0.01	21.44
1987	0.04	1.71	1.14	0.02	3.39	1.37	0.83	2.37	0.68	0.26	0.30	0.31	12.42
1988	0.17	0.34	0.52	0.60	3.25	1.09	0.38	1.98	0.56	0.76	0.81	0.46	10.92
1989	0.02	0.34	0.96	1.46	1.40	1.04	0.82	1.70	3.09	1.49	0.43	0.82	13.57
1990	0.22	0.37	1.17	0.77	4.87	1.42	1.94	1.87	2.44	0.61	0.44	0.33	16.45
1991	0.32	0.77	0.63	2.99	4.40	3.27	1.97	0.58	0.59	1.00	0.73	0.04	17.29
1992	0.29	0.16	1.92	0.71	2.47	2.17	3.25	0.47	0.42	0.68	0.39	0.57	13.50
1993	0.68	0.61	0.82	3.05	2.16	3.39	4.31	1.18	1.46	0.90	0.70	0.53	19.79
1994	0.45	0.66	0.37	1.20	1.47	0.67	0.64	0.92	0.27	2.84	0.66	0.35	10.50
1995	0.09	0.55	0.79	2.57	4.03	4.50	2.87	0.46	0.82	2.42	0.42	0.13	19.65
1996	0.85	0.10	1.06	1.63	8.18	1.24	0.52	1.85	1.55		0.07		
1997	0.65	0.28	0.20	4.80	5.35	3.43	3.67	3.93	0.78	0.47	0.19	0.08	23.83
1998	0.15	1.24	1.32	0.28	2.34	5.59	1.26	1.42	1.50	5.60	1.13	0.06	21.89
1999	0.21	0.02	1.32	2.45	4.49	5.24	3.68	0.47	0.85	0.11	0.43	0.21	19.48
POR= 100 YRS	0.42	0.48	0.98	1.93	3.12	3.22	2.20	1.51	1.20	1.02	0.60	0.49	17.17

WBAN : 24090

AVERAGE TEMPERATURE (°F) 1999 RAPID CITY, SD (RAP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1970	17.8	30.8	27.5	39.2	55.6	65.6	72.7	73.8	59.1	44.1	34.2	21.9	45.2
1971	17.5	22.6	32.6	46.0	53.6	66.4	68.0	73.9	57.4	46.1	34.5	23.3	45.2
1972	17.3	24.0	36.5	43.6	55.2	64.7	65.6	69.1	59.4	43.8	31.0	18.6	44.1
1973	26.8	28.9	37.5	42.9	53.7	64.7	70.7	74.3	57.1	51.3	32.3	25.4	47.1
1974	21.9	32.5	37.6	47.2	53.8	66.6	77.3	67.7	57.6	51.7	36.4	28.9	48.3
1975	23.7	17.6	27.6	40.5	54.0	62.2	74.7	70.3	58.5	49.2	33.8	29.4	45.1
1976	23.9	34.6	34.4	46.9	55.4	64.3	72.8	72.6	63.3	45.4	31.7	26.8	47.7
1977	12.7	34.6	36.4	49.5	60.3	69.0	73.4	66.0	61.0	48.8	33.3	21.9	47.2
1978	11.0	15.3	35.4	45.2	55.1	65.1	71.1	69.7	66.2	50.5	29.2	17.1	44.2
1979	7.4	16.8	35.4	44.4	53.6	65.4	70.4	68.5	66.3	50.9	33.0	33.2	45.4
1980	21.0	27.1	31.5	48.9	57.4	67.1	74.9	68.6	61.6	48.9	39.3	30.3	48.1
1981	32.6	29.4	40.0	51.5	54.9	64.9	72.0	70.0	63.5	47.7	40.4	25.8	49.4
1982	11.9	23.9	33.0	42.1	53.3	59.7	70.7	70.2	58.7	47.2	32.7	28.6	44.3
1983	32.1	37.3	36.4	40.7	52.0	63.1	73.6	78.0	60.8	49.4	34.9	8.1	47.2
1984	28.0	36.1	34.3	43.8	53.6	62.8	72.2	74.8	57.2	47.2	37.5	21.4	47.4
1985	21.6	23.8	35.9	52.0	61.8	62.1	74.6	69.0	55.6	47.3	16.0	21.0	45.1
1986	29.8	21.5	43.0	44.2	54.9	67.6	70.9	69.6	55.0	48.7	30.6	30.5	47.2
1987	31.1	32.4	32.6	51.6	59.5	67.1	75.4	68.1	61.4	47.1	40.3	28.9	49.6
1988	21.7	26.9	35.6	47.1	60.0	75.6	76.1	72.5	60.4	49.7	36.4	28.4	49.2
1989	28.7	14.4	31.1	45.8	55.4	64.0	77.0	73.1	61.0	48.8	36.4	19.4	46.3
1990	32.4	28.9	36.4	45.0	53.2	66.6	71.7	73.8	65.9	48.2	40.5	17.8	48.4
1991	18.4	36.0	38.5	46.3	56.6	67.2	72.9	74.0	61.1	46.4	30.0	32.7	48.3
1992	33.6	36.3	40.9	47.1	57.4	62.6	64.3	65.9	62.6	49.3	32.4	19.0	47.6
1993	16.0	15.2	37.6	43.5	56.1	60.3	65.1	68.6	56.6	48.2	32.4	31.5	44.3
1994	22.4	19.8	40.5	46.0	60.2	68.5	70.7	73.3	65.5	49.7	35.5	30.3	48.5
1995	29.2	31.9	33.2	40.3	51.8	62.9	70.6	73.6	60.1	46.5	33.7	25.4	46.6
1996	14.9	27.3	26.2	43.3	50.6	65.5	70.8	73.2	59.8		24.3	17.9	
1997	18.1	28.8	36.7	38.7	52.8	66.3	70.9	68.7	62.5	48.6	33.2	30.3	46.3
1998	24.3	34.9	28.0	46.2	56.2	58.7	72.7	72.3	67.1	47.8	36.9	26.8	47.7
1999	25.6	36.6	36.3	42.6	53.0	62.6	71.3	71.4	55.7	49.9	44.4	33.3	48.6
POR= 100 YRS	22.9	25.7	33.4	44.9	55.1	64.5	72.2	70.8	60.8	48.7	35.7	26.3	46.8

## HEATING DEGREE DAYS (base 65°F) 1999 RAPID CITY, SD (RAP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1970-71	2	0	245	644	918	1330	1463	1182	996	563	344	35	7722
1971-72	43	2	267	578	909	1284	1473	1182	877	634	322	74	7645
1972-73	74	43	193	649	1010	1436	1181	1008	847	659	350	83	7533
1973-74	16	0	246	416	972	1223	1329	905	840	530	343	87	6907
1974-75	1	42	242	407	849	1112	1274	1318	1151	728	343	119	7586
1975-76	3	16	206	493	929	1096	1269	878	940	535	295	98	6758
1976-77	3	6	132	606	991	1177	1616	846	877	459	165	17	6895
1977-78	1	48	163	494	944	1330	1669	1383	912	588	312	91	7935
1978-79	17	40	111	443	1068	1480	1781	1348	910	614	362	82	8256
1979-80	3	25	64	433	952	982	1359	1094	1032	483	251	54	6732
1980-81	1	18	144	510	763	1070	998	993	765	402	311	65	6040
1981-82	21	7	108	531	730	1209	1646	1146	985	682	358	170	7593
1982-83	7	21	226	545	962	1119	1012	772	880	723	407	113	6787
1983-84	8	0	208	474	896	1762	1139	832	948	626	366	101	7360
1984-85	0	0	268	546	820	1344	1341	1148	895	393	146	144	7045
1985-86	8	27	327	544	1466	1358	1083	1211	672	617	317	35	7665
1986-87	5	12	296	497	1025	1059	1045	907	997	408	199	46	6496
1987-88	10	49	147	545	736	1111	1340	1103	905	533	195	17	6691
1988-89	3	18	163	470	850	1127	1120	1414	1047	586	303	116	7217
1989-90	3	6	182	495	847	1410	1004	1004	880	597	363	68	6859
1990-91	10	5	112	514	730	1462	1440	807	815	556	269	16	6736
1991-92	2	6	183	581	1045	997	964	828	742	539	262	107	6256
1992-93	67	83	138	493	973	1418	1515	1390	841	636	269	158	7981
1993-94	56	26	256	522	972	1035	1312	1260	749	565	171	27	6951
1994-95	9	17	79	468	876	1068	1104	919	983	734	400	130	6787
1995-96	11	5	215	568	933	1221	1551	1087	1200	643	447	66	7947
1996-97	6	0	203		1215	1453	1446	1008	872	783	373	30	
1997-98	23	26	127	510	947	1067	1254	837	1143	558	272	198	6962
1998-99	3	0	91	522	840	1178	1214	790	885	666	366	104	6659
1999-	22	6	284	460	609	976							

WBAN : 24090

## COOLING DEGREE DAYS (base 65°F) 1999 RAPID CITY, SD (RAP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1970	0	0	0	0	7	96	248	279	78	5	0	0	713
1971	0	0	0	0	0	81	142	284	43	0	0	0	550
1972	0	0	0	0	21	70	98	178	34	0	0	0	401
1973	0	0	0	0	7	80	202	295	15	0	0	0	599
1974	0	0	0	1	3	143	390	132	28	0	0	0	697
1975	0	0	0	0	9	41	314	188	19	12	0	0	583
1976	0	0	0	0	4	83	251	248	87	3	0	0	676
1977	0	0	0	0	25	143	270	85	51	0	0	0	574
1978	0	0	0	0	9	99	214	193	154	0	0	0	669
1979	0	0	0	4	15	99	179	141	110	2	0	0	550
1980	0	0	0	6	25	123	315	136	48	14	0	0	667
1981	0	0	0	3	5	67	243	170	74	0	0	0	562
1982	0	0	0	0	3	18	189	190	41	0	0	0	441
1983	0	0	0	0	9	62	282	407	88	0	0	0	848
1984	0	0	0	0	18	41	234	309	42	2	0	0	646
1985	0	0	0	10	53	64	312	158	51	0	0	0	648
1986	0	0	0	0	11	124	192	164	0	0	0	0	491
1987	0	0	0	13	33	118	341	152	45	0	0	0	702
1988	0	0	0	2	46	341	355	255	33	2	0	0	1034
1989	0	0	0	15	9	95	380	265	70	0	0	0	834
1990	0	0	0	2	4	120	226	282	147	3	0	0	784
1991	0	0	0	3	16	89	256	294	76	15	0	0	749
1992	0	0	0	9	36	41	51	118	72	11	0	0	338
1993	0	0	0	0	0	25	66	146	9	7	0	0	253
1994	0	0	0	0	28	141	193	280	97	0	0	0	739
1995	0	0	0	0	0	72	192	280	72	1	0	0	617
1996	0	0	0	0	5	86	194	262	52	0	0	0	
1997	0	0	0	0	4	76	211	148	58	7	0	0	504
1998	0	0	0	0	8	15	250	232	160	0	0	0	665
1999	0	0	0	0	2	40	225	212	9	0	0	0	488

SNOWFALL (inches) 1999 RAPID CITY, SD (RAP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1970-71	0.0	0.0	2.0	5.7	4.5	7.8	13.2	15.7	13.8	5.3	0.0	0.0	68.0
1971-72	0.0	0.0	0.0	10.2	6.9	2.0	2.6	8.0	1.2	1.0	T	0.0	31.9
1972-73	0.0	0.0	0.0	0.7	3.6	6.0	2.0	3.1	16.9	1.9	0.0	0.0	34.2
1973-74	0.0	0.0	0.0	1.4	9.7	5.6	2.0	4.0	1.7	4.7	0.0	0.0	29.1
1974-75	0.0	0.0	0.0	T	1.5	1.4	13.7	6.1	27.4	1.3	0.0	0.0	51.4
1975-76	0.0	0.0	0.0	4.6	8.4	17.9	2.0	6.5	4.3	3.5	0.0	0.0	47.2
1976-77	0.0	0.0	0.0	0.5	7.0	6.1	11.1	2.6	26.0	3.4	0.0	0.0	56.7
1977-78	0.0	0.0	0.0	0.8	10.6	7.4	3.1	15.0	3.0	2.6	T	0.0	42.5
1978-79	0.0	0.0	0.0	T	9.8	4.0	6.1	4.4	2.6	1.8	2.8	0.0	31.5
1979-80	0.0	0.0	0.0	T	1.8	0.3	3.0	10.1	8.6	5.4	0.0	0.0	29.2
1980-81	0.0	0.0	0.0	1.4	6.9	6.1	1.2	1.3	T	T	0.0	0.0	16.9
1981-82	0.0	0.0	0.0	1.6	1.2	3.8	6.2	5.0	11.5	5.5	0.0	0.0	34.8
1982-83	0.0	0.0	0.0	1.4	1.2	4.0	2.9	0.3	6.5	4.3	4.3	0.0	24.9
1983-84	0.0	0.0	0.3	0.9	6.9	7.1	1.9	2.5	6.1	22.1	0.2	0.0	48.0
1984-85	0.0	0.0	1.3	0.7	2.0	4.9	3.8	0.7	16.2	0.4	0.0	T	30.0
1985-86	0.0	0.0	1.4	0.6	33.6	10.2	5.7	10.7	6.0	12.7	0.0	0.0	80.9
1986-87	0.0	0.0	0.0	T	12.6	0.1	0.5	21.5	10.9	0.3	0.0	0.0	45.9
1987-88	0.0	0.0	0.0	1.7	T	4.7	2.7	3.6	10.6	6.1	0.0	0.0	29.4
1988-89	0.0	0.0	0.0	0.0	2.2	9.0	0.4	7.3	10.7	6.4	0.0	0.0	36.0
1989-90	0.0	T	0.0	3.9	4.6	10.9	3.1	5.0	9.2	3.0	0.5	T	40.2
1990-91	0.0	T	0.0	1.5	1.0	6.2	6.3	8.2	3.6	11.1	4.9	T	42.8
1991-92	T	0.0	T	4.0	6.7	0.8	5.2	1.2	8.2	3.5	0.0	0.0	29.6
1992-93	T	0.0	0.0	0.9	5.0	12.4	13.6	9.0	1.0	12.2	0.0	0.0	54.1
1993-94	T	0.0	T	2.4	11.4	5.5	7.5	11.1	5.6	12.8	0.0	T	56.3
1994-95	0.0	T	0.0	0.0	6.8	4.6	0.9	6.3	9.2	10.1	T	T	37.9
1995-96	0.0	0.0	T	10.2	3.1	1.4	19.4	4.4	16.2	10.3	0.9	T	65.9
1996-97	0.0	0.0	T								0.0	T	
1997-98	T	T	0.0	3.1									
1998-99			0.0	T	15.9	0.5	2.0	0.2	18.5	6.3	0.0	T	
1999-	0.0	0.0	0.0	T	0.3	3.7							
POR= 54 YRS	T	T	0.1	1.7	5.2	4.9	5.0	6.3	9.0	6.2	0.8	0.1	39.3

WBAN : 24090

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	---

1999  
RAPID CITY,  
SOUTH DAKOTA (RAP)

Rapid City, which is not far from the geographical center of North America, experiences the large temperature ranges, both daily and seasonal, that are typical of semi-arid continental climates.

The city is surrounded by contrasting landforms, with the forested Black Hills rising immediately west of the city, and rolling prairie extending out in the other directions. From 40 to 70 miles southeast lie the eroded Badlands. The Black Hills, many of which are more than 5,000 feet above sea level, with a number of peaks above 7,000 feet, exert a pronounced influence on the climate of this area. The rolling land to the east of the city is cut by the valleys of the Box Elder and Rapid Creeks, which flow generally east-southeastward. The station is located on the north slope of the irrigated Rapid Valley. An east-west ridge 200 to 300 feet higher than the airport separates the station from the Box Elder Creek Valley.

The principal agricultural products in the area are cattle and wheat, and ranchers and farmers are dependent on the current weather forecasts, which are at times of vital interest in the protection of livestock.

Although the annual precipitation is light at lower elevations, the distribution is beneficial to agriculture with the greatest amounts occurring during the growing season. The heaviest snows are expected in the spring, which helps to furnish moisture for the early maturing crops such as wheat, while heavy winter snows at the higher elevations provide irrigation water for the fertile valleys.

Summer days are normally warm with cool, comfortable nights. Nearly all of the summer precipitation occurs as thunderstorms. Hail is often associated with the more severe thunderstorms, with resultant damage to vegetation as well as other fragile material in the path of the storms. Autumn, which begins soon after the first of September, is characterized by mild, balmy days, and cool, invigorating mornings and evenings. Autumn weather usually extends into November and often into December.

Temperatures for the winter months of December, January, and February are among the warmest in South Dakota due to the protection of the Black Hills, the frequent occurrence of Chinook winds, and the fact that the winter tracks of arctic air masses usually pass east of Rapid City. Rapid City has become the retirement home for many farmers and ranchers from the western half of the state because of the cool summer nights and the relatively mild winters.

Snowfall is normally light with the greatest monthly average of about 8 inches occurring in March. Cold waves can be expected occasionally, and one or more blizzards may occur each winter.

Spring is characterized by unsettled conditions. Wide variations usually occur in temperatures, and snows may fall as late as May.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is September 29 and the average last occurrence in the spring is May 7.

# STATION LOCATION

RAPID CITY, SOUTH DAKOTA

LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATED STATION	* Type	REMARKS	
						SEA LEVEL	GROUND												
							WIND	EMERGENCY	REFLECTOR	STATION	THUNDER	RAIN	WIND	8	H				PRECIPITATION
<u>CITY</u>																			
Sweeney Building 7th & Main	1/01/88	1/31/97		44°04'	103°12'	3240	50	45	45										
Lakota Building St. Joe & 7th Streets	2/01/97	5/31/14	1 block S	44°04'	103°12'	3240	50	46	46			35				35			
Federal Building St. Joe & 8th Streets	5/14/14	Present	1 block W	44°04'	103°12'	3242	58	50	50			43					Cooperative Station furnishing temperature and precipitation data after 7/29/42.		
<u>AIRPORT</u>																			
Old Municipal Airport 8 mi. ENE of Rapid City	1/19/39	10/12/50		44°09'	103°06'	3215	55	5	5			3	3	3					
Administration Building Municipal Airport + + Rapid City Regional Airport effective October 1, 1970	10/12/50	11/02/71	6.5 mi. SSE	44°03'	103°04'	e3162	f21	b6	5			a3	c5	3	d5		a - 15 ft. 9/5/58 to 12/1/65. b - 3 feet to 5/19/59. c - 3 feet to 5/19/59, then 4 feet to 11/28/68. d - Commissioned on field site 11/15/65. e - 3165 feet to 11/15/65. f - 32 feet to 11/15/65.		
Federal Service Bldg. Regional Airport	11/02/71	09/01/95	725 ft WSW	44°03'	103°04'	3162	g21	s6	s5	23	3	5		3 i5	g5 h5	NA	f - Same site as prior to 11/2/71. s - Standby status. h - Type change 9/3/85. i - Minor adjustment 2/10/87.		
Rapid City Regional AP	09/01/95	Present	NA	44°03'	103°03'	3166										S	ASOS Commissioned 09/01/95.		

SUBSCRIPTION: Price and ordering information available through: National Climatic Data Center, Federal Building, Asheville, North Carolina 28801.  
 INQUIRIES/COMMENTS CALL: (828) 271-4800

National Climatic Data Center  
 151 Patton Avenue, Rm 120  
 Asheville NC 28801-5001

OFFICIAL BUSINESS  
 PENALTY FOR PRIVATE USE \$300  
 FORWARD AND ADDRESS CORRECTION

FIRST CLASS  
 POSTAGE & FEES PAID  
 United States Department of Commerce  
 NOAA Permit No. G - 19