

1999




# LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0742-8782

## TUPELO, MISSISSIPPI (TUP)

### Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
 NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
 NATIONAL ENVIRONMENTAL AND INFORMATION SERVICE  
 NATIONAL CLIMATIC DATA CENTER  
 NATIONAL CLIMATIC DATA CENTER  
 DIRECTOR NATIONAL CLIMATIC DATA CENTER  
 ASHEVILLE, NORTH CAROLINA

# METEOROLOGICAL DATA FOR 1999

## TUPELO, MS (TUP)

LATITUDE: 34° 15' 39" N      LONGITUDE: 88° 46' 16" W      ELEVATION (FT): GRND: 347      BARO: 347      TIME ZONE: CENTRAL (UTC + 6)      WBAN: 93862

	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	57.0	61.4	61.3	77.1	82.0	87.5	92.4	95.5	88.7	77.8	69.4	56.7	75.6	
	HIGHEST DAILY MAXIMUM	74	78	74	87	87	94	100	104	99	89	83	71	104	
	DATE OF OCCURRENCE	21	11	17	23	29+	05	31+	19	06+	03	14	04	AUG 19	
	MEAN DAILY MINIMUM	37.1	39.3	38.9	56.0	58.7	68.8	73.6	69.9	60.3	49.2	42.7	34.5	52.4	
	LOWEST DAILY MINIMUM	11	22	28	36	48	55	68	60	44	32	27	20	11	
	DATE OF OCCURRENCE	05	22	04	18	02+	18	14	31	23	25+	30	25	JAN 05	
	AVERAGE DRY BULB	47.1	50.4	50.1	66.6	70.4	78.2	83.0	82.7	74.5	63.5	56.1	45.6	64.0	
	MEAN WET BULB	43.8	46.0	44.8	59.8	63.3	71.1	75.4	71.5	63.3	55.8	49.4	41.2	57.1	
	MEAN DEW POINT	40.0	40.2	38.0	54.5	58.5	67.5	72.7	65.9	56.0	49.2	42.9	35.6	51.8	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	10	24	27	16	0	0	0	0	77
	MAXIMUM ≤ 32°	3	0	0	0	0	0	0	0	0	0	0	0	0	3
	MINIMUM ≤ 32°	13	6	4	0	0	0	0	0	0	2	4	16	45	
	MINIMUM ≤ 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	551	406	453	74	3	0	0	0	12	118	261	596	2474	
	COOLING DEGREE DAYS	2	3	0	129	177	404	565	556	306	78	0	1	2221	
RH	MEAN (PERCENT)	79	70	66	68	69	73	75	61	59	65	68	71	69	
	HOUR 00 LST	83	75	78	80	84	84	88	76	75	78	79	79	80	
	HOUR 06 LST	86	84	81	84	86	86	91	84	84	85	86	83	85	
	HOUR 12 LST	73	59	54	55	49	60	58	43	37	46	49	58	53	
	HOUR 18 LST	75	60	54	54	56	61	63	43	44	53	59	64	57	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	6	2	0	1	1	1	0	1	1	1	3	1	18	
	THUNDERSTORMS	8	4	7	6	10	11	8	3	5	0	1	1	64	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.72	29.71	29.69	29.59	29.59	29.62	29.66	29.57	29.60	29.73	29.82	29.78	29.67	
	MEAN SEA-LEVEL PRESS. (IN.)	30.11		30.08	29.96	29.97	30.00		29.94	29.98	30.11		30.15		
WINDS	RESULTANT SPEED (MPH)	3.1	1.7	2.4	2.7	1.0	0.1	0.8	1.6	1.8	1.2	0.6	1.3	0.2	
	RES. DIR. (TENS OF DEGS.)	18	22	02	21	10	19	23	35	02	03	34	21	22	
	MEAN SPEED (MPH)	8.4	7.5	8.0	7.7	6.2	6.4	3.9	5.3	5.5	6.3	5.8	7.2	6.5	
	PREVAIL. DIR. (TENS OF DEGS.)	17	17	36	18	16	16	17	01	01	01	17	16	01	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	31	35	33	26	29	31	39	22	26	23	24	28	39	
	DIR. (TENS OF DEGS.)	16	25	14	18	28	09	04	25	02	14	02	18	04	
	DATE OF OCCURRENCE	21	27	08	05	05	10	07	24	21+	08	29	03	JUL 07	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	38	48	43	33	36	44	46	30	31	28	28	35	48	
DIR. (TENS OF DEGS.)	14	25	32	18	26	33	04	26	02	14	02	25	25		
DATE OF OCCURRENCE	22	27	06	22	05	24	07	24	21+	09+	29	09	FEB 27		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	11.58	2.87	8.03	7.03	3.25	6.94	2.40	0.39	0.05	1.67	1.93	3.63	49.77	
	GREATEST 24-HOUR (IN.)	3.75	1.05	2.45	2.79	2.14	2.39	1.24	0.20	0.05	1.57	0.82	2.05	3.75	
	DATE OF OCCURRENCE	22	27	02	24	05	24	06-07	24	29	08-09	01	12-13	JAN 22	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	14	14	15	10	11	13	10	2	1	3	7	10	110	
PRECIPITATION ≥ 0.10	12	7	11	7	6	7	6	2	0	2	5	6	71		
PRECIPITATION ≥ 1.00	4	1	2	3	1	2	0	0	0	1	0	1	15		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	T	0.1	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
	GREATEST 24-HOUR (IN.)	T	0.1	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
	DATE OF OCCURRENCE	22+	23	14										FEB 23	
	MAXIMUM SNOW DEPTH (IN.)	T	0	0	0	0	0	0	0	0	0	0	0	T	
	DATE OF OCCURRENCE	06												JAN 06	
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

# NORMALS, MEANS, AND EXTREMES

## TUPELO, MS (TUP)

LATITUDE: 34° 15' 39" N      LONGITUDE: 88° 46' 16" W      ELEVATION (FT): GRND: 347      BARO: 347      TIME ZONE: CENTRAL (UTC + 6)      WBAN: 93862

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	48.8	54.5	64.3	73.9	80.9	87.8	90.7	89.9	84.7	74.9	63.5	52.8	72.2
	MEAN DAILY MAXIMUM	34	50.8	56.3	65.4	75.0	81.8	88.8	91.7	90.8	85.4	75.5	63.9	54.8	73.3
	HIGHEST DAILY MAXIMUM	15	75	84	84	93	94	101	105	104	103	92	84	79	105
	YEAR OF OCCURRENCE		1997	1996	1997	1987	1996	1988	1986	1999	1990	1986	1987	1998	JUL 1986
	MEAN OF EXTREME MAXS.	16	68.3	74.9	81.5	86.2	90.7	95.8	97.8	97.2	94.7	86.6	78.7	70.9	85.3
	NORMAL DAILY MINIMUM	30	30.9	34.0	43.2	51.0	59.5	66.5	70.6	69.3	63.3	49.8	41.8	34.1	51.2
	MEAN DAILY MINIMUM	34	30.3	33.0	40.7	49.1	57.3	65.5	69.5	67.8	61.6	48.5	40.2	33.6	49.8
	LOWEST DAILY MINIMUM	15	-6	4	16	29	40	49	58	52	43	29	19	-3	-6
	YEAR OF OCCURRENCE		1985	1996	1996	1992	1994	1984	1990	1986	1994	1993	1997	1989	JAN 1985
	MEAN OF EXTREME MINS.	16	14.8	18.2	25.8	33.5	45.8	55.9	63.4	59.7	47.1	35.2	26.0	17.8	36.9
	NORMAL DRY BULB	30	39.9	44.3	53.7	62.4	70.2	77.2	80.6	79.6	74.0	62.4	52.6	43.5	61.7
	MEAN DRY BULB	16	41.5	46.6	53.6	61.6	70.3	78.0	81.3	80.0	73.8	62.8	52.9	44.3	62.2
	MEAN WET BULB	13	37.3	42.3	47.6	54.9	63.7	70.6	73.5	72.0	66.6	56.7	48.3	40.8	56.2
	MEAN DEW POINT	13	32.0	36.7	41.2	48.9	59.3	67.0	70.6	68.6	62.6	52.0	43.2	36.0	51.5
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.7	2.7	15.7	21.4	21.1	9.3	0.5	0.0	0.0	71.4	
MAXIMUM ≤ 32°	30	2.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.9	
MINIMUM ≤ 32°	30	18.3	10.1	4.3	0.7	0.0	0.0	0.0	0.0	0.0	0.4	4.9	15.4	54.1	
MINIMUM ≤ 0°	30	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	
H/C	NORMAL HEATING DEG. DAYS	30	778	580	365	130	27	0	0	0	9	144	379	667	3079
	NORMAL COOLING DEG. DAYS	30	0	0	15	52	188	366	484	453	279	64	7	0	1908
RH	NORMAL (PERCENT)	30	70	70	65	63	70	70	72	72	72	72	71	72	70
	HOUR 00 LST	30	76	76	72	74	82	83	85	84	84	83	78	77	80
	HOUR 06 LST	30	80	82	80	83	87	88	90	91	90	88	84	82	85
	HOUR 12 LST	30	61	62	54	48	55	53	56	54	55	54	59	62	56
	HOUR 18 LST	30	62	61	53	48	58	57	59	59	60	62	64	66	59
S	PERCENT POSSIBLE SUNSHINE	11	54	51	57	74	72	74	75	73	71	63	52	47	64
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	15	2.9	1.6	1.3	0.9	1.1	1.0	0.9	2.0	1.2	3.0	2.5	2.1	20.5
	THUNDERSTORMS	15	2.0	3.1	4.6	5.7	7.8	9.8	9.9	6.6	4.3	2.6	2.9	1.7	61.0
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	1	7.2	5.6		4.0	3.2	4.8	3.2	2.4	3.2	5.6	5.6	6.4	
	MIDNIGHT-MIDNIGHT (OKTAS)	1	7.2	5.6		3.2	3.2	4.0	3.2	2.4	3.2	5.2	6.4	6.4	
	MEAN NO. DAYS WITH:														
CLEAR	2	9.5	9.0	9.5	14.0	17.5	7.0	8.0	10.0	4.0	7.0	5.0	3.0	103.5	
PARTLY CLOUDY	1	3.0	4.0		4.0	4.0	11.0	7.0	7.0	1.0	2.0	1.0	3.0		
CLOUDY	2	14.5	13.5	8.0	5.0	8.5	6.5	11.0	3.0	1.0	9.0	9.0	7.0	96.0	
PR	MEAN STATION PRESSURE (IN)	13	29.77	29.71	29.66	29.61	29.61	29.60	29.65	29.64	29.65	29.71	29.73	29.77	29.68
	MEAN SEA-LEVEL PRES. (IN)	11	30.16	30.11	30.06	30.00	29.99	29.97	30.03	30.01	30.02	30.10	30.11	30.17	30.06
WINDS	MEAN SPEED (MPH)	16	7.7	8.3	8.5	7.8	6.8	5.7	5.3	5.0	5.8	5.9	7.0	7.5	6.8
	PREVAIL. DIR (TENS OF DEGS)	17	18	36	18	18	18	18	19	36	36	01	16	18	18
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	6	39	35	33	29	34	41	48	29	30	38	31	30	48
	DIR. (TENS OF DEGS)		24	25	14	12	33	02	35	07	30	25	14	32	35
	YEAR OF OCCURRENCE		1996	1999	1999	1997	1996	1997	1998	1996	1996	1997	1997	1998	JUL 1998
	MAXIMUM 5-SECOND:														
SPEED (MPH)	6	53	48	48	38	46	52	63	36	43	53	41	35	63	
DIR. (TENS OF DEGS)		23	25	26	24	23	12	36	36	29	26	14	25	36	
YEAR OF OCCURRENCE		1996	1999	1997	1998	1997	1997	1998	1997	1996	1997	1997	1999	JUL 1998	
PRECIPITATION	NORMAL (IN)	30	4.89	4.72	6.07	5.25	5.72	3.84	4.30	3.05	3.60	3.42	4.85	6.16	55.87
	MAXIMUM MONTHLY (IN)	15	11.58	10.90	9.34	12.16	17.56	11.37	7.33	6.22	6.31	7.90	9.64	14.49	17.56
	YEAR OF OCCURRENCE		1999	1991	1994	1991	1991	1997	1996	1985	1988	1984	1986	1990	MAY 1991
	MINIMUM MONTHLY (IN)	15	0.30	2.33	2.13	0.46	1.34	0.17	0.48	0.39	0.05	0.36	1.50	1.57	0.05
	YEAR OF OCCURRENCE		1986	1988	1985	1986	1992	1988	1986	1999	1999	1989	1985	1984	SEP 1999
	MAXIMUM IN 24 HOURS (IN)	15	3.75	5.91	4.85	3.09	8.59	3.52	3.60	3.64	3.13	3.27	3.71	7.17	8.59
	YEAR OF OCCURRENCE		1999	1991	1997	1991	1991	1997	1993	1985	1993	1985	1987	1983	MAY 1991
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	9.4	10.4	9.1	9.0	10.7	9.9	8.0	7.4	6.9	7.3	8.1	11.0	107.2	
PRECIPITATION ≥ 1.00	30	0.9	1.7	1.1	0.9	1.4	1.0	0.3	0.5	1.0	1.6	2.0	2.3	14.7	
SNOWFALL	NORMAL (IN)	30	1.9	1.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	T	0.5	3.9	
	MAXIMUM MONTHLY (IN)	15	7.2	5.3	1.7	0.4	T	0.0	T	0.0	0.0	T	0.1	2.2	7.2
	YEAR OF OCCURRENCE		1988	1985	1993	1987	1989		1990		1993	1991	1983	JAN 1988	
	MAXIMUM IN 24 HOURS (IN)	15	6.9	3.1	1.7	0.4	T	0.0	T	0.0	0.0	T	0.1	1.9	6.9
	YEAR OF OCCURRENCE		1988	1985	1993	1987	1989	0	1990	0	0	1993	1991	1983	JAN 1988
	MAXIMUM SNOW DEPTH (IN)	16	6	4	1	0	0	0	0	0	0	0	T	2	6
	YEAR OF OCCURRENCE		1988	1985	1984								1991	1983	JAN 1988
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	36.0	

PRECIPITATION (inches) 1999 TUPELO, MS (TUP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983							3.05	0.59	2.56	3.61	7.03	13.69	
1984	2.87	3.39	3.53	5.88	8.44	0.59	1.90	1.79	1.30	7.90	5.54	1.57	44.70
1985	3.75	5.18	2.13	4.94	5.35	3.02	2.82	6.22	2.86	7.35	1.50	1.68	46.80
1986	0.30	3.47	3.38	0.46	5.19	6.57	0.48	3.36	2.86	5.81	9.64	5.18	46.70
1987	2.68	6.37	2.40	1.20	5.49	3.96	1.50	2.08	2.13	1.03	6.26	4.78	39.88
1988	2.41	2.33	3.59	3.37	2.92	0.17	2.32	1.23	6.31	3.88	4.05	5.05	37.63
1989	6.98	9.88	3.68	2.31	3.79	11.08	6.27	2.78	5.48	0.36	4.07	2.89	59.57
1990	5.84	9.40	6.35	2.50	4.26	2.57	2.01	1.02	2.41	3.40	3.07	14.49	57.32
1991	3.12	10.90	6.25	12.16	17.56	6.22	0.76	3.16	3.06	1.58	5.36	10.92	81.05
1992	1.53	3.17	4.05	2.38	1.34	7.11	2.99	4.54	2.46	2.65	6.70	4.13	43.05
1993	2.94	3.24	4.05	4.63	5.78	2.67	3.80	6.05	5.45	2.45	2.88	4.80	48.74
1994	4.59	6.49	9.34	2.51	3.78	5.60	6.51	0.93	1.27	4.33	3.35	4.76	53.46
1995	3.90	4.08	8.97	7.14	3.60	6.79	2.63	4.74	0.61	3.18	5.02	6.39	57.05
1996	5.91	3.66	4.65	6.09	2.05	8.71	7.33	2.91	6.05	2.46	6.97	6.41	63.20
1997	6.50	4.31	7.43	3.82	8.42	11.37	4.60	4.84	1.73	4.94	2.12	3.71	63.79
1998	6.26	5.94	5.99	4.53	1.91	1.61	7.16	3.19	0.06	3.12	3.20	8.07	51.04
1999	11.58	2.87	8.03	7.03	3.25	6.94	2.40	0.39	0.05	1.67	1.93	3.63	49.77
POR= 16 YRS	4.44	5.29	5.24	4.43	5.20	4.76	3.48	2.93	2.73	3.50	4.61	5.99	52.60

WBAN : 93862

AVERAGE TEMPERATURE (°F) 1999 TUPELO, MS (TUP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983							82.1	83.1	72.8	64.2	55.6	36.5	
1984	36.2	46.8	51.5	59.9	68.7	79.3	79.7	78.9	72.0	69.0	49.7	53.3	62.1
1985	32.1	40.4	57.0	63.8	70.6	78.1	80.3	78.4	71.7	66.1	59.1	37.7	61.3
1986	40.7	48.8	54.4	63.0	71.9	79.3	84.6	79.0	77.8	63.3	54.1	42.9	63.3
1987	40.9	47.4	55.6	61.1	75.0	78.5	81.4	82.8	74.4	57.6	54.3	48.0	63.1
1988	37.3	42.6	52.6	62.7	69.7	78.1	80.9	83.1	75.9	58.3	55.0	45.0	61.8
1989	48.0	43.3	55.2	61.2	68.8	76.4	79.6	79.5	71.7	62.2	53.3	34.8	61.2
1990	48.2	52.6	56.1	61.1	68.5	79.0	80.9	81.1	77.6	61.7	56.1	46.7	64.1
1991	42.3	47.9	55.1	64.8	73.8	79.1	83.3	80.6	75.4	64.5	49.2	47.7	63.6
1992	42.3	48.5	53.0	61.9	69.2	75.2	80.6	76.0	72.5	62.1	51.0	44.7	61.4
1993	44.9	43.8	50.9	58.5	68.9	77.4	83.6	80.6	71.4	60.2	49.8	43.3	61.1
1994	36.9	46.0	52.7	64.2	66.7	78.3	77.9	77.5	71.0	62.7	55.1	47.3	61.4
1995	42.3	44.2	55.4	62.3	70.7	75.0	80.3	82.7	72.0	61.9	46.6	42.9	61.4
1996	40.1	44.2	48.3	58.7	72.9	77.5	79.4	78.2	71.6	62.6	50.3	47.4	60.9
1997	41.4	48.7	57.7	57.1	65.6	74.3	80.6	77.9	73.3	60.7	47.7	41.7	60.6
1998	45.2	47.8	51.9	60.2	73.2	81.5	82.0	80.2	78.6	66.1	54.9	45.9	64.0
1999	47.1	50.4	50.1	66.6	70.4	78.2	83.0	82.7	74.5	63.5	56.1	45.6	64.0
POR= 16 YRS	41.6	46.5	53.7	61.7	70.3	77.9	81.2	80.1	73.8	62.8	52.6	44.2	62.2

HEATING DEGREE DAYS (base 65°F) 1999 TUPELO, MS (TUP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0	0	29	91	405	876	886	524	421	181	37	0	3450
1984-85	0	0	22	36	458	363	1016	685	272	119	7	0	2978
1985-86	0	0	19	63	216	838	749	451	328	115	14	0	2793
1986-87	0	0	0	115	324	676	740	487	289	165	0	0	2796
1987-88	0	0	0	229	323	521	852	642	388	106	6	0	3067
1988-89	0	0	0	216	300	612	518	607	320	193	55	0	2821
1989-90	0	0	27	135	359	931	512	350	292	176	43	0	2825
1990-91	0	0	14	177	276	557	699	473	331	59	9	0	2595
1991-92	0	0	18	106	477	531	699	472	366	159	33	0	2861
1992-93	0	0	12	102	418	624	617	588	432	209	22	3	3027
1993-94	0	0	21	190	464	665	864	529	375	114	50	0	3272
1994-95	0	0	17	114	298	541	695	576	305	120	28	0	2694
1995-96	0	0	18	142	545	679	760	607	514	215	13	0	3493
1996-97	0	0	10	121	439	541	728	451	238	239	61	0	2828
1997-98	0	0	0	203	513	714	610	477	429	171	6	2	3125
1998-99	0	0	0	71	299	597	551	406	453	74	3	0	2454
1999-	0	0	12	118	261	596							

WBAN : 93862

COOLING DEGREE DAYS (base 65°F) 1999 TUPELO, MS (TUP)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1983							537	566	276	73	8	0	
1984	0	0	8	38	159	437	465	438	239	165	4	8	1961
1985	0	1	32	89	188	400	480	423	228	105	44	0	1990
1986	0	1	6	61	237	433	616	443	389	71	5	0	2262
1987	0	0	5	55	318	409	513	559	288	6	10	0	2163
1988	0	0	9	43	159	399	500	568	334	14	4	0	2030
1989	0	5	24	88	182	347	461	458	236	54	12	0	1867
1990	0	6	25	65	158	427	499	506	397	80	14	0	2177
1991	0	0	29	61	287	433	575	491	334	98	7	0	2315
1992	0	0	1	72	170	316	494	346	242	18	5	0	1664
1993	0	0	2	23	151	381	583	490	219	52	12	0	1913
1994	0	1	1	94	108	406	404	393	205	52	7	0	1671
1995	1	0	16	48	217	309	482	554	238	57	0	0	1922
1996	0	10	5	33	262	382	455	416	217	57	5	0	1842
1997	3	0	17	9	84	289	492	407	256	77	0	0	1634
1998	0	0	28	35	265	504	536	474	414	112	2	8	2378
1999	2	3	0	129	177	404	565	556	306	78	0	1	2221

SNOWFALL (inches) 1999 TUPELO, MS (TUP)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1983-84	0.0	0.0	0.0	0.0	0.0	2.2	1.8	0.8	1.7	0.0	0.0	0.0	6.5
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.3	0.0	0.0	0.0	0.0	9.0
1985-86	0.0	0.0	0.0	0.0	0.0	1.2	T	0.9	0.0	0.0	0.0	0.0	2.1
1986-87	0.0	0.0	0.0	0.0	0.0	0.1	0.1	T	0.4	0.0	0.0	0.0	0.6
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	7.2	1.1	0.0	0.0	0.0	0.0	8.3
1988-89	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	T	0.0	T	0.0	0.9
1989-90	0.0	0.0	0.0	0.0	T	0.3	0.0	0.0	T	0.0	0.0	0.0	0.3
1990-91	T	0.0	0.0	0.0	0.0	0.1	0.0	T	T	0.0	0.0	0.0	0.1
1991-92	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	1.7	0.0	0.0	0.0	1.7
1993-94	0.0	0.0	0.0	T	0.0	T	0.1	0.0	0.0	0.0	0.0	0.0	0.1
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.6	0.0	0.0	0.0	0.0	4.3
1995-96	0.0	0.0	0.0	0.0	T	T	T	1.2	T	T	T	0.0	1.2
1996-97	0.0	0.0	0.0	0.0	0.0	0.5	0.6	T	0.0	0.0	0.0	0.0	1.1
1997-98	0.0	0.0	0.0	0.0	0.0	0.2	2.9	0.0	T	0.0	0.0	0.0	3.1
1998-99	0.0	0.0	0.0	0.0	0.0	0.3	T	0.1	T	0.0	0.0	0.0	0.4
1999-	0.0	0.0	0.0	0.0	0.0	0.0							
POR= 17 YRS	T	0.0	0.0	T	T	0.3	0.3	0.8	T	T	T	0.0	1.4

WBAN : 93862

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1999  
TUPELO,  
MISSISSIPPI (TUP)

Tupelo is located in the Black Prairie physiographic region of Mississippi. The surface is flat to gently undulating, underlain by soft limestone which has weathered into dark, fertile soils. The Black Prairie is largely devoid of trees, although precipitation in the region is more than sufficient for forest growth. The Black Prairie is bordered by the Fall Line Hills on the east and the Pontotoc Ridge on the west, thus being situated as a low, flat region from 20 to 25 miles wide trending northwest-southeast in the northeastern corner of Mississippi.

Agricultural interests are varied, but the region is a major producer of soybeans and livestock. Tupelo is the dominant urban center of the region, and population is projected to continue to increase in the future. Manufacturing and industry are growing rapidly in the area, enhanced by recent completion of the Tenn-Tom Waterway. Water supply for the growing municipal and industrial demand has been identified as a potential problem in the region as ground water is being used faster than it can be replenished by natural processes.

Average annual precipitation of over 50 inches is well distributed throughout the year. On average,

about half the annual total falls between April and September, with March being the wettest month and October the driest month. There is a 90 percent probability that the freeze-free period will be longer than six months, with a 50 percent chance for a freeze before the end of October and after the first of April. Maximum temperatures over 90 degrees are expected on 78 days between May and September, with freezes expected on 66 days between October and March.

Record temperatures of over 105 degrees and below -10 degrees have been observed at Tupelo. Snow is not infrequent during the winter, although amounts average less than two and one-half inches each year. However, accumulations greater than 10 inches have been recorded. Frontal passages are common features of the climate from fall through spring, and there are seasonal occurrences of thunderstorms. Tornadoes, though quite rare, have occurred in the region, particularly during late spring. Precipitation amounts of one-half inch or more are expected on 37 days each year, with one-tenth inch or more expected on 73 days. Daily totals of precipitation have exceeded six inches on several occasions.

# STATION LOCATION

TUPELO, MISSISSIPPI

LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										* Type	REMARKS	
						SEA LEVEL	GROUND											
							WIND	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY	EMERGENCY			EMERGENCY
C.D. Lemmons Airport	4/1/83	06/01/93	NA	34°16'	88°46'	349	M25 b30	5	5	M25 a6	5	5	5	M5 c5	M d	M - RAMOS installed 12/3/82. First LCD published 7/1983. First LCD annual 1984. a - Moved to a site 250' NW of crash station 10/16/83. b - Moved to same site as above 8/01/85. c - Moved to same site as "a" & type change 9/07/85. d - RAMOS removed 10/22/85.		
Tupelo Muni/Lemons Airport	06/01/93	Present	NA	34°16'	88°46'	347									S	ASOS commissioned 06/01/93		

SUBSCRIPTION: Price and ordering information available through: National Climatic Data Center, Federal Building, Asheville, North Carolina 28801.  
INQUIRIES/COMMENTS CALL: (828) 271-4800

National Climatic Data Center  
151 Patton Avenue, Rm 120  
Asheville NC 28801-5001

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
FORWARD AND ADDRESS CORRECTION

FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19