

2000




LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-3814

BISMARCK, NORTH DAKOTA (BIS)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	---

METEOROLOGICAL DATA FOR 2000

BISMARCK, ND (BIS)

LATITUDE: 46° 46' 27" N LONGITUDE: 100° 44' 51" W ELEVATION (FT): GRND: 1652 BARO: 1652 TIME ZONE: CENTRAL (UTC + 6) WBAN: 24011

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	25.6	33.8	47.9	57.6	69.7	75.0	84.0	84.5	74.7	60.9	33.2	16.0	55.2	
	HIGHEST DAILY MAXIMUM	46	61	72	78	86	91	96	104	92	82	60	40	104	
	DATE OF OCCURRENCE	17	08	05	21	05	30+	31	11	16	18	01	03	AUG 11	
	MEAN DAILY MINIMUM	4.7	11.3	23.5	29.6	43.5	50.4	59.9	57.2	44.7	36.7	15.0	-2.5	31.2	
	LOWEST DAILY MINIMUM	-19	-17	7	17	32	36	47	40	27	18	-1	-22	-22	
	DATE OF OCCURRENCE	04	11	16	15	13	02	20	29	24	08	14	24	DEC 24	
	AVERAGE DRY BULB	15.2	22.6	35.7	43.6	56.6	62.7	72.0	70.9	59.7	48.8	24.1	6.8	43.2	
	MEAN WET BULB	14.6	21.2	32.2	38.2	50.9	57.1	65.6	63.1	51.8	43.6	22.3	5.5	38.8	
	MEAN DEW POINT	10.8	17.2	27.0	31.3	45.4	52.6	62.4	58.3	45.5	38.2	19.1	.9	34.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	3	7	7	2	0	0	0	0	19
	MAXIMUM ≤ 32°	24	13	7	1	0	0	0	0	0	0	16	27	88	
	MINIMUM ≤ 32°	31	27	28	19	1	0	0	0	3	9	28	31	177	
MINIMUM ≤ 0°	11	8	0	0	0	0	0	0	0	0	2	21	42		
H/C	HEATING DEGREE DAYS	1537	1223	900	633	256	114	20	21	196	495	1219	1798	8412	
	COOLING DEGREE DAYS	0	0	0	0	5	51	242	209	42	0	0	0	549	
RH	MEAN (PERCENT)	80	79	73	66	68	71	75	68	65	72	83	77	73	
	HOUR 00 LST	83	85	84	75	81	86	85	82	80	80	86	78	82	
	HOUR 06 LST	84	86	86	85	85	88	92	88	83	85	87	79	86	
	HOUR 12 LST	78	73	60	53	56	58	63	51	49	60	77	74	63	
	HOUR 18 LST	77	71	60	49	53	56	58	50	48	62	81	75	62	
S	PERCENT POSSIBLE SUNSHINE	42	57	61	56	59	59	63	67	66	55	39	41	55	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	0	3	1	0	1	0	2	0	0	1	4	0	12	
	THUNDERSTORMS	0	0	0	1	4	6	7	10	1	2	1	0	32	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.28	28.25	28.22	28.26	28.09	28.13	28.21	28.19	28.17	28.28	28.21	28.43	28.23	
	MEAN SEA-LEVEL PRESS. (IN.)	30.13	30.07	30.01	30.04	29.84	29.87	29.94	29.92	29.92	30.06	30.04	30.31	30.01	
WINDS	RESULTANT SPEED (MPH)	1.0	2.4	0.7	2.7	1.4	3.9	2.6	3.5	1.0	2.2	6.8	3.9	1.2	
	RES. DIR. (TENS OF DEGS.)	30	35	34	03	02	32	15	11	04	15	32	32	35	
	MEAN SPEED (MPH)	8.5	7.8	9.4	10.7	9.3	9.5	7.7	9.4	9.2	8.9	10.1	10.4	9.2	
	PREVAIL. DIR. (TENS OF DEGS.)	16	30	29	07	32	31	14	15	09	16	33	32	32	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	38	36	36	55	33	36	31	43	36	40	36	41	55	
	DIR. (TENS OF DEGS.)	32	34	33	31	32	32	05	26	18	16	32	32	31	
	DATE OF OCCURRENCE	22	03	26+	05	12	21+	06	12	05	21	19	16	APR 05	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	47	44	47	71	45	47	38	51	47	47	45	52	71	
DIR. (TENS OF DEGS.)	34	33	31	32	34	29	04	26	31	16	32	32	32		
DATE OF OCCURRENCE	10	03	26	05	06	20+	06	12	09	21	02	16	APR 05		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.39	1.74	1.27	1.51	2.73	5.10	4.03	1.00	0.98	2.48	1.53	0.24	23.00	
	GREATEST 24-HOUR (IN.)	0.14	1.13	0.97	0.50	0.86	2.62	1.65	0.31	0.63	0.95	0.58	0.15	2.62	
	DATE OF OCCURRENCE	02-03	25-26	07-08	13-14	26-27	12-13	21	05	21	25-26	06-07	27-28	JUN 12-13	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	7	8	10	12	10	14	12	10	5	10	12	7	117	
PRECIPITATION ≥ 0.10	1	4	2	4	7	10	4	5	2	7	6	0	52		
PRECIPITATION ≥ 1.00	0	1	0	0	0	1	2	0	0	0	0	0	4		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	5.7	13.4	6.0	1.4	T	0.0	0.0	T	0.0	T	18.0	5.5	50.0	
	GREATEST 24-HOUR (IN.)	2.2	5.6	2.2	1.1	T	0.0	0.0	T	0.0	T	7.8	2.5	7.8	
	DATE OF OCCURRENCE	02-03	15	08	13-14	12			20		06+	06-07	27-28	NOV 06-07	
	MAXIMUM SNOW DEPTH (IN.)	3	9	2	1	0	0	0	0	0	0	7	6	9	
	DATE OF OCCURRENCE	04+	17	15+	15+							14+	03+	FEB 17	
NUMBER OF DAYS WITH:															
SNOWFALL ≥ 1.0	2	6	2	0	0	0	0	0	0	0	5	1	16		

NORMALS, MEANS, AND EXTREMES

BISMARCK, ND (BIS)

LATITUDE: 46° 46' 27" N LONGITUDE: 100° 44' 51" W ELEVATION (FT): GRND: 1652 BARO: 1652 TIME ZONE: CENTRAL (UTC + 6) WBAN: 24011

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	20.2	26.4	38.5	54.9	67.8	77.1	84.4	82.7	70.8	58.7	39.3	24.5	53.8
	MEAN DAILY MAXIMUM	53	19.3	26.4	37.5	55.1	68.2	77.0	84.2	83.3	71.6	58.8	38.9	25.4	53.8
	HIGHEST DAILY MAXIMUM	61	62	69	81	93	98	107	109	109	105	95	79	65	109
	YEAR OF OCCURRENCE		1981	1992	1946	1992	1941	1988	1973	1941	1959	1963	1999	1979	JUL 1973
	MEAN OF EXTREME MAXS.	53	43.4	49.3	62.3	79.9	87.4	92.6	98.5	98.4	92.1	82.2	62.9	49.0	74.8
	NORMAL DAILY MINIMUM	30	-1.7	5.1	17.8	31.0	42.2	51.6	56.4	53.9	43.1	32.5	17.8	3.3	29.4
	MEAN DAILY MINIMUM	53	-2.4	5.3	16.8	30.6	42.4	51.8	56.7	54.6	43.6	32.5	17.9	4.9	29.6
	LOWEST DAILY MINIMUM	61	-44	-43	-31	-12	15	30	35	33	11	-10	-30	-43	-44
	YEAR OF OCCURRENCE		1950	1994	1948	1975	1967	1969	1971	1988	1974	1991	1985	1967	JAN 1950
	MEAN OF EXTREME MINS.	53	-28.0	-21.0	-8.5	14.1	26.8	38.6	44.8	40.5	27.7	16.1	-3.3	-19.5	10.7
	NORMAL DRY BULB	30	9.2	15.7	28.2	43.0	55.0	64.4	70.4	68.3	57.0	45.7	28.6	14.0	41.6
	MEAN DRY BULB	53	8.5	15.9	27.2	42.8	55.3	64.3	70.4	69.0	57.5	45.7	28.5	15.1	41.7
	MEAN WET BULB	17	11.5	17.8	26.8	37.5	49.5	58.1	62.1	60.7	50.6	39.2	24.0	14.4	37.7
	MEAN DEW POINT	17	7.0	13.3	21.5	29.5	42.4	52.6	56.6	54.7	44.2	32.3	19.6	10.1	32.0
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.1	0.6	3.1	8.0	8.2	1.7	*	0.0	0.0	21.7	
MAXIMUM ≤ 32°	30	22.5	17.0	9.9	0.7	0.1	0.0	0.0	0.0	0.0	0.4	8.6	20.9	80.1	
MINIMUM ≤ 32°	30	30.9	27.8	28.6	17.5	4.0	0.1	0.0	0.0	2.7	15.2	28.1	31.0	185.9	
MINIMUM ≤ 0°	30	17.1	11.0	3.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	12.9	47.1	
H/C	NORMAL HEATING DEG. DAYS	30	1730	1380	1141	660	324	116	15	69	262	598	1092	1581	8968
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	14	98	183	171	22	0	0	0	488
RH	NORMAL (PERCENT)	30	71	72	70	62	60	65	62	61	64	64	72	74	66
	HOUR 00 LST	30	74	76	77	70	70	77	75	72	74	72	77	78	74
	HOUR 06 LST	30	74	77	80	79	78	84	84	83	83	79	80	78	80
	HOUR 12 LST	30	68	67	62	51	48	52	47	46	50	51	64	70	56
	HOUR 18 LST	30	70	68	59	46	44	47	42	40	46	51	66	73	54
S	PERCENT POSSIBLE SUNSHINE	61	53	53	58	58	61	64	74	71	65	58	44	47	59
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	62	1.1	1.5	1.5	0.8	0.4	0.6	0.7	0.7	0.7	1.1	1.3	1.4	11.8
	THUNDERSTORMS	62	0.0	0.0	0.1	1.0	3.9	8.5	9.2	7.7	2.9	0.6	0.0	0.0	33.9
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	1						4.0							
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH:														
	CLEAR	1	6.0	10.0	6.0	3.0									
	PARTLY CLOUDY	1	10.0	10.0	9.0	10.0									
	CLOUDY	1	15.0	9.0	16.0	17.0									
PR	MEAN STATION PRESSURE (IN)	28	28.30	28.28	28.20	28.20	28.20	28.19	28.20	28.20	28.20	28.20	28.21	28.30	28.22
	MEAN SEA-LEVEL PRES. (IN)	17	30.12	30.11	30.06	29.97	29.92	29.88	29.93	29.95	29.98	30.00	30.04	30.12	30.01
WINDS	MEAN SPEED (MPH)	48	9.9	9.7	10.6	11.6	11.3	10.2	9.1	9.3	9.7	10.1	9.8	9.6	10.1
	PREVAIL. DIR (TENS OF DEGS)	32	32	32	32	06	16	16	15	15	30	30	30	31	30
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	5	40	40	40	55	54	45	43	43	41	44	47	43	55
	DIR. (TENS OF DEGS)		32	30	17	31	27	29	10	26	25	32	31	32	31
	YEAR OF OCCURRENCE		1997	1996	1999	2000	1996	1999	1999	2000	1997	1996	1999	1996	APR 2000
	MAXIMUM 5-SECOND:														
SPEED (MPH)	5	48	62	49	71	69	56	56	51	64	55	61	54	71	
DIR. (TENS OF DEGS)		34	30	31	32	26	27	32	26	23	33	30	32	32	
YEAR OF OCCURRENCE		1997	1996	1999	2000	1996	1999	1996	2000	1997	1996	1999	1996	APR 2000	
PRECIPITATION	NORMAL (IN)	30	0.45	0.43	0.77	1.67	2.18	2.72	2.14	1.72	1.49	0.90	0.49	0.51	15.47
	MAXIMUM MONTHLY (IN)	61	1.29	1.74	3.19	5.46	6.96	8.29	13.75	9.29	6.93	4.30	2.56	0.95	13.75
	YEAR OF OCCURRENCE		1969	2000	1975	1975	1999	1947	1993	1998	1977	1982	1944	1967	JUL 1993
	MINIMUM MONTHLY (IN)	61	0.02	0.03	0.09	T	0.28	0.50	0.18	0.03	0.02	0.02	T	T	T
	YEAR OF OCCURRENCE		1940	1985	1981	1952	1984	1974	1968	1971	1948	1993	1990	1944	NOV 1990
	MAXIMUM IN 24 HOURS (IN)	61	0.67	1.13	1.30	1.97	2.54	3.25	5.27	4.74	4.34	1.81	0.99	0.59	5.27
	YEAR OF OCCURRENCE		1952	2000	1950	1964	1985	1947	1993	1999	1994	1980	1944	1960	JUL 1993
	NORMAL NO. DAYS WITH:														
PRECIPITATION ≥ 0.01	30	7.6	6.8	7.8	8.7	10.0	11.0	8.7	8.0	7.1	5.5	5.8	8.2	95.2	
PRECIPITATION ≥ 1.00	30	0.0	0.0	*	0.2	0.4	0.5	0.4	0.3	0.2	0.2	0.0	0.0	2.2	
SNOWFALL	NORMAL (IN)	30	7.3	7.1	8.2	4.4	0.7	0.0	0.0	0.0	0.3	1.2	5.8	8.1	43.1
	MAXIMUM MONTHLY (IN)	61	25.0	25.6	31.1	18.7	10.3	T	T	T	5.0	23.7	29.9	17.2	31.1
	YEAR OF OCCURRENCE		1982	1979	1975	1984	1950	1993	1993	1991	1984	1991	1993	1977	MAR 1975
	MAXIMUM IN 24 HOURS (IN)	61	13.2	11.0	15.5	15.2	11.0	T	T	T	4.8	14.3	11.4	10.0	15.5
	YEAR OF OCCURRENCE		1996	1996	1966	1997	1967	1993	1993	1991	1984	1991	1986	1988	MAR 1966
	MAXIMUM SNOW DEPTH (IN)	52	19	28	27	22	11	0	0	0	2	10	19	13	28
	YEAR OF OCCURRENCE		1982	1979	1979	1975	1967				1984	1991	1993	1977	FEB 1979
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	2.5	2.4	2.2	1.3	0.2	0.0	0.0	0.0	0.1	0.3	1.8	2.5	13.3	

PRECIPITATION (inches) 2000 BISMARCK, ND (BIS)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	0.78	0.41	0.30	1.06	1.34	3.86	1.04	0.03	1.63	3.74	0.59	0.47	15.25
1972	0.68	0.41	1.32	1.81	3.16	1.81	1.60	1.70	0.29	1.60	0.11	0.67	15.16
1973	0.07	0.08	0.55	0.87	1.77	1.15	1.24	0.30	2.32	1.40	0.46	0.83	11.04
1974	0.11	0.29	0.40	2.23	2.68	0.50	1.10	1.52	0.23	0.74	0.36	0.50	10.66
1975	0.53	0.47	3.19	5.46	1.81	4.60	2.63	0.64	0.57	0.71	0.19	0.70	21.50
1976	0.52	0.27	0.52	2.84	1.08	2.66	0.46	0.32	1.59	0.21	0.15	0.55	11.17
1977	0.55	0.33	0.71	0.13	1.09	2.35	1.39	1.92	6.93	1.00	1.36	0.78	18.54
1978	0.14	0.41	0.30	2.00	4.65	1.79	2.58	1.21	1.80	0.45	1.13	0.49	16.95
1979	0.54	1.21	1.15	0.94	1.07	0.76	3.22	1.73	0.82	0.10	0.05	0.22	11.81
1980	0.70	0.28	0.32	0.43	1.08	1.67	3.16	5.03	1.11	2.31	0.09	0.21	16.39
1981	0.12	0.42	0.09	0.58	0.90	1.67	3.69	3.32	1.88	0.52	0.79	0.48	14.46
1982	0.75	0.40	1.08	0.76	3.71	2.04	2.17	1.52	0.45	4.30	0.41	0.48	18.07
1983	0.23	0.44	1.65	0.51	1.46	2.95	2.04	0.87	1.03	0.75	0.73	0.48	13.14
1984	0.38	0.31	1.65	3.65	0.28	3.58	0.81	0.87	0.94	0.99	0.73	0.58	14.77
1985	0.27	0.03	0.80	1.77	4.13	1.80	0.55	4.61	1.29	1.33	0.91	0.35	17.84
1986	0.36	0.25	0.25	3.60	3.11	3.95	4.24	1.61	4.41	0.35	2.09	0.02	24.24
1987	0.14	1.65	1.34	0.13	4.19	1.52	4.59	3.03	0.29	0.10	0.02	0.13	17.13
1988	0.68	0.40	0.92	0.12	1.16	2.18	0.55	2.19	0.63	0.15	0.48	0.71	10.17
1989	0.59	0.21	0.29	1.86	1.92	0.70	1.76	1.62	1.23	0.21	0.64	0.30	11.33
1990	0.26	0.23	0.55	0.31	1.65	4.73	1.53	1.37	1.25	0.29	T	0.50	12.67
1991	0.16	0.24	0.62	1.62	3.34	2.64	0.65	1.77	2.49	2.33	0.74	0.16	16.76
1992	0.31	0.40	0.61	0.22	1.12	3.64	2.46	0.98	1.28	0.39	0.81	0.48	12.70
1993	0.29	0.33	0.38	1.26	2.36	4.57	13.75	1.89	0.26	0.02	1.04	0.84	26.99
1994	0.58	0.45	0.66	1.06	0.54	3.35	1.76	0.33	5.01	3.41	1.50	0.29	18.94
1995	0.41	0.33	1.67	1.00	4.15	1.39	4.99	1.99	0.80	1.11	0.51	0.55	18.90
1996	0.94	0.66	1.18	0.51	1.62	2.93							
1997	0.84	0.59	0.97	3.26	0.32	1.23	2.21	1.07	1.73	2.29	0.31	0.08	14.90
1998	0.09	1.67	0.39	0.66	1.10	2.90	1.89	9.29	0.98	3.09	1.40	0.24	23.70
1999	1.13	0.39	0.25	1.61	6.96	3.61	2.52	7.91	1.31	0.43	0.10	0.23	26.45
2000	0.39	1.74	1.27	1.51	2.73	5.10	4.03	1.00	0.98	2.48	1.53	0.24	23.00
POR= 126 YRS	0.47	0.48	0.87	1.49	2.25	3.20	2.32	1.81	1.31	0.96	0.53	0.50	16.19

WBAN : 24011

AVERAGE TEMPERATURE (°F) 2000 BISMARCK, ND (BIS)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	1.5	12.9	28.2	43.8	52.4	65.7	66.2	71.6	56.8	45.1	30.1	10.9	40.4
1972	4.8	9.1	27.5	42.4	58.1	65.2	66.6	70.7	57.0	41.4	27.6	8.1	39.9
1973	15.5	21.9	39.4	40.9	54.1	63.3	68.4	72.0	54.6	46.8	22.6	9.8	42.4
1974	6.5	15.9	27.1	42.3	50.5	62.8	73.8	63.0	52.9	45.9	28.9	17.5	40.6
1975	12.9	12.5	22.5	35.5	53.9	63.2	72.8	66.8	55.0	47.0	31.5	19.1	41.1
1976	11.9	27.2	27.3	46.5	55.6	67.1	71.2	72.9	60.1	41.4	26.4	14.8	43.5
1977	-1.6	23.9	33.8	49.1	61.7	65.6	70.2	62.0	57.0	46.2	26.4	10.5	42.1
1978	-1.7	9.0	27.9	42.7	56.9	63.0	68.8	68.2	61.8	46.0	22.7	10.8	39.7
1979	-2.2	-7	22.2	35.1	50.0	64.3	70.2	65.7	59.4	44.6	25.9	23.7	38.2
1980	8.7	15.4	24.8	48.7	60.1	66.2	71.9	65.7	58.1	45.6	35.9	18.5	43.3
1981	19.5	23.1	34.9	46.5	54.1	60.7	71.2	70.1	59.3	46.9	36.9	14.7	44.8
1982	-4.3	8.7	23.5	40.0	54.9	59.2	70.3	67.5	56.7	44.5	24.4	22.1	39.0
1983	23.0	27.4	30.4	39.9	50.9	62.3	72.3	74.8	56.3	44.8	30.9	-1.2	42.7
1984	15.5	28.0	25.4	41.7	51.9	63.1	70.1	71.6	52.6	45.5	30.3	8.6	42.0
1985	6.2	13.2	31.6	46.0	59.1	59.3	69.9	64.3	53.6	44.3	14.0	9.1	39.2
1986	20.1	13.8	38.8	42.3	55.9	66.5	70.1	65.5	54.3	46.1	23.5	22.3	43.3
1987	21.8	28.1	27.9	51.2	59.8	68.2	72.4	64.9	58.7	42.0	34.5	24.1	46.1
1988	8.9	14.9	30.2	45.0	61.0	75.7	73.2	69.5	56.6	43.8	29.0	18.1	43.8
1989	16.0	6.3	24.8	44.3	56.2	63.7	76.3	69.6	58.6	45.3	29.2	8.2	41.5
1990	23.6	20.0	35.2	43.5	54.8	65.7	70.2	71.8	61.7	43.8	31.2	9.4	44.2
1991	8.8	28.1	32.7	46.1	57.7	68.5	71.4	73.7	58.9	40.7	23.2	25.1	44.6
1992	23.3	27.1	35.0	42.1	58.1	62.7	64.0	64.2	56.5	43.9	28.8	11.8	43.1
1993	8.2	10.9	32.4	42.2	55.4	60.2	64.4	66.6	53.2	43.9	26.7	17.5	40.1
1994	0.6	4.8	32.7	43.0	60.0	65.5	67.3	67.5	61.6	48.0	31.0	16.2	41.5
1995	10.4	19.2	26.0	38.9	53.3	66.1	69.4	71.4	57.2	44.6	25.1	15.0	41.4
1996	2.0	19.2	19.8	39.6	52.0	65.6							
1997	3.7	18.9	26.1	38.6	54.8	69.1	71.9	69.7	62.1	47.7	27.2	28.2	43.2
1998	13.2	30.4	24.0	48.0	58.0	61.4	72.9	72.5	63.5	46.8	31.0	20.7	45.2
1999	8.4	24.9	35.6	43.3	56.0	64.3	71.3	69.4	55.0	45.3	38.6	25.5	44.8
2000	15.2	22.6	35.7	43.6	56.6	62.7	72.0	70.9	59.7	48.8	24.1	6.8	43.2
POR= 126 YRS	8.6	13.5	26.2	43.0	54.8	64.1	70.5	68.5	57.9	45.5	28.4	15.3	41.4

HEATING DEGREE DAYS (base 65°F) 2000 BISMARCK, ND (BIS)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1972-73	41	39	256	724	1116	1762	1528	1201	787	714	332	93	8593
1973-74	12	4	316	557	1263	1709	1816	1369	1167	674	440	120	9447
1974-75	6	119	357	582	1078	1466	1612	1467	1309	880	345	112	9333
1975-76	9	39	295	550	1002	1419	1642	1087	1163	550	288	65	8109
1976-77	11	6	193	726	1152	1551	2063	1147	956	473	164	45	8487
1977-78	17	111	246	574	1153	1687	2066	1564	1143	663	257	105	9586
1978-79	18	35	217	585	1263	1679	2084	1837	1320	891	463	81	10473
1979-80	11	55	191	626	1166	1273	1744	1435	1238	492	211	58	8500
1980-81	5	53	217	594	867	1438	1402	1173	925	547	335	144	7700
1981-82	11	11	191	554	836	1556	2151	1577	1279	742	310	176	9394
1982-83	5	73	291	626	1210	1321	1294	1048	1066	746	434	128	8242
1983-84	6	0	300	620	1015	2049	1532	1067	1225	690	421	94	9019
1984-85	17	27	373	602	1033	1749	1821	1450	1027	562	194	192	9047
1985-86	21	85	345	636	1526	1731	1386	1427	807	673	297	44	8978
1986-87	5	65	314	580	1237	1319	1332	1023	1144	416	189	36	7660
1987-88	10	88	199	708	909	1260	1737	1454	1071	597	184	16	8233
1988-89	1	40	251	651	1075	1448	1513	1640	1239	621	274	110	8863
1989-90	0	38	218	606	1066	1761	1278	1256	916	650	318	78	8185
1990-91	10	5	173	649	1006	1722	1740	1028	995	557	253	10	8148
1991-92	7	0	236	748	1247	1231	1286	1093	921	689	248	117	7823
1992-93	74	111	256	645	1077	1645	1757	1513	1004	678	296	177	9233
1993-94	68	52	347	645	1141	1466	1998	1684	995	651	192	51	9290
1994-95	34	64	152	520	1017	1508	1689	1276	1204	778	355	84	8681
1995-96	13	3	262	627	1189	1547	1953	1322	1396	756	399	84	9551
1996-97	10	1	249	644	1126	1793	1891	1283	1201	786	317	9	9310
1996-97	10	1	249	644	1126	1793	1891	1283	1201	786	317	9	9310
1997-98	16	34	115	538	1126	1134	1601	962	1264	502	230	143	7665
1998-99	2	3	121	556	1013	1368	1747	1114	903	646	280	86	7839
1999-00	9	21	298	604	787	1215	1537	1223	900	633	256	114	7597
2000-	20	21	196	495	1219	1798							

WBAN : 24011

COOLING DEGREE DAYS (base 65°F) 2000 BISMARCK, ND (BIS)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1971	0	0	0	0	0	67	94	230	32	0	0	0	423
1972	0	0	0	0	37	76	98	226	24	0	0	0	461
1973	0	0	0	0	1	47	125	227	11	0	0	0	411
1974	0	0	0	0	0	61	287	61	0	0	0	0	409
1975	0	0	0	0	6	64	257	104	2	0	0	0	433
1976	0	0	0	0	3	137	212	257	54	0	0	0	663
1977	0	0	0	3	70	72	186	25	11	0	0	0	367
1978	0	0	0	0	13	50	141	143	128	0	0	0	475
1979	0	0	0	0	6	67	178	86	28	0	0	0	365
1980	0	0	0	8	64	103	227	84	16	0	0	0	502
1981	0	0	0	0	3	24	210	177	27	0	0	0	441
1982	0	0	0	0	3	8	175	159	49	0	0	0	394
1983	0	0	0	0	3	53	243	312	47	0	0	0	658
1984	0	0	0	0	21	44	180	241	11	4	0	0	501
1985	0	0	0	0	16	26	180	67	8	0	0	0	297
1986	0	0	0	0	21	96	169	88	0	0	0	0	374
1987	0	0	0	11	33	136	245	92	15	0	0	0	532
1988	0	0	0	1	65	340	264	184	6	0	0	0	860
1989	0	0	0	4	8	78	359	190	33	0	0	0	672
1990	0	0	0	14	9	105	177	224	82	0	0	0	611
1991	0	0	0	0	36	122	212	278	61	0	0	0	709
1992	0	0	0	9	40	52	50	95	9	0	0	0	255
1993	0	0	0	0	7	42	55	110	3	0	0	0	217
1994	0	0	0	1	44	70	111	148	58	0	0	0	432
1995	0	0	0	0	1	122	154	210	35	0	0	0	522
1996	0	0	0	0	2	109	111	211	47	0	0	0	480
1997	0	0	0	0	5	138	236	187	35	8	0	0	609
1998	0	0	0	0	17	42	253	242	79	0	0	0	633
1999	0	0	0	0	7	72	210	165	3	0	0	0	457
2000	0	0	0	0	5	51	242	209	42	0	0	0	549

SNOWFALL (inches) 2000 BISMARCK, ND (BIS)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1971-72	0.0	0.0	0.0	3.1	6.4	8.7	13.3	5.8	8.5	0.9	T	0.0	46.7
1972-73	0.0	0.0	T	5.8	1.1	10.2	0.9	1.2	1.4	0.5	0.0	0.0	21.1
1973-74	0.0	0.0	0.0	0.6	5.5	11.5	1.4	4.5	3.4	0.6	0.0	0.0	27.5
1974-75	0.0	0.0	T	T	3.6	6.9	6.3	6.0	31.1	4.8	0.0	0.0	58.7
1975-76	0.0	0.0	0.0	T	2.2	8.6	5.3	2.7	6.5	0.8	T	0.0	26.1
1976-77	0.0	0.0	0.0	1.9	3.3	7.7	8.3	5.1	1.6	0.7	0.0	0.0	28.6
1977-78	0.0	0.0	0.0	3.5	16.2	17.2	4.1	11.1	7.6	4.0	0.0	0.0	63.7
1978-79	0.0	0.0	0.0	T	16.6	10.0	10.3	25.6	11.6	7.3	1.6	0.0	83.0
1979-80	0.0	0.0	0.0	T	1.0	1.6	12.6	5.6	5.7	0.1	0.0	0.0	26.6
1980-81	0.0	0.0	0.0	1.1	0.2	4.7	2.1	3.6	T	T	0.0	0.0	11.7
1981-82	0.0	0.0	0.0	0.7	6.3	10.4	25.0	10.3	22.5	5.1	0.0	0.0	80.3
1982-83	0.0	0.0	0.0	4.8	7.2	2.9	2.2	5.3	9.3	0.5	T	0.0	32.2
1983-84	0.0	0.0	T	0.0	6.6	10.6	4.1	5.9	20.6	18.7	T	0.0	66.5
1984-85	0.0	0.0	5.0	1.3	2.0	14.9	3.9	0.5	12.4	0.2	0.0	0.0	40.2
1985-86	0.0	0.0	T	3.2	24.2	7.1	6.1	6.5	2.4	11.7	T	0.0	61.2
1986-87	0.0	0.0	0.0	T	28.5	1.3	2.6	23.2	11.8	0.5	T	0.0	67.9
1987-88	0.0	0.0	0.0	0.3	T	1.2	12.1	8.2	9.2	0.5	0.0	0.0	31.5
1988-89	0.0	0.0	0.0	0.1	3.3	15.9	12.9	7.4	6.4	1.8	T	T	47.8
1989-90	0.0	T	T	1.7	7.6	5.1	3.7	3.6	3.5	3.1	0.8	T	29.1
1990-91	T	T	0.0	2.5	T	10.9	4.1	5.2	4.8	8.4	6.5	T	42.4
1991-92	0.0	T	T	23.7	7.5	1.5	7.0	9.5	5.3	3.0	T	T	57.5
1992-93	0.0	0.0	0.0	4.8	10.5	8.5	9.0	7.9	3.3	T	T	T	44.0
1993-94	T	0.0	0.0	0.5	29.9	14.0	14.5	12.7	11.4	8.8	0.0	0.0	91.8
1994-95	0.0	0.0	0.0	0.0	16.6	7.0	12.5	8.2	20.5	2.3	T	0.0	67.1
1995-96	0.0	0.0	T	2.5	6.1	12.1	21.3	15.2	20.0	2.9	T	0.0	80.1
1996-97	0.0	0.0	0.0	5.0	25.2	13.5	15.1	9.2	16.1	17.5	T	0.0	101.6
1997-98	0.0	T	0.0	0.4	6.3	1.7	3.3	12.1	2.8	T	T	T	26.6
1998-99	0.0	T	0.0	T	17.1	6.0	22.2	4.7	1.8	12.7	0.0	0.0	64.5
1999-00	T	T	0.0	T	T	5.4	5.7	13.4	6.0	1.4	T	0.0	31.9
2000-	0.0	T	0.0	T	18.0	5.5							
POR= 60 YRS	T	T	0.2	1.7	6.8	6.9	7.7	7.1	8.4	4.0	1.2	T	44.0

WBAN : 24011

REFERENCE NOTES:

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2000 BISMARCK, NORTH DAKOTA (BIS)

Bismarck, the State Capital and County Seat of Burleigh County, is located in south-central North Dakota, near the center of North America. It is on the east bank of the Missouri River in a shallow basin 7 miles wide and 11 miles long.

The Weather Service Forecast Office is located at the Municipal Airport approximately 2 miles southeast of city center. It is almost entirely surrounded by low-lying hills. The closest hills, 3 miles to the north, and other hills 5 miles to the southeast, are about 200 to 300 feet high. West across the Missouri River the land is more hilly and 300 to 600 feet higher.

The climate is semi-arid, typically continental in character, and invigorating. Summers are warm, but there are not many hot days, and very few hot and humid days. Winters tend to be long and quite cold, but there are plenty of mild days to make winter weather pleasant much of the time. Sunshine is abundant, averaging 2,700 hours out of a possible 4,470 hours.

More than 75 percent of annual precipitation falls during the six month period from April through September, and nearly 50 percent during May, June, and July. Snow has been reported in all months except July and August. Three inches or more can be expected on about three days each year.

Most summer precipitation occurs during thunderstorms in the late afternoon and evening. Thunderstorms occur on about 34 days each year, accompanied by hail on two or three of the days. A damaging hailstorm is experienced about once every ten years. Tornadoes are rare, but damaging winds occasionally occur with the heavier thunderstorms.

The winter season usually begins in late November and continues until late March. Winter precipitation is nearly all in the form of snow and is often associated with strong winds and low temperatures. This combination produces winter storms and occasional blizzards that must never be taken lightly. A severe blizzard lasting two or three days may be expected every few years. But several times each winter storms lasting a few hours occur in which drifting snow can make travel difficult and even block roads. A stalled motorist can be in serious trouble if he is not prepared with adequate winter clothing and some kind of emergency provisions. A motorist must never leave his vehicle in a blinding snowstorm as he can easily become lost.

The temperature range from summer to winter is very large and typical of the Northern Great Plains. The average freeze-free period is 134 days, from mid-May to late September.

STATION LOCATION

BISMARCK, NORTH DAKOTA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS REMARKS
						GROUND											
						SEA LEVEL GROUND	WIND INSTRUMENT	EXTREME THERMOMETER	PSYCHROMETER	SUNSHINE SWITCH	TIPPING GAUGE	RAINING GAUGE	8 INCH RAIN GAGE	HYGROMETER			
*NOTES: AIRPORT																	
Municipal Airport	11/1/35	7/1/36	NA	46°46'	00°45'	1650	10		4							Cooperative nighttime airway observations by NW Airlines; daytime airway observations at WB.	
CAA Range Station	7/1/36	1/3/39	2.5 mi. E	46°47'	00°42'	1681				5						Airways observations made by CAA personnel.	
Municipal Airport	1/3/39	3/22/73	2.5 mi. W	46°46'	00°45'	1650 b1647	43 d20	5	5	Unk a27	3	4	3	c5		WBAS established. WBO and WBAS consolidated at airport 1/1/40. a - Effective 5/1/53 b - Effective 11/1/59. c - Commissioned on field site 11/1/59. Type change 8/22/63. d - Lowered 10/17/61.	
Weather Service Office Building, Municipal Airport	3/22/73	05/01/96	3500 ft. S	46°46'	00°45'	1647	e20	6 f6	5 f5 i6	7 h6	4 g4	4 g4	4 g4	e5		e - Not moved 3/22/73. f - Moved 138' WSW 6/18/74. g - Moved 118' WSW 6/18/74. h - Moved 185' SE 12/29/76. i - Minor move 11/14/94.	
Municipal Airport	05/01/96	Present	NA	46°46'	00°45'	1652								S		ASOS Commissioned 05/01/96	

SUBSCRIPTION:
Price and ordering information available through : National ClimaticDataCenter, Federal building, Asheville, North Carolina 28801.

INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322

OFFICAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

**FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19**

NCDC Subscription Services Center
310 State Route 956 Building 300
Rocket Center, WV 26726

* NOTES: For earlier station history see previous edition.