

2005




LOCAL CLIMATOLOGICAL DATA
ANNUAL SUMMARY WITH COMPARATIVE DATA



ISSN 0198-201X

SOUTH BEND,
INDIANA (SBN)

Daily Data



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

Thomas R. Karl

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE	NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA	DIRECTOR NATIONAL CLIMATIC DATA CENTER
---	---	---	---

METEOROLOGICAL DATA FOR 2005

SOUTH BEND, IN (SBN)

LATITUDE: 41° 42' 26" N LONGITUDE: 86° 19' 59" W ELEVATION (FT): GRND: 777 BARO: 780 TIME ZONE: EASTERN (UTC + 5) WBAN: 14848

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	31.1	37.2	42.3	63.9	68.5	84.2	85.5	83.1	79.4	62.8	51.4	29.2	59.9	
	HIGHEST DAILY MAXIMUM	62	51	75	83	84	96	96	93	93	85	70	44	96	
	DATE OF OCCURRENCE	12	14	30	18	09	24	24	03	13	04	03	27	JUL 24	
	MEAN DAILY MINIMUM	16.7	24.5	23.7	40.4	45.8	63.5	63.4	63.4	56.0	44.0	33.6	18.9	41.2	
	LOWEST DAILY MINIMUM	-7	11	7	31	26	49	48	53	39	29	14	-1	-7	
	DATE OF OCCURRENCE	23	03	13	23+	04	17	02	23	30	29	25	08	JAN 23	
	AVERAGE DRY BULB	23.9	30.9	33.0	52.2	57.2	73.9	74.5	73.3	67.7	53.4	42.5	24.1	50.6	
	MEAN WET BULB	22.8	29.0	30.5	44.0	49.9	65.8	66.9	66.7	60.5	48.9		23.1		
	MEAN DEW POINT	18.8	25.0	25.3	33.9	42.4	61.0	62.4	62.7	55.2	44.5		19.7		
	NUMBER OF DAYS WITH:														
	MAXIMUM ≥ 90°	0	0	0	0	0	10	6	4	2	0	0	0	0	22
	MAXIMUM ≤ 32°	16	5	7	0	0	0	0	0	0	0	3	19	50	
MINIMUM ≤ 32°	28	24	28	7	3	0	0	0	0	4	13	26	133		
MINIMUM ≤ 0°	4	0	0	0	0	0	0	0	0	0	0	2	6		
H/C	HEATING DEGREE DAYS	1267	948	984	384	250	17	2	3	50	385	666	1260	6216	
	COOLING DEGREE DAYS	0	0	0	7	16	288	303	266	138	33	0	0	1051	
RH	MEAN (PERCENT)	80	80	73	54	61	67	70	71	67	74	69	82	71	
	HOUR 01 LST	83	82	81	62	71	78	82	81	78	80	72	84	78	
	HOUR 07 LST	86	87	83	71	76	80	83	87	84	85	77	85	82	
	HOUR 13 LST	74	74	64	42	47	53	52	56	52	59	61	77	59	
	HOUR 19 LST	77	77	67	43	49	58	61	62	58	71	65	80	64	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	3	4	3	0	1	0	1	3	0	1	2	4	22	
	THUNDERSTORMS	1	0	1	0	4	5	12	5	5	1	4	0	38	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (≤ 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.38	29.28	29.08	29.13	29.18	29.13	29.20	29.19	29.26	29.26	29.12	29.17	29.20	
	MEAN SEA-LEVEL PRESS. (IN.)	30.25	30.13		29.96	30.00	29.94	30.01	30.01	30.08			30.04		
WINDS	RESULTANT SPEED (MPH)	0.5	1.3	2.2	1.1	0.9	1.6	0.7	0.7	1.6	1.1	7.0	5.3	1.5	
	RES. DIR. (TENS OF DEGS.)	06	25	29	01	27	19	20	29	19	31	22	23	24	
	MEAN SPEED (MPH)	9.2	8.4	9.2	10.5	8.6	8.1	7.0	6.1	7.2	6.9	12.2	9.9	8.6	
	PREVAIL. DIR. (TENS OF DEGS.)	11	11	30	10	30	19	22	21	19	36	23	22	21	
	MAXIMUM 2-MINUTE WIND:														
	SPEED (MPH)	30	25	32	33	28	30	33	23	29	25	38	28	38	
	DIR. (TENS OF DEGS.)	21	29	29	33	27	21	31	22	31	29	21	25	21	
	DATE OF OCCURRENCE	19	17+	07	23	14+	13	04	04	28	02	06	16	NOV 06	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	36	31	38	39	35	36	40	26	37	30	51	32	51	
DIR. (TENS OF DEGS.)	23	30	17	30	19	21	31	22	32	20	21	25	21		
DATE OF OCCURRENCE	19	17+	30+	24+	09	13	04	04	28	02	06	16	NOV 06		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	5.10	1.92	2.05	1.14	1.06	2.07	3.46	2.20	3.07	1.24	2.21	1.79	27.31	
	GREATEST 24-HOUR (IN.)	1.38	0.60	0.32	0.82	0.66	0.88	0.90	0.81	0.94	0.55	0.49	0.57	1.38	
	DATE OF OCCURRENCE	13	13-14	30	22	19	05	17	13	15-16	02-03	28	08-09	JAN 13	
	NUMBER OF DAYS WITH:														
	PRECIPITATION ≥ 0.01	18	10	15	12	9	9	13	8	9	7	13	18	141	
PRECIPITATION ≥ 0.10	12	6	7	1	2	4	8	6	8	3	7	6	70		
PRECIPITATION ≥ 1.00	1	0	0	0	0	0	0	0	0	0	0	0	1		
SNOWFALL	SNOW, ICE PELLETS, HAIL:														
	TOTAL (IN.)	28.8	8.0	15.4	1.1	T	0.0	0.0	0.0	0.0	0.0	6.0	19.1	78.4	
	GREATEST 24-HOUR (IN.)	6.8	2.5	4.7	0.7	T	0.0	0.0	0.0	0.0	0.0	2.1	7.7	7.7	
	DATE OF OCCURRENCE	22	20	10	23	03						23	08	DEC 08	
	MAXIMUM SNOW DEPTH (IN.)	8	3	5	1	0	0	0	0	0	0	T	8	8	
	DATE OF OCCURRENCE	23+	04+	02	24							26+	12+	DEC 12+	
	NUMBER OF DAYS WITH:														
SNOWFALL ≥ 1.0	10	4	5	0	0	0	0	0	0	0	3	7	29		

NORMALS, MEANS, AND EXTREMES

SOUTH BEND, IN (SBN)

LATITUDE: 41° 42' 26" N LONGITUDE: 86° 19' 59" W ELEVATION (FT): GRND: 777 BARO: 780 TIME ZONE: EASTERN (UTC + 5) WBAN: 14848

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	31.0	35.5	46.8	58.9	70.7	79.6	83.1	80.7	73.6	61.8	47.7	35.6	58.7
	MEAN DAILY MAXIMUM	58	31.0	35.0	45.2	58.9	70.0	79.7	83.0	81.1	74.7	62.8	48.1	35.7	58.8
	HIGHEST DAILY MAXIMUM	66	68	74	85	91	95	104	102	103	99	92	82	70	104
	YEAR OF OCCURRENCE		1950	2000	1981	1942	1942	1988	1999	1988	1953	1963	1950	2001	JUN 1988
	MEAN OF EXTREME MAXS.	58	51.4	54.3	70.6	79.7	86.3	92.6	93.7	92.0	89.0	80.6	68.4	55.7	76.2
	NORMAL DAILY MINIMUM	30	15.7	19.0	28.2	37.7	48.4	58.3	62.8	61.3	53.3	42.3	32.6	21.7	40.1
	MEAN DAILY MINIMUM	58	16.7	19.7	27.9	38.4	48.4	58.4	62.9	61.2	53.6	43.2	33.0	22.3	40.5
	LOWEST DAILY MINIMUM	66	-22	-17	-13	11	24	35	42	40	29	20	-7	-16	-22
	YEAR OF OCCURRENCE		1943	1951	1943	1972	1968	1972	2001	1965	1942	1988	1950	1960	JAN 1943
	MEAN OF EXTREME MINS.	58	-5.6	-1.0	9.8	22.9	33.3	44.0	50.7	49.2	38.4	29.0	17.2	1.6	24.1
	NORMAL DRY BULB	30	23.4	27.3	37.5	48.3	59.6	69.0	73.0	71.0	63.4	52.1	40.1	28.7	49.4
	MEAN DRY BULB	58	23.9	27.4	36.5	48.6	59.2	69.0	72.9	71.0	64.2	53.0	40.5	29.1	49.6
	MEAN WET BULB	22	23.3	26.6	33.4	43.6	53.2	62.3	66.5	65.5	58.2	47.3	37.5	27.4	45.4
	MEAN DEW POINT	22	19.2	21.6	27.4	36.4	47.3	57.2	62.4	62.1	54.1	42.2	32.9	23.5	40.5
	NORMAL NO. DAYS WITH:														
MAXIMUM ≥ 90°	30	0.0	0.0	0.0	0.0	0.6	3.2	5.7	2.9	0.9	0.0	0.0	0.0	13.3	
MAXIMUM ≤ 32°	30	16.6	11.9	3.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	9.8	43.6	
MINIMUM ≤ 32°	30	27.9	23.8	19.7	8.2	0.4	0.0	0.0	0.0	*	2.9	14.6	25.3	122.8	
MINIMUM ≤ 0°	30	3.7	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	7.7	
H/C	NORMAL HEATING DEG. DAYS	30	1274	1055	844	498	213	41	6	13	117	393	731	1109	6294
	NORMAL COOLING DEG. DAYS	30	0	0	1	10	53	172	268	214	85	9	0	0	812
RH	NORMAL (PERCENT)	30	78	75	70	66	66	68	71	75	74	72	75	79	72
	HOUR 01 LST	30	80	79	76	74	76	78	83	86	84	80	79	82	80
	HOUR 07 LST	30	82	82	80	79	80	81	84	89	89	85	82	83	83
	HOUR 13 LST	30	73	68	60	56	54	55	57	60	59	59	68	75	62
	HOUR 19 LST	30	77	73	65	59	57	57	60	66	68	68	74	78	67
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY ≤ 1/4 MI)	67	2.7	2.3	2.1	1.3	1.4	1.1	1.2	2.1	1.9	2.1	1.9	3.3	23.4
	THUNDERSTORMS	67	0.4	0.4	2.4	4.3	5.2	7.8	7.1	6.5	4.4	1.9	1.0	0.4	41.8
CLOUDINESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	51	6.4	6.2	6.0	5.5	5.0	4.9	4.5	4.5	4.6	4.9	6.1	6.4	5.4
	MIDNIGHT-MIDNIGHT (OKTAS)	32	6.3	5.9	5.7	5.3	4.8	4.6	4.2	4.2	4.4	4.7	6.0	6.4	5.2
	MEAN NO. DAYS WITH:														
CLEAR	57	3.4	3.7	4.7	5.8	6.9	7.2	8.2	8.6	8.8	8.7	3.6	3.0	72.6	
PARTLY CLOUDY	57	5.9	5.6	7.3	7.6	9.6	10.4	12.7	12.1	9.0	8.0	6.0	5.6	99.8	
CLOUDY	57	21.7	18.9	19.1	16.6	14.5	12.4	10.1	10.3	12.2	14.4	20.4	22.5	193.1	
PR	MEAN STATION PRESSURE (IN)	33	29.22	29.23	29.17	29.13	29.14	29.14	29.18	29.21	29.23	29.23	29.20	29.23	29.19
	MEAN SEA-LEVEL PRES. (IN)	21	30.09	30.10	30.05	29.97	29.98	29.96	29.99	30.04	30.05	30.07	30.06	30.10	30.04
WINDS	MEAN SPEED (MPH)	48	11.6	11.1	11.7	11.6	10.1	9.0	8.1	7.6	8.4	9.4	11.1	11.1	10.1
	PREVAIL. DIR (TENS OF DEGS)	31	23	23	22	33	21	21	22	22	19	21	23	23	22
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	9	33	45	43	43	44	41	45	39	36	56	41	37	56
	DIR. (TENS OF DEGS)		21	20	22	24	31	28	31	31	25	25	23	29	25
	YEAR OF OCCURRENCE		1999	1999	2004	1997	1997	2004	2004	1997	1997	2001	1998	1998	OCT 2001
	MAXIMUM 5-SECOND:														
SPEED (MPH)	9	43	56	56	54	54	52	55	51	44	90	52	49	90	
DIR. (TENS OF DEGS)		09	20	23	23	31	29	27	32	28	26	24	30	26	
YEAR OF OCCURRENCE		1999	1999	2004	1997	1997	2004	2003	1997	1997	2001	1998	1998	OCT 2001	
PRECIPITATION	NORMAL (IN)	30	2.27	1.98	2.89	3.62	3.50	4.19	3.73	3.98	3.79	3.27	3.39	3.09	39.70
	MAXIMUM MONTHLY (IN)	66	5.28	5.23	7.96	9.20	8.09	10.86	7.47	8.30	9.01	9.75	6.72	5.50	10.86
	YEAR OF OCCURRENCE		1959	1976	1976	1947	1996	1993	1982	1979	1977	1954	1985	1965	JUN 1993
	MINIMUM MONTHLY (IN)	66	0.44	0.54	0.54	0.50	0.80	0.48	0.02	0.32	0.01	0.42	1.24	0.60	0.01
	YEAR OF OCCURRENCE		1945	1969	1958	1971	1994	1988	1946	1950	1979	1950	1998	1943	SEP 1979
	MAXIMUM IN 24 HOURS (IN)	66	2.81	2.64	2.33	3.14	2.99	4.70	3.64	4.88	3.00	3.49	3.95	3.33	4.88
	YEAR OF OCCURRENCE		1960	1954	1972	1947	1976	1968	1989	1995	1977	1988	1990	1965	AUG 1995
NORMAL NO. DAYS WITH:															
PRECIPITATION ≥ 0.01	30	16.4	12.2	13.7	13.5	11.7	10.4	9.4	10.5	9.7	11.0	13.7	15.6	147.8	
PRECIPITATION ≥ 1.00	30	0.3	0.2	0.3	0.7	0.5	1.1	0.9	1.1	0.9	0.8	0.6	0.5	7.9	
SNOWFALL	NORMAL (IN)	30	23.2	15.5	8.7	1.7	0.*	0.0	0.0	0.0	0.*	0.5	7.7	19.2	76.5
	MAXIMUM MONTHLY (IN)	66	86.1	35.1	33.9	14.0	0.6	T	T	T	1.2	8.8	30.3	44.6	86.1
	YEAR OF OCCURRENCE		1978	1958	1960	1982	1966	1992	1996	1996	1942	1989	1977	2000	JAN 1978
	MAXIMUM IN 24 HOURS (IN)	66	16.7	14.4	14.8	8.7	0.6	T	T	T	1.0	8.8	17.5	13.7	17.5
	YEAR OF OCCURRENCE		1978	1993	1960	1982	1966	1992	1994	1989	1994	1989	1977	1981	NOV 1977
	MAXIMUM SNOW DEPTH (IN)	57	41	35	21	6	0	0	0	0	0	6	20	23	41
	YEAR OF OCCURRENCE		1978	1978	1960	1982						1989	1977	1962	JAN 1978
NORMAL NO. DAYS WITH:															
SNOWFALL ≥ 1.0	30	5.4	4.7	2.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	2.4	5.5	21.2	

PRECIPITATION (inches) 2005 SOUTH BEND, IN (SBN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1976	2.21	5.23	7.96	5.20	6.67	6.60	5.96	2.44	3.34	3.23	3.23	2.21	54.28
1977	1.63	1.27	7.05	2.75	1.92	5.71	2.68	6.03	9.01	3.08	4.27	3.65	49.05
1978	4.03	0.86	2.37	4.35	3.35	3.79	5.21	3.80	3.07	3.99	2.79	4.43	42.04
1979	3.22	1.51	4.03	5.80	3.03	4.66	1.75	8.30	0.01	4.79	4.88	3.66	45.64
1980	1.52	1.51	3.74	3.44	1.65	5.97	3.29	7.84	5.64	3.35	1.47	3.91	43.33
1981	0.68	1.92	0.88	5.28	6.79	6.97	3.71	2.30	3.81	1.23	2.23	1.81	37.61
1982	2.95	1.17	4.54	1.46	5.51	3.12	7.47	2.84	2.51	0.91	4.52	3.40	40.40
1983	0.77	0.79	2.46	5.36	4.83	2.04	2.45	1.28	2.81	1.66	2.60	3.23	30.28
1984	0.86	1.45	2.10	4.22	4.02	3.43	1.76	1.47	4.02	4.38	2.73	4.42	34.86
1985	2.58	4.32	3.86	1.93	1.50	2.88	3.80	3.82	1.88	3.36	6.72	2.51	39.16
1986	1.24	2.46	2.09	1.87	3.42	5.06	6.15	1.90	4.27	3.81	2.90	1.67	36.84
1987	2.31	1.32	1.18	2.67	3.50	3.57	3.61	3.34	3.64	3.20	2.11	4.12	34.57
1988	2.21	1.98	3.03	2.91	1.40	0.48	1.28	5.63	4.42	6.68	5.72	2.91	38.65
1989	1.58	1.05	2.27	2.83	2.72	3.49	5.90	5.65	3.78	1.45	3.55	1.83	36.10
1990	2.36	3.66	2.79	2.91	6.86	4.40	5.45	4.60	3.76	7.09	6.69	5.04	55.61
1991	1.64	1.79	2.79	4.58	4.01	0.62	1.32	3.68	2.71	8.75	2.75	1.67	36.31
1992	1.64	1.73	2.93	2.19	1.17	1.74	5.24	2.07	8.84	1.60	5.54	3.99	38.68
1993	3.35	1.20	2.62	3.64	2.34	10.86	1.51	4.38	7.76	4.09	2.39	1.50	45.64
1994	2.46	1.45	0.80	2.80	0.80	5.10	4.97	4.19	4.68	3.49	4.36	2.50	37.60
1995	2.46	2.00	1.84	4.56	3.67	2.36	6.50	8.29	0.89	3.22	4.40	1.89	42.08
1996	1.66	2.09	1.24	3.60	8.09	7.20	6.69	1.75	3.30	3.27	3.70	2.90	45.49
1997	2.63	3.86	2.02	1.36	3.77	3.16	1.98	5.05	2.86	2.16	2.45	2.14	33.44
1998	3.76	1.69	4.03	3.78	2.49	3.98	2.27	5.84	1.54	2.50	1.24	2.04	35.16
1999	3.06	1.58	1.18	7.48	1.64	2.60	2.39	4.12	1.25	1.37	1.32	2.66	30.65
2000	2.57	1.63	1.81	3.69	4.60	7.75	2.88	1.49	3.22	2.28	3.07	2.29	37.28
2001	0.83	3.47	1.11	3.65	4.31	4.25	2.97	3.75	3.65	7.06	2.66	2.25	39.96
2002	2.48	2.10	2.77	3.40	5.75	1.26	2.47	2.31	1.16	1.43	1.91	1.80	28.84
2003	1.21	0.91	1.52	3.30	6.34	1.16	6.22	1.74	3.69	2.68	4.15	1.70	34.62
2004	1.56	0.76	3.37	0.83	5.67	5.09	4.12	5.62	0.92	1.97	4.56	2.21	36.68
2005	5.10	1.92	2.05	1.14	1.06	2.07	3.46	2.20	3.07	1.24	2.21	1.79	27.31
POR= 112 YRS	2.32	1.87	2.80	3.42	3.62	3.71	3.45	3.52	3.33	2.99	2.93	2.59	36.55

WBAN : 14848

AVERAGE TEMPERATURE (°F) 2005 SOUTH BEND, IN (SBN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1976	21.6	35.3	43.6	52.5	57.0	70.9	72.8	69.0	61.3	47.9	33.2	22.8	49.0
1977	12.3	26.8	44.1	55.4	68.7	67.1	76.2	69.8	65.3	50.5	42.6	25.9	50.4
1978	18.5	14.8	31.2	48.7	59.5	69.2	71.7	71.9	68.9	51.9	42.9	29.5	48.2
1979	17.9	16.3	39.2	46.2	58.5	70.1	72.3	71.3	65.4	54.2	42.3	34.8	49.0
1980	27.1	23.6	35.5	49.0	62.1	67.8	76.6	75.0	66.3	50.4	41.6	31.1	50.5
1981	23.4	32.1	40.7	52.5	56.6	69.2	71.4	70.6	62.8	50.0	41.5	27.6	49.9
1982	15.6	22.7	35.1	44.7	66.0	64.5	73.3	68.9	63.3	54.0	42.5	39.0	49.1
1983	29.3	33.2	40.2	45.5	55.3	72.0	78.7	78.3	66.5	53.8	43.8	18.4	51.3
1984	18.5	35.9	30.0	48.2	56.1	72.3	71.7	74.4	63.8	57.1	41.0	34.4	50.3
1985	19.6	23.7	41.3	55.2	63.1	66.8	73.1	69.8	65.6	54.6	41.6	20.1	49.5
1986	25.8	24.8	40.4	51.3	59.9	67.7	74.8	67.6	65.9	53.0	36.1	31.2	49.9
1987	25.3	30.8	40.0	50.4	64.7	72.8	75.8	71.7	64.6	46.8	43.7	32.8	51.6
1988	21.3	22.7	37.3	48.4	62.2	72.0	76.4	75.9	64.5	45.9	42.5	28.8	49.8
1989	33.4	22.2	37.0	47.3	57.2	68.0	73.9	70.6	61.8	52.9	38.8	17.7	48.4
1990	34.0	31.3	40.9	48.7	56.7	68.8	71.2	69.9	65.0	52.3	45.9	31.8	51.4
1991	24.2	32.3	41.5	52.6	67.5	74.0	75.7	73.2	63.2	54.9	36.6	32.1	52.3
1992	29.1	33.2	37.4	46.1	58.4	65.1	70.0	67.4	62.3	51.4	40.0	30.9	49.3
1993	28.3	24.4	35.0	46.9	60.7	67.7	74.5	73.6	58.9	50.5	39.4	29.7	49.1
1994	16.3	22.5	36.6	51.0	57.4	71.4	72.9	67.9	65.0	54.0	44.6	35.1	49.6
1995	25.3	25.3	40.3	46.5	57.9	71.3	74.9	77.2	62.2	54.3	34.8	26.0	49.7
1996	24.1	27.8	32.3	46.0	57.3	68.9	68.5	71.1	62.6	52.4	33.8	29.4	47.9
1997	20.6	29.6	37.6	43.7	52.5	68.3	72.2	67.9	62.4	51.6	36.2	30.7	47.8
1998	31.6	37.0	38.6	49.5	65.0	68.3	72.5	73.0	67.4	53.8	43.6	34.6	52.9
1999	22.7	33.0	33.5	51.0	62.7	71.3	78.0	70.1	64.9	52.6	45.9	31.9	51.5
2000	25.5	35.0	44.1	46.7	61.4	67.4	70.0	70.9	63.1	55.7	37.4	17.1	49.5
2001	24.7	28.1	34.1	53.7	61.2	67.3	72.4	72.9	61.8	52.7	48.6	35.1	51.1
2002	32.7	33.0	34.2	49.8	54.3	71.2	76.8	72.8	68.1	49.8	38.1	28.7	50.8
2003	20.3	23.1	37.9	50.4	56.0	66.1	71.1	72.9	62.4	51.1	43.3	32.1	48.9
2004	21.1	27.0	41.5	50.9	61.8	67.1	71.3	67.4	66.1	52.3	42.4	29.3	49.9
2005	23.9	30.9	33.0	52.2	57.2	73.9	74.5	73.3	67.7	53.4	42.5	24.1	50.6
POR= 112 YRS	24.6	26.4	36.6	48.3	59.3	68.9	73.3	71.5	64.6	53.2	40.2	28.7	49.6

HEATING DEGREE DAYS (base 65°F) 2005 SOUTH BEND, IN (SBN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1976-77	0	19	139	525	949	1302	1628	1063	640	327	85	68	6745
1977-78	2	18	58	443	669	1206	1436	1401	1041	480	233	41	7028
1978-79	5	4	57	399	656	1095	1453	1356	795	560	241	22	6643
1979-80	3	17	73	353	672	928	1172	1195	908	482	147	58	6008
1980-81	0	1	62	449	694	1047	1282	915	749	374	271	6	5850
1981-82	4	8	132	460	700	1154	1523	1178	922	604	64	72	6821
1982-83	2	30	114	353	668	798	1100	886	760	581	298	30	5620
1983-84	6	0	94	352	628	1440	1431	838	1080	503	290	4	6666
1984-85	7	0	128	244	714	940	1401	1153	727	339	116	47	5816
1985-86	0	4	121	319	694	1381	1208	1117	760	425	192	46	6267
1986-87	3	48	81	369	858	1038	1224	950	766	436	139	16	5928
1987-88	5	25	78	558	638	993	1347	1220	851	498	158	37	6408
1988-89	1	11	72	581	670	1116	972	1190	865	528	271	40	6317
1989-90	0	12	147	381	779	1462	954	936	751	521	257	46	6246
1990-91	6	14	110	408	565	1021	1260	910	722	378	106	2	5502
1991-92	0	1	167	318	844	1012	1104	915	850	561	247	75	6094
1992-93	6	25	139	417	742	1049	1130	1130	925	536	157	55	6311
1993-94	0	7	198	450	765	1087	1505	1186	875	441	273	28	6815
1994-95	0	30	92	336	606	921	1224	1105	759	548	221	20	5862
1995-96	7	0	135	337	896	1202	1258	1072	1005	566	276	23	6777
1996-97	22	1	140	384	928	1098	1368	983	844	631	383	39	6821
1997-98	12	20	120	437	858	1057	1026	775	824	458	74	80	5741
1998-99	0	0	52	346	632	936	1304	893	968	412	134	41	5718
1999-00	0	3	92	377	566	1020	1218	863	646	540	167	59	5551
2000-01	7	6	153	291	820	1476	1242	1026	951	342	168	87	6569
2001-02	22	0	139	381	489	923	993	891	948	487	347	25	5645
2002-03	0	2	41	487	800	1116	1376	1167	832	441	279	62	6603
2003-04	0	2	136	427	643	1012	1356	1096	719	441	177	44	6053
2004-05	1	43	56	387	670	1101	1267	948	984	384	250	17	6108
2005-	2	3	50	385	666	1260							

WBAN : 14848

COOLING DEGREE DAYS (base 65°F) 2005 SOUTH BEND, IN (SBN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1976	0	0	1	37	13	192	249	150	36	4	0	0	682
1977	0	0	0	47	206	137	355	173	74	0	2	0	994
1978	0	0	0	0	70	173	218	227	179	0	1	0	868
1979	0	0	0	2	48	181	236	220	93	21	0	0	801
1980	0	0	0	9	65	145	367	319	107	6	0	0	1018
1981	0	0	2	6	15	137	211	191	72	0	0	0	634
1982	0	0	0	3	105	65	266	159	71	17	0	0	686
1983	0	0	0	1	3	247	440	417	146	13	0	0	1267
1984	0	0	0	5	19	228	226	298	98	7	0	0	881
1985	0	0	0	52	64	109	260	159	147	3	0	0	794
1986	0	0	4	22	41	135	312	136	113	2	0	0	765
1987	0	0	0	3	136	256	345	240	71	0	3	0	1054
1988	0	0	0	3	77	254	362	357	65	0	0	0	1118
1989	0	0	1	6	37	137	283	194	55	11	0	0	724
1990	0	0	9	37	8	167	203	171	117	21	0	0	733
1991	0	0	0	13	189	281	338	264	121	11	0	0	1217
1992	0	0	0	2	50	90	168	103	66	2	0	0	481
1993	0	0	0	0	29	144	302	284	18	9	0	0	786
1994	0	0	0	26	45	226	255	124	98	2	0	0	776
1995	0	0	0	0	9	216	320	382	57	10	0	0	994
1996	0	0	0	1	44	147	136	201	74	0	0	0	603
1997	0	0	0	0	0	146	241	117	48	29	0	0	581
1998	0	0	9	0	82	185	238	253	131	8	0	0	906
1999	0	0	0	0	67	236	410	166	96	3	0	0	978
2000	0	0	4	0	62	138	171	197	102	9	0	0	683
2001	0	0	0	11	56	164	259	253	53	6	0	0	802
2002	0	0	0	40	24	218	372	252	144	21	0	0	1071
2003	0	0	0	10	7	103	197	255	63	2	0	0	637
2004	0	0	0	27	85	117	204	123	96	3	0	0	655
2005	0	0	0	7	16	288	303	266	138	33	0	0	1051

SNOWFALL (inches) 2005 SOUTH BEND, IN (SBN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1976-77	0.0	0.0	0.0	0.8	21.6	37.6	37.2	13.9	15.8	2.3	0.0	0.0	129.2
1977-78	0.0	0.0	0.0	0.3	30.3	33.6	86.1	16.6	5.1	T	0.0	0.0	172.0
1978-79	0.0	0.0	0.0	0.0	7.5	26.4	45.1	15.9	6.3	0.1	0.0	0.0	101.3
1979-80	0.0	0.0	0.0	T	7.5	13.6	11.5	22.3	9.8	1.7	0.0	0.0	66.4
1980-81	0.0	0.0	0.0	1.1	8.8	24.3	23.8	20.7	6.3	T	0.0	0.0	85.0
1981-82	0.0	0.0	0.0	0.1	9.1	41.3	41.3	19.2	10.2	14.0	0.0	0.0	135.2
1982-83	0.0	0.0	0.0	0.0	2.1	2.5	8.0	9.6	12.0	1.1	0.0	0.0	35.3
1983-84	0.0	0.0	0.0	0.0	1.4	35.6	16.7	15.9	11.1	0.4	0.0	0.0	81.1
1984-85	0.0	0.0	0.0	0.0	0.6	14.1	40.0	28.9	1.6	3.1	0.0	0.0	88.3
1985-86	0.0	0.0	0.0	0.0	2.2	40.4	26.3	11.3	3.6	0.2	0.0	0.0	84.0
1986-87	0.0	0.0	0.0	0.0	9.7	4.8	31.4	5.9	2.0	1.5	0.0	0.0	55.3
1987-88	0.0	0.0	T	T	1.6	13.1	11.4	22.9	12.1	T	0.0	0.0	61.1
1988-89	0.0	0.0	0.0	0.3	7.8	14.8	3.1	16.3	2.5	1.7	T	T	46.5
1989-90	T	T	0.0	8.8	15.2	29.4	1.2	13.9	3.4	1.1	0.0	0.0	73.0
1990-91	0.0	0.0	0.0	T	T	17.5	15.7	23.4	2.4	T	T	0.0	59.0
1991-92	0.0	0.0	0.0	T	7.6	11.7	19.9	10.9	16.7	0.9	0.0	T	67.7
1992-93	0.0	0.0	0.0	1.2	7.7	12.6	8.1	32.2	19.0	1.4	0.0	0.0	82.2
1993-94	0.0	0.0	0.1	T	2.2	11.3	21.5	20.0	0.1	0.8	T	0.0	56.0
1994-95	T	0.0	1.0	0.0	T	2.4	17.3	25.8	2.8	0.6	0.0	0.0	49.9
1995-96	0.0	0.0	0.0	T	6.2	22.1	12.2	7.9	8.3	0.9	T	0.0	57.6
1996-97	T	T	0.0	0.0	15.3	10.5	36.4	10.2	3.3	0.4	T	0.0	76.1
1997-98	0.0	0.0	0.0	0.2	5.6	18.1	7.8	T	20.8	0.0	0.0	T	52.5
1998-99	T	0.0	0.0	0.0	T	17.1	37.0	10.4	14.2	T	T	0.0	78.7
1999-00	0.0	0.0	0.0	0.0	1.9	7.4	37.1	11.4	T	1.1	0.0	0.0	58.9
2000-01	T	0.0	0.0	T	10.4	44.6	2.9	5.4	10.6	2.7	T	0.0	76.6
2001-02	T	0.0	0.0	T	0.0	19.5	10.4	18.4	14.2	0.3	0.0	0.0	62.8
2002-03	0.0	0.0	0.0	T	4.6	9.0	27.2	14.5	3.8	1.0	0.0	0.0	60.1
2003-04	T	0.0	0.0	0.0	0.2	10.5	27.6	5.3	0.7	T	0.0	0.0	44.3
2004-05	T	0.0	0.0	0.0	5.0	20.1	28.8	8.0	15.4	1.1	T	0.0	78.4
2005-	0.0	0.0	0.0	0.0	6.0	19.1							
POR= 65 YRS	T	T	0.0	0.7	7.4	17.6	19.4	14.3	8.7	1.9	0.3	T	70.3

WBAN : 14848

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65° F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p>
---	--

2005
SOUTH BEND,
INDIANA (SBN)

South Bend is located on the Saint Joseph River in the northern portion of Saint Joseph County, situated on mostly level to gently rolling terrain and some former marshland. Drainage for the area is through the Saint Joseph River and Kankakee River.

South Bend is under the climatic influence of Lake Michigan with its nearest shore 20 miles to the northwest. The lake has a moderating effect on the temperature. Temperatures of 100 degrees or higher are rare and cold waves are less severe than at many locations at the same latitude. This results in favorable conditions for orchard and vegetable growth.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 18 and the average last occurrence in the spring is May 1.

Precipitation is fairly evenly distributed throughout the year with the greatest amounts during the growing season. The predominant snow season is from November through March, although there are also generally lighter amounts in October and April.

Winter is marked by considerable cloudiness and rather high humidity along with frequent periods of snow. Heavy snowfalls, resulting from a cold northwest wind passing over Lake Michigan are not uncommon.

STATION LOCATION

SOUTH BEND, INDIANA

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	LATITUDE NORTH	LONGITUDE WEST	ELEVATION ABOVE										AUTOMATIC OBSERVING EQUIPMENT *	* TYPE M = AMOS T = AUTOB S = ASOS W = AWOS REMARKS
						GROUND											
						SEA LEVEL GROUND SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING GAUGE BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE	HYGROMETER			
*NOTE: <u>AIRPORT</u> Terminal Building Michiana Regional AP South Bend Regional Airport	1/14/81 07/01/96	07/01/96 Present	450' E NA	41°42' 41°42'	86°19' 86°20'	773 j777	g21 j777	6 j777	5 j777	h5 j777	5 j777	5 j777	g5 i5 S	g. Not moved 1/14/81. h. Commissioned 8/16/82. i. Type change 9/11/85. ASOS Commissioned 07/01/96 j. Ground elevation			

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRIES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
 Phone: 828-271-4800
 Fax: 828-271-4876
 Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS
 PENALTY FOR PRIVATE USE \$300
 CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
 United States Department of Commerce
 NOAA Permit No. G - 19

* NOTES: For earlier station history see previous editions.