




2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-1765

BOISE, IDAHO (KBOI)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2006

BOISE (KBOI)

LATITUDE: 43° 33'N LONGITUDE: -116° 13'W ELEVATION (FT): GRND: 2814 BARO: 2861 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 24131

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	42.6	44.1	51.2	62.1	73.9	84.7	97.1	89.2	79.2	63.3	51.6	39.5	64.9	
	HIGHEST DAILY MAXIMUM	52	61	63	81	94	101	107	104	95	78	73	54	107	
	DATE OF OCCURRENCE	14+	26	24	29	16	27	22	07	05+	03	07	15	JUL 22	
	MEAN DAILY MINIMUM	30.2	25.4	33.4	41.3	48.0	57.3	65.9	58.8	51.6	39.1	35.1	23.9	42.5	
	LOWEST DAILY MINIMUM	21	11	21	29	34	50	54	43	38	18	13	10	10	
	DATE OF OCCURRENCE	25	18	12	18	09+	16	31	31	23	31	29	01	DEC 01	
	AVERAGE DRY BULB	36.4	34.8	42.3	51.7	61.0	71.0	81.5	74.0	65.4	51.2	43.4	31.7	53.7	
	MEAN WET BULB	33.2	29.3	36.3	43.3	49.0	56.3	60.3	54.6	49.5	41.8	37.6	28.8	43.3	
	MEAN DEW POINT	28.6	21.2	28.2	34.9	37.1	44.2	44.7	37.2	34.4	31.1	30.3	24.2	33.0	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	9	28	17	5	0	0	0	0	59
	MAXIMUM <= 32°	0	3	0	0	0	2	0	0	0	0	2	6	13	
MINIMUM <= 32°	21	22	14	2	0	0	0	0	0	4	9	26	98		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	878	840	695	390	189	9	0	10	104	419	641	1024	5199	
	COOLING DEGREE DAYS	0	0	0	0	73	196	518	297	125	0	0	0	1209	
RH	MEAN (PERCENT)	75	61	62	58	45	44	30	30	36	51	64	75	53	
	HOUR 05 LST	80	73	73	74	66	63	47	46	51	66	74	81	66	
	HOUR 11 LST	68	53	51	47	34	35	24	22	29	39	56	69	44	
	HOUR 17 LST	70	46	52	42	30	28	17	16	24	38	58	71	41	
	HOUR 23 LST	82	67	68	67	54	51	35	35	42	58	69	80	59	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	0	0	0	0	1	0	0	0	0	0	2	4	
	THUNDERSTORMS	0	0	0	0	1	1	2	1	1	0	0	0	6	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	27.11	27.18	26.90	26.95	27.01	27.02	26.98	26.99	27.03	27.06	27.06	27.24	27.04	
	MEAN SEA-LEVEL PRESS. (IN.)	30.14	30.22	29.89	29.92	29.95	29.93	29.86	29.89	29.96	30.04	30.06	30.30	30.01	
WINDS	RESULTANT SPEED (MPH)	4.9	3.1	3.9	1.0	1.2	2.5	1.6	2.4	0.7	1.4	5.2	2.9	1.0	
	RES. DIR. (TENS OF DEGS.)	13	14	14	20	29	30	29	30	32	31	14	14	16	
	MEAN SPEED (MPH)	8.8	7.7	10.1	9.2	7.8	7.5	7.3	7.2	7.2	6.6	9.2	7.2	8.0	
	PREVAIL.DIR.(TENS OF DEGS.)	12	13	12	12	13	30	28	30	13	31	13	13	12	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	28	33	38	44	36	36	35	45	32	37	32	31	45	
	DIR. (TENS OF DEGS.)	12	22	30	31	21	28	12	30	35	30	30	31	30	
	DATE OF OCCURRENCE	10	28	09	29	19	13	04	10	21	24	23	15	AUG 10	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	35	43	47	52	47	40	46	67	37	41	41	37	67	
DIR. (TENS OF DEGS.)	24	14	30	30	21	28	09	30	35	30	21	27	30		
DATE OF OCCURRENCE	11	26	09	29	19	13	04	11	21	24	21	15	AUG 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.77	0.41	2.19	1.82	1.19	0.82	0.24	0.02	0.16	0.40	1.43	1.69	12.14	
	GREATEST 24-HOUR (IN.)	0.40	0.20	0.61	1.09	0.47	0.51	0.17	0.02	0.11	0.33	0.26	0.52	1.09	
	DATE OF OCCURRENCE	17	27	28-29	04-05	27	13-14	04	08	20-21	15	13+	12-13	APR 04-05	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	15	3	16	12	8	5	2	1	4	5	16	11	98	
PRECIPITATION 0.10	7	2	8	4	4	4	1	0	1	1	5	4	41		
PRECIPITATION 1.00	0	0	0	0	0	0	0	0	0	0	0	0	0		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	1.9	T	1.6	T	0.0	0.0	0.0	0.0	0.0	T	1.2	1.9	6.6	
	GREATEST 24-HOUR (IN.)	1.0	T	0.9	T	0.0	0.0	0.0	0.0	0.0	T	1.0	1.0	1.0	
	DATE OF OCCURRENCE	28	15+	13	16						28	30	22	DEC 22	
	MAXIMUM SNOW DEPTH (IN.)	T	0	1	0	0	0	0	0	0	0	0	2	2	
	DATE OF OCCURRENCE	21+		13									22	DEC 22	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	1	0	0	0	0	0	0	0	0	0	1	1	3		

NORMALS, MEANS, AND EXTREMES BOISE (KBOI)

LATITUDE: 43° 33'N **LONGITUDE:** -116° 13'W **ELEVATION (FT):** GRND: 2814 BARO: 2861 **TIME ZONE:** MOUNTAIN (UTC -7) **WBAN: 24131**

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	36.7	44.5	53.6	61.7	70.7	80.3	89.2	88.0	77.2	64.3	47.5	37.2	62.6
	MEAN DAILY MAXIMUM	67	36.9	43.8	53.0	61.5	71.1	79.5	90.6	88.4	77.5	64.8	48.2	38.6	62.8
	HIGHEST DAILY MAXIMUM	67	63	71	81	92	99	109	111	110	102	94	78	65	111
	YEAR OF OCCURRENCE		1953	1992	1978	1987	2003	1940	1960	1961	1945	1997	1999	1964	JUL 1960
	MEAN OF EXTREME MAXS.	67	51.4	58.5	68.5	78.7	89.5	97.7	102.8	100.9	93.9	82.1	64.9	53.3	78.5
	NORMAL DAILY MINIMUM	30	23.6	28.8	34.0	39.4	46.6	54.2	60.3	59.8	51.2	41.3	32.4	24.1	41.3
	MEAN DAILY MINIMUM	67	22.3	27.0	31.9	37.2	44.6	51.5	58.5	57.2	48.8	39.5	30.5	24.1	39.4
	LOWEST DAILY MINIMUM	67	-17	-15	6	19	22	31	35	34	23	11	-3	-25	-25
	YEAR OF OCCURRENCE		1950	1989	1971	1968	1982	1995	1986	1992	1970	1971	1985	1990	DEC 1990
	MEAN OF EXTREME MINS.	67	4.2	11.9	19.8	24.9	30.7	38.9	46.4	45.0	35.0	24.6	16.5	7.8	25.5
	NORMAL DRY BULB	30	30.2	36.7	43.8	50.6	58.6	67.2	74.7	73.9	64.2	52.8	39.9	30.6	51.9
	MEAN DRY BULB	67	29.6	35.4	42.5	49.4	57.8	65.6	74.6	72.9	63.1	52.2	39.4	31.4	51.2
	MEAN WET BULB	23	27.8	31.2	37.3	42.3	48.0	53.2	57.2	55.6	49.9	42.3	34.4	27.3	42.2
	MEAN DEW POINT	23	24.4	26.2	29.6	33.3	38.5	42.1	44.3	42.4	38.3	32.4	29.1	23.5	33.7
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	1.4	6.2	17.9	16.7	3.6	0.1	0.0	0.0	46.0
	MAXIMUM <= 32	30	9.3	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	7.8	22.1
MINIMUM <= 32	30	25.7	19.4	15.1	7.3	1.6	0.1	0.0	0.0	0.4	5.7	17.3	25.6	118.2	
MINIMUM <= 0	30	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.9	4.1	
H/C	NORMAL HEATING DEG. DAYS	30	1095	807	672	451	245	71	12	15	110	398	768	1083	5727
	NORMAL COOLING DEG. DAYS	30	0	0	0	3	31	122	297	275	74	5	0	0	807
RH	NORMAL (PERCENT)	30	77	70	61	54	50	44	37	37	44	52	69	76	56
	HOURLY 05 LST	30	81	78	74	70	69	65	56	53	59	65	76	80	69
	HOURLY 11 LST	30	74	66	55	47	43	38	33	32	38	45	64	73	51
	HOURLY 17 LST	30	69	58	44	36	33	28	22	22	27	35	57	68	42
	HOURLY 23 LST	30	80	76	67	61	57	50	41	40	49	58	73	80	61
S	PERCENT POSSIBLE SUNSHINE	60	40	50	62	68	72	76	87	85	82	69	43	38	64
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	6.2	2.7	0.8	0.3	0.1	0.1	0.0	0.0	0.1	0.5	2.7	5.3	18.8
	THUNDERSTORMS	59	0.1	0.2	0.6	0.9	2.5	2.5	2.4	2.3	1.4	0.4	0.2	0.1	13.6
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)														
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH: CLEAR														
	PARTLY CLOUDY CLOUDY														
PR	MEAN STATION PRESSURE (IN)	23	27.16	27.11	27.03	27.00	26.97	26.98	27.00	27.00	27.03	27.08	27.12	27.17	27.05
	MEAN SEA-LEVEL PRES. (IN)	23	30.22	30.14	30.02	29.97	29.91	29.89	29.89	29.90	29.96	30.05	30.14	30.23	30.03
WINDS	MEAN SPEED (MPH)	23	6.8	7.9	8.9	8.9	8.5	8.4	7.8	7.6	7.5	7.3	7.4	7.2	7.9
	PREVAIL. DIR (TENS OF DEGS)	36	14	14	14	14	32	32	32	14	14	14	14	14	14
	MAXIMUM 2-MINUTE: SPEED (MPH)	11	38	39	38	46	36	40	44	45	37	38	39	45	46
	DIR. (TENS OF DEGS)		30	31	30	31	21	31	04	30	30	33	11	31	31
	YEAR OF OCCURRENCE		2004	2003	2006	1998	2006	1997	2003	2006	2002	2003	2001	2000	APR 1998
	MAXIMUM 5-SECOND SPEED (MPH)	11	48	45	47	52	47	51	51	67	41	46	45	63	67
	DIR. (TENS OF DEGS)		27	33	30	30	21	30	04	30	30	32	11	30	30
	YEAR OF OCCURRENCE		2004	2003	2006	2006	2006	1997	2003	2006	2005	2003	2001	2000	AUG 2006
PRECIPITATION	NORMAL (IN)	30	1.39	1.14	1.41	1.27	1.27	0.74	0.39	0.30	0.76	0.76	1.38	1.38	12.19
	MAXIMUM MONTHLY (IN)	67	3.87	3.70	3.46	3.04	4.40	3.41	1.62	2.37	2.93	2.59	3.36	4.23	4.40
	YEAR OF OCCURRENCE		1970	1986	1989	1955	1998	1941	1982	1968	1986	2000	1988	1983	MAY 1998
	MINIMUM MONTHLY (IN)	67	0.12	0.18	0.17	0.09	T	0.01	0.00	0.00	0.00	0.00	0.14	0.09	0.00
	YEAR OF OCCURRENCE		1949	1997	1994	1949	1992	1966	1947	1998	1987	1988	1976	1976	AUG 1998
	MAXIMUM IN 24 HOURS (IN)	67	1.48	1.00	1.65	1.27	2.05	2.24	0.94	1.61	1.74	1.06	0.88	1.16	2.24
	YEAR OF OCCURRENCE		1953	1951	1981	1969	1990	1958	1960	1979	1976	2000	1971	1955	JUN 1958
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	11.3	10.1	10.3	8.6	7.6	5.1	3.0	2.7	3.9	5.2	10.5	11.4	89.7
PRECIPITATION >= 1.00	30	0.0	0.0	*	*	*	0.1	0.0	*	*	0.0	0.0	0.0	0.1	
SNOWFALL	NORMAL (IN)	30	4.9	3.3	1.5	0.3	0.1	0.0	0.0	0.0	0.0	0.1	2.9	6.4	19.5
	MAXIMUM MONTHLY (IN)	67	21.4	25.2	11.9	8.0	4.0	T	T	T	T	2.7	18.6	26.2	26.2
	YEAR OF OCCURRENCE		1964	1949	1951	1967	1964	1995	1995	1989	1998	1971	1985	1983	DEC 1983
	MAXIMUM IN 24 HOURS (IN)	67	8.5	13.0	6.4	7.2	4.0	T	T	T	T	1.7	6.5	9.8	13.0
	YEAR OF OCCURRENCE		1950	1949	1952	1969	1964	1995	1995	1989	1998	1971	1964	1996	FEB 1949
	MAXIMUM SNOW DEPTH (IN)	58	12	9	6	1	0	0	0	0	0	0	11	13	13
	YEAR OF OCCURRENCE		1982	1949	1952	1975							1985	1985	DEC 1985
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.7	1.1	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.2	2.3	7.0	

PRECIPITATION (inches) 2006 BOISE (KBOI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.65	0.57	0.86	0.19	1.80	1.26	0.41	0.73	1.20	0.21	1.86	2.46	12.20
1978	2.37	1.50	1.43	2.34	0.36	0.56	0.48	0.24	0.89	T	1.06	0.60	11.83
1979	1.93	1.20	0.48	1.60	1.28	0.18	0.01	1.81	0.04	1.50	1.30	0.74	12.07
1980	1.56	1.29	2.14	1.20	3.77	0.58	0.03	T	1.59	0.30	1.26	1.49	15.21
1981	1.20	1.02	2.76	1.93	0.95	0.77	0.23	0.13	0.36	0.97	2.24	2.72	15.28
1982	1.42	1.54	1.39	0.79	0.39	0.35	1.62	0.19	1.38	1.74	1.10	1.92	13.83
1983	1.67	1.26	2.70	2.29	1.93	0.17	1.16	0.28	0.65	0.56	1.87	4.23	18.77
1984	0.80	0.86	1.43	1.62	1.06	1.47	0.23	1.24	0.69	0.85	2.36	0.63	13.24
1985	0.20	0.55	0.97	0.90	1.52	0.37	0.85	0.04	1.81	0.84	1.85	1.24	11.14
1986	0.98	3.70	2.01	1.55	1.10	0.35	0.17	0.07	2.93	0.33	1.00	0.12	14.31
1987	0.73	1.24	2.01	0.38	0.69	0.58	0.70	0.11	0.00	T	1.00	1.05	8.49
1988	1.30	0.43	1.45	1.80	1.33	0.47	0.02	0.09	0.24	0.00	3.36	0.81	11.30
1989	1.14	1.15	3.46	0.46	0.21	0.08	0.03	0.78	1.20	1.24	0.59	0.10	10.44
1990	0.84	0.79	0.77	2.14	4.07	0.11	0.42	0.39	0.50	0.45	0.61	0.98	12.07
1991	0.96	0.46	0.55	1.65	1.57	0.64	0.37	0.04	0.21	0.91	1.76	0.35	9.47
1992	0.36	0.92	0.17	0.66	T	2.07	0.03	T	0.30	0.90	1.37	0.89	7.67
1993	1.65	0.96	2.45	2.09	0.92	2.10	0.52	0.24	T	0.47	0.38	0.98	12.76
1994	1.28	0.90	0.17	1.25	1.01	0.24	0.10	T	0.10	0.78	1.78	1.79	9.40
1995	2.10	0.51	1.51	1.03	2.36	0.88	0.59	0.06	0.22	0.42	2.20	2.14	14.02
1996	1.33	1.07	1.97	1.47	1.67	0.21	.12	T	.46	.68	1.71	3.43	14.12
1997	2.74	0.18	0.52	1.89	1.14	1.35	0.45	0.27	0.67	0.55	0.68	0.65	11.09
1998	2.73	1.39	0.99	0.81	4.40	1.21	0.49	0.00	1.96	0.11	0.97	1.65	16.71
1999	1.40	1.96	0.75	0.61	1.10	0.47	T	0.29	0.00	0.11	1.00	0.90	8.59
2000	1.51	2.06	1.69	1.01	0.83	0.14	0.03	0.10	0.60	2.59	0.68	0.80	12.04
2001	1.07	0.49	1.07	1.20	0.27	0.32	0.15	T	0.44	0.86	1.52	1.15	8.54
2002	0.94	0.19	1.06	0.83	0.01	0.19	0.09	0.05	0.39	0.31	0.87	2.03	6.96
2003	1.56	0.87	1.48	1.39	1.35	0.18	0.27	0.33	0.04	T	1.02	1.62	10.11
2004	1.85	1.46	0.51	0.36	2.37	0.26	0.59	0.44	0.25	1.53	0.70	1.24	11.56
2005	0.23	0.34	1.20	1.16	3.96	0.91	0.02	T	0.32	0.44	1.71	3.37	13.66
2006	1.77	0.41	2.19	1.82	1.19	0.82	0.24	0.02	0.16	0.40	1.43	1.69	12.14
POR= 67 YRS	1.43	1.13	1.24	1.21	1.30	0.85	0.27	0.28	0.57	0.78	1.34	1.40	11.80

WBAN : 24131

AVERAGE TEMPERATURE (°F) 2006 BOISE (KBOI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	19.0	33.8	39.8	54.1	53.7	70.2	72.7	73.6	62.0	53.2	39.6	37.3	50.8
1978	37.0	38.2	48.7	48.5	54.3	64.5	72.8	69.9	61.4	52.8	36.7	27.0	51.0
1979	16.2	34.3	43.2	48.7	57.8	66.7	74.1	71.2	67.3	54.4	34.7	35.8	50.4
1980	30.3	39.8	41.1	52.6	57.2	62.6	72.9	67.2	62.6	51.6	39.8	33.1	50.9
1981	33.9	36.8	44.5	50.3	54.7	63.2	71.0	74.2	63.7	48.7	44.0	35.3	51.7
1982	24.8	30.0	41.3	45.2	54.9	65.8	70.1	72.7	60.4	50.9	36.0	31.5	48.6
1983	35.9	41.5	44.6	47.1	56.5	63.8	69.4	74.9	60.8	53.8	42.0	23.2	51.1
1984	21.2	30.2	41.9	45.9	54.8	61.7	74.2	75.5	60.1	46.9	39.1	22.9	47.9
1985	19.1	25.8	36.0	51.6	58.5	67.2	77.7	69.2	56.2	48.4	27.7	12.6	45.8
1986	29.4	41.0	48.0	48.3	59.1	72.0	69.6	75.9	57.4	52.6	40.4	28.0	51.8
1987	27.8	37.6	44.2	56.0	62.2	70.2	71.2	70.0	65.6	54.9	40.7	32.9	52.8
1988	26.1	37.8	42.6	52.7	57.9	70.7	74.6	71.6	61.7	59.9	40.7	27.0	51.9
1989	24.7	23.2	43.7	53.1	56.3	68.5	77.0	70.0	63.3	51.2	39.4	30.4	50.1
1990	34.2	34.1	44.3	54.7	55.7	66.9	76.2	74.0	69.9	51.0	41.2	18.1	51.7
1991	24.4	41.6	43.0	48.3	54.9	62.6	75.7	76.6	65.8	51.8	37.4	31.7	51.2
1992	33.1	42.1	48.9	54.9	64.3	69.8	71.4	73.9	63.4	54.4	34.5	28.5	53.3
1993	24.8	28.9	41.7	48.1	63.1	61.9	65.0	68.6	63.0	53.2	32.8	33.3	48.7
1994	32.7	34.7	46.1	52.6	61.0	67.9	77.0	76.1	66.8	50.3	32.6	30.4	52.4
1995	36.2	41.5	43.6	48.2	56.9	63.9	73.4	71.2	65.7	49.2	44.4	33.1	52.3
1996	32.5	35.1	44.2	50.0	55.4	66.7	76.7	74.8	61.8	52.4	41.3	36.3	52.3
1997	32.1	36.8	45.4	48.9	62.9	66.0	72.8	75.6	67.7	52.0	43.0	31.2	52.9
1998	38.9	40.2	44.3	49.9	56.3	63.4	79.2	76.7	69.8	51.7	43.7	30.7	53.7
1999	35.3	37.0	43.8	47.5	55.8	66.3	73.7	75.1	64.0	54.3	46.9	31.9	52.6
2000	34.2	41.7	43.4	54.3	59.7	68.6	76.1	75.9	63.0	52.3	32.7	31.1	52.8
2001	27.2	33.9	45.9	48.1	61.4	67.3	74.3	78.7	68.4	53.5	44.0	30.7	52.8
2002	31.6	34.0	40.7	50.5	59.2	69.6	79.6	70.9	65.2	49.5	40.6	37.4	52.4
2003	38.7	36.9	46.5	49.4	58.8	69.7	80.6	77.4	66.7	58.1	37.7	37.2	54.8
2004	28.4	35.0	48.2	53.8	58.7	69.3	78.0	74.9	63.7	53.5	38.2	35.4	53.1
2005	32.8	36.9	45.7	50.5	59.4	64.4	78.3	76.7	63.3	53.7	37.5	29.6	52.4
2006	36.4	34.8	42.3	51.7	61.0	71.0	81.5	74.0	65.4	51.2	43.4	31.7	53.7
POR= 67 YRS	29.6	35.4	42.5	49.4	57.8	65.6	74.6	72.9	63.1	52.2	39.4	31.4	51.1

HEATING DEGREE DAYS (base 65°F) 2006 BOISE (KBOI)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	8	32	145	362	758	853	859	744	500	488	329	74	5152
1978-79	5	38	173	370	841	1171	1503	855	668	481	241	72	6418
1979-80	5	2	26	326	903	899	1070	725	736	367	257	133	5449
1980-81	0	41	104	409	750	983	957	783	631	432	315	97	5502
1981-82	15	5	137	497	624	915	1240	974	729	586	312	86	6120
1982-83	27	2	182	432	863	1030	897	653	622	530	309	82	5629
1983-84	38	0	145	338	682	1290	1353	1004	710	566	328	162	6616
1984-85	0	8	204	557	771	1299	1412	1093	895	398	226	53	6916
1985-86	0	26	259	509	1113	1619	1097	668	522	499	280	15	6607
1986-87	35	2	259	376	733	1141	1149	761	639	287	140	41	5563
1987-88	23	18	86	306	722	990	1198	780	686	359	261	59	5488
1988-89	4	5	157	178	724	1169	1242	1166	656	356	276	30	5963
1989-90	0	29	97	421	759	1064	951	858	633	303	286	82	5483
1990-91	6	10	26	430	710	1449	1252	651	676	493	306	100	6109
1991-92	0	0	55	409	822	1026	982	657	492	308	92	54	4897
1992-93	6	40	118	340	907	1124	1239	1004	715	501	140	155	6289
1993-94	53	45	124	367	960	975	993	839	579	378	148	64	5525
1994-95	9	1	34	449	967	1066	887	652	657	499	255	111	5587
1995-96	5	23	86	485	610	984	1000	859	636	447	292	55	5482
1996-97	1	6	162	405	703	883	1013	783	601	473	128	41	5199
1997-98	18	0	61	410	651	1040	803	684	635	452	270	85	5109
1998-99	0	0	51	408	635	1058	914	778	652	520	311	95	5422
1999-00	8	13	101	324	535	1017	949	673	663	315	179	41	4818
2000-01	4	0	128	389	960	1044	1165	867	585	504	191	69	5906
2001-02	6	0	23	355	626	1056	1034	863	747	429	234	65	5438
2002-03	0	2	95	474	725	849	809	780	567	462	262	28	5053
2003-04	0	0	71	257	814	856	1128	866	515	328	206	45	5086
2004-05	0	10	95	351	796	909	990	779	591	430	183	102	5236
2005-06	0	3	104	344	819	1092	878	840	695	390	189	9	5363
2006-	0	10	104	419	641	1024							

WBAN : 24131

COOLING DEGREE DAYS (base 65°F) 2006 BOISE (KBOI)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	20	10	170	255	306	61	0	0	0	822
1978	0	0	1	0	6	64	254	200	72	0	0	0	597
1979	0	0	0	0	27	129	293	199	101	3	0	0	752
1980	0	0	0	3	25	68	251	117	38	2	0	0	504
1981	0	0	0	1	3	52	205	296	101	0	0	0	658
1982	0	0	0	0	2	117	194	248	50	0	0	0	611
1983	0	0	0	0	55	50	180	313	26	0	0	0	624
1984	0	0	0	0	19	70	291	340	64	2	0	0	786
1985	0	0	0	2	28	125	402	165	4	0	0	0	726
1986	0	0	0	1	103	235	184	348	37	0	0	0	908
1987	0	0	0	23	61	202	223	180	111	0	0	0	800
1988	0	0	0	0	46	237	308	215	66	24	0	0	896
1989	0	0	0	6	14	140	376	191	56	0	0	0	783
1990	0	0	0	3	5	145	357	293	180	6	0	0	989
1991	0	0	0	0	0	36	337	368	85	6	0	0	832
1992	0	0	0	11	76	202	208	321	77	20	0	0	915
1993	0	0	0	0	86	68	61	162	71	8	0	0	456
1994	0	0	0	15	30	156	386	354	96	0	0	0	1037
1995	0	0	0	0	12	83	272	225	114	0	0	0	706
1996	0	0	0	0	4	111	372	314	73	22	0	0	896
1997	0	0	0	0	71	80	266	337	151	13	0	0	918
1998	0	0	0	4	9	42	449	371	201	3	0	0	1079
1999	0	0	0	0	32	142	282	334	80	1	0	0	871
2000	0	0	0	3	22	155	354	347	74	2	0	0	957
2001	0	0	0	4	85	146	303	433	131	7	0	0	1109
2002	0	0	0	0	61	208	460	193	105	0	0	0	1027
2003	0	0	0	0	76	173	488	391	131	49	0	0	1308
2004	0	0	0	0	19	179	411	323	61	5	0	0	998
2005	0	0	0	0	19	89	420	372	63	2	0	0	965
2006	0	0	0	0	73	196	518	297	125	0	0	0	1209

SNOWFALL (inches) 2006 BOISE (KBOI)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	T	4.7	4.4	1.6	7.3	T	T	T	0.0	18.0
1978-79	0.0	0.0	0.0	0.0	0.2	3.1	11.9	4.3	0.8	0.2	T	0.0	20.5
1979-80	0.0	0.0	0.0	0.0	6.6	1.4	3.8	0.8	2.7	T	0.0	0.0	15.3
1980-81	0.0	0.0	0.0	0.0	3.2	1.7	3.6	0.7	T	0.5	0.0	0.0	9.7
1981-82	0.0	0.0	0.0	0.0	2.8	11.1	12.2	1.4	3.6	1.4	0.0	0.0	32.5
1982-83	0.0	0.0	0.0	0.0	2.1	6.4	1.6	0.9	T	T	0.8	0.0	11.8
1983-84	0.0	0.0	0.0	0.0	2.2	26.2	4.3	4.4	T	0.3	T	0.0	37.4
1984-85	0.0	0.0	0.0	T	0.2	7.7	2.6	5.3	1.5	1.0	0.0	0.0	18.3
1985-86	0.0	0.0	0.0	T	18.6	12.6	3.9	4.4	0.0	T	0.0	0.0	39.5
1986-87	0.0	0.0	0.0	0.0	5.9	0.9	0.5	0.6	T	0.0	0.0	0.0	7.9
1987-88	0.0	0.0	0.0	0.0	0.5	3.0	3.9	0.3	2.9	1.2	0.0	0.0	11.8
1988-89	0.0	0.0	0.0	0.0	2.5	10.8	8.0	0.7	T	T	0.0	0.0	22.0
1989-90	0.0	T	0.0	T	0.4	T	5.2	6.5	0.4	T	T	0.0	12.5
1990-91	0.0	0.0	0.0	0.0	0.1	15.7	1.5	T	1.2	T	0.0	0.0	18.5
1991-92	0.0	0.0	0.0	1.1	2.8	T	0.3	T	0.0	T	0.0	0.0	4.2
1992-93	0.0	0.0	0.0	T	3.6	5.7	14.6	10.4	0.2	T	T	0.0	34.5
1993-94	0.0	0.0	0.0	0.0	1.9	0.2	2.8	3.8	T	T	0.0	0.0	8.7
1994-95	0.0	0.0	0.0	0.0	8.8	8.5	1.5	5.7	1.2	T	T	T	25.7
1995-96	T	0.0	0.0	0.0	0.2	5.9	6.7	6.9	1.8	T	T	0.0	21.5
1996-97	0.0	0.0	0.0	T	T	13.0	3.4	T	0.3	T	0.0	0.0	16.7
1997-98	0.0	0.0	0.0	0.0	0.0	0.6	4.2	1.4	1.1	T	0.0	0.0	7.3
1998-99	T	0.0	T	0.0	T	8.8	1.7	5.7	6.7	0.4	0.0	0.0	23.3
1999-00	0.0	0.0	0.0	0.0	0.9	2.7	6.2	2.1	2.3	0.0	T	0.0	14.2
2000-01	0.0	0.0	0.0	0.0	4.0	1.6	8.9	3.1	1.3	T	0.0	0.0	18.9
2001-02	0.0	0.0	0.0	0.0	3.5	9.9	14.4	T	4.3	0.0	0.0	0.0	32.1
2002-03	0.0	0.0	0.0	T	0.0	1.7	T	0.4	0.8	2.1	0.0	0.0	5.0
2003-04	0.0	0.0	0.0	T	0.3	4.2	10.0	6.5	0.7	0.0	0.0	0.0	21.7
2004-05	0.0	0.0	0.0	0.0	1.0	T	1.4	0.4	T	T	0.0	0.0	2.8
2005-06	0.0	0.0	0.0	0.0	2.0	5.2	1.9	T	1.6	T	0.0	0.0	10.7
2006-	0.0	0.0	0.0	T	1.2	1.9							
POR= 67 YRS	T	T	T	0.1	2.1	5.6	6.4	3.4	1.7	0.6	0.1	T	20.0

WBAN : 24131

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2006 BOISE IDAHO (KBOI)

Boise is situated in the Boise River Valley about 8 miles below the mouth of a mountain canyon where the valley proper begins. Sheltered by large shade trees and averaging 2,710 feet in elevation, the denser part of the city covers a gentle alluvial slope about 2 miles wide, stretching southwest from the foothills of the Boise Mountains to the river. The Boise Mountains immediately north of the city rise 5,000 to 6,000 feet above sea level in about 8 miles, the slopes partly mantled with sagebrush and then chaparral giving way near the summit to ridges of fir, spruce, and pine. Across the river, the land rises in two irregular steps, or benches, for several miles, finally reaching the low divide between the Boise and Snake Rivers. Downstream the valley widens, merging with the valley of the Snake about 40 miles to the northwest. Once semi-arid, the entire area is now irrigated from the upstream reservoirs.

Although air masses from the Pacific are considerably modified by the time they reach Boise, their influence, particularly in winter, alternates with that of atmospheric developments from other directions. The result is almost a typical upland continental type of climate in summer, while winters are usually tempered by periods of cloudy or stormy and mild weather. Autumns have prolonged periods of near ideal weather, while springtime is noted by changeable weather and varied temperatures. The Boise climate in general may be described as dry and temperate, with sufficient variation to be stimulating.

Summer hot periods rarely last longer than a few days. Temperatures of 100 degrees or higher occur nearly every year.

Winter cold spells with temperatures of 10 degrees or lower generally last longer than the summer hot spells. During cold weather, however, there is ordinarily little wind to add to the discomfort.

The normal precipitation pattern in the Boise area shows a winter high and a very pronounced summer low. Total amounts and intensity are generally greatest near the foothills, dwindling to westward and southward.

Tornadoes are very rare as are destructive force winds. Northwesterly winds, drying and rather raw in character, although of moderate velocity, are common from March through May. Diurnal southeasterly winds, descending from nearby foothills at night, frequently have a moderating effect on winter temperatures. There is an occasional, but moderate, duststorm during the warmer months, usually occurring at times of cold frontal passage.

Relative humidity is low but widespread irrigation maintains humidity several percent above the general dryness of western arid conditions in summer. Thunderstorms occur primarily during spring and summer, with less frequency during fall and occasionally during winter. December and January are the months of heavy fog or low stratus cloud conditions. Only a moderate amount of sunshine is received in the average winter, but protracted periods of clear, sunny weather are the rule in summer. Ice storms are practically unknown.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 9 and the average last occurrence in the spring is May 8.

Station Location

BOISE

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								REMARKS		
				NORTH	WEST	SEA LEVEL	GROUND							AUTOMATIC OBSERVING EQUIPMENT *				
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		HYGROTHERMOMETER			
<p>*NOTES:</p> <p><u>AIRPORT</u> Boise Air Terminal Gowen Field</p>	12/01/95	Present	NA	43° 34'	116° 13'	a2858											S	ASOS Commissioned 12/01/95 a. Ground elevation.

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED**

**FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19**

* NOTES: For earlier station history see previous edition.