





# 2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA

ISSN 0198-4705

## HURON, SOUTH DAKOTA (KHON) Daily Max/Min Temperature



## Daily Precipitation



## Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2006

## HURON (KHON)

LATITUDE: 44° 23'N      LONGITUDE: -98° 13'W      ELEVATION (FT): GRND: 1282    BARO: 1284      TIME ZONE: CENTRAL (UTC -6)      WBAN: 14936

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	37.9	33.8	44.8	63.8	72.8	83.2	93.7	85.4	68.5	57.9	46.5	38.8	60.6	
	HIGHEST DAILY MAXIMUM	58	52	68	85	92	94	109	98	86	86	80	56	109	
	DATE OF OCCURRENCE	26	28	30+	13	28	30	15	10	07	07	08	09+	JUL 15	
	MEAN DAILY MINIMUM	24.1	12.1	24.1	38.7	44.1	55.6	62.9	60.6	46.3	31.7	20.1	15.5	36.3	
	LOWEST DAILY MINIMUM	9	-10	5	21	28	45	51	50	29	13	-1	-7	-10	
	DATE OF OCCURRENCE	22	18+	17	08	05	01	05	29	20	31	30	07	FEB 18+	
	AVERAGE DRY BULB	31.0	23.0	34.5	51.3	58.5	69.4	78.3	73.0	57.4	44.8	33.3	27.2	48.5	
	MEAN WET BULB		20.4	30.6	45.6	51.7	60.6	64.9	64.9	52.9	39.0	28.9	24.0		
	MEAN DEW POINT		14.6	24.5	39.6	45.7	54.1		60.0	49.3	32.8	22.4	17.7		
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	5	21	9	0	0	0	0	0	35
MAXIMUM <= 32°	5	14	1	0	0	0	0	0	0	0	3	8	31		
MINIMUM <= 32°	30	28	27	7	3	0	0	0	1	17	26	30	169		
MINIMUM <= 0°	0	4	0	0	0	0	0	0	0	0	1	3	8		
H/C	HEATING DEGREE DAYS	1048	1171	941	408	239	20	0	2	242	627	942	1162	6802	
	COOLING DEGREE DAYS	0	0	0	3	41	159	369	259	21	9	0	0	861	
RH	MEAN (PERCENT)	84	72	70	69	65	62	56	68	77	68	68	70	69	
	HOUR 00 LST	89	79	78	79	78	73	68	81	83	80	73	72	78	
	HOUR 06 LST	89	80	82	86	84	83	79	87	91	83	81	79	84	
	HOUR 12 LST	76	61	59	57	51	48	39	53	66	52	57	63	57	
	HOUR 18 LST	84	65	58	54	47	44	39	53	67	57	61	66	58	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	1	1	2	2	0	1	5	1	1	1	2	18	
	THUNDERSTORMS	0	0	0	0	0	0	0	0	0	0	0	0	0	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.51	28.71	28.66	28.48	28.53	28.59	28.55	28.60	28.56	28.58	28.64	28.68	28.59	
	MEAN SEA-LEVEL PRESS. (IN.)	29.97	30.14	30.07	29.85	29.90	29.95	29.91	29.95	29.94	29.97	30.05	30.11	29.98	
WINDS	RESULTANT SPEED (MPH)		3.5	2.4	1.4	3.6	2.8	3.1	4.1	1.4	3.0	1.1	3.4		
	RES. DIR. (TENS OF DEGS.)		32	06	09	31	10	13	13	33	30	26	29		
	MEAN SPEED (MPH)	8.8	10.8	12.4	11.5	11.9	9.0	9.5	9.5	9.9	10.8	9.8	9.5	10.3	
	PREVAIL.DIR.(TENS OF DEGS.)	14	34	14	14	30	13	16	15	15	32	15	15	15	
	MAXIMUM 2-MINUTE WIND SPEED (MPH)	44	35	35	38	41	35	35	49	39	43	33	37	49	
	DIR. (TENS OF DEGS.)	32	32	31	02	28	07	02	01	15	32	33	29	01	
	DATE OF OCCURRENCE	24	24	31	07	24	09	24	24	15	30	08	14	AUG 24	
	MAXIMUM 5-SECOND WIND: SPEED (MPH)	52	40	43	46	53	41	40	56	51	51	39	46	56	
	DIR. (TENS OF DEGS.)	32	32	30	04	27	14	01	35	16	31	16	30	35	
DATE OF OCCURRENCE	24	24	31	07	29	14	24	24	15	30	11	14	AUG 24		
PRECIPITATION	WATER EQUIVALENT: TOTAL (IN.)	0.14	0.29	1.04	1.65	1.69	1.56	0.46	4.47	4.59	0.15	0.27	1.22	17.53	
	GREATEST 24-HOUR (IN.)	0.07	0.17	0.49	0.56	1.29	1.02	0.25	1.84	2.43	0.06	0.24	0.86	2.43	
	DATE OF OCCURRENCE	19	10	12	06	23	20	25	10	01	10-11	14-15	29-30	SEP 01	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	3	6	7	9	5	7	7	8	7	4	4	5	72	
	PRECIPITATION 0.10	0	1	3	5	3	5	2	6	5	0	1	3	34	
PRECIPITATION 1.00	0	0	0	0	1	1	0	1	2	0	0	0	5		
SNOWFALL	SNOW,ICE PELLETS,HAIL TOTAL (IN.)	1.1	4.7	6.5	T	0.0	0.0	0.0	0.0	0.0	0.5	0.4	8.7	21.9	
	GREATEST 24-HOUR (IN.)	1.0	2.7	4.3	T	0.0	0.0	0.0	0.0	0.0	0.5	0.3	4.6	4.6	
	DATE OF OCCURRENCE	19	10	12	24						18	15	30	DEC 30	
	MAXIMUM SNOW DEPTH (IN.)	1	2	4	0	0	0	0	0	0	T	T	4	4	
	DATE OF OCCURRENCE	19+	13+	14+							18	10	31+	DEC 31+	
	NUMBER OF DAYS WITH: SNOWFALL >= 1.0	1	1	2	0	0	0	0	0	0	0	0	3	7	

# NORMALS, MEANS, AND EXTREMES HURON (KHON)

LATITUDE:  
44 ° 23'N

LONGITUDE:  
-98 ° 13'W

ELEVATION (FT):  
GRND: 1282 BARO: 1284

TIME ZONE:  
CENTRAL (UTC -6)

WBAN: 14936

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	24.8	31.3	43.0	58.3	70.5	80.3	86.1	84.4	74.7	60.9	41.4	28.8	57.0
	MEAN DAILY MAXIMUM	124	23.7	28.3	40.9	58.1	69.6	79.2	86.1	84.2	74.7	61.4	42.7	29.4	56.5
	HIGHEST DAILY MAXIMUM	65	63	71	89	97	99	109	112	110	106	102	86	66	112
	YEAR OF OCCURRENCE		1944	1958	1943	1980	1959	1988	1966	1965	1970	1963	1999	1998	JUL 1966
	MEAN OF EXTREME MAXS.	124	47.1	51.0	67.3	82.0	88.2	94.9	99.8	98.5	94.3	83.5	66.2	51.4	77.0
	NORMAL DAILY MINIMUM	30	3.5	10.8	22.3	33.9	45.8	55.4	60.7	58.6	47.3	34.9	21.1	8.4	33.6
	MEAN DAILY MINIMUM	124	2.9	7.6	20.3	34.0	45.0	55.3	60.7	58.4	48.1	35.7	21.3	9.6	33.2
	LOWEST DAILY MINIMUM	65	-37	-41	-24	-2	17	32	37	36	19	8	-21	-30	-41
	YEAR OF OCCURRENCE		1988	1994	1960	1975	2005	1964	1971	1964	1974	2002	1964	1990	FEB 1994
	MEAN OF EXTREME MINS.	124	-21.2	-17.3	-3.2	17.6	29.2	41.0	48.3	44.0	30.4	18.6	0.8	-13.9	14.5
	NORMAL DRY BULB	30	14.2	21.0	32.6	46.1	58.2	67.9	73.4	71.5	61.0	47.9	31.3	18.6	45.3
	MEAN DRY BULB	124	13.3	18.0	30.6	46.1	57.3	67.4	73.5	71.4	61.4	48.5	32.0	19.5	44.9
	MEAN WET BULB	22	15.3	20.1	29.1	40.9	52.0	61.0	66.1	64.1	54.7	42.0	28.2	18.6	41.0
	MEAN DEW POINT	22	10.8	15.8	24.1	34.4	46.9	56.9	61.8	60.3	49.6	36.3	23.6	14.7	36.3
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.2	0.5	4.2	10.6	8.4	2.9	0.2	0.0	0.0	27.0
	MAXIMUM <= 32	30	20.3	14.1	6.0	0.6	0.0	0.0	0.0	0.0	0.0	0.3	7.7	17.3	66.3
MINIMUM <= 32	30	30.8	27.1	25.0	13.4	1.8	0.0	0.0	0.0	1.6	11.6	26.2	30.7	168.2	
MINIMUM <= 0	30	12.6	7.3	1.8	*	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8.1	31.1	
H/C	NORMAL HEATING DEG. DAYS	30	1572	1242	1004	567	242	49	8	21	180	530	996	1423	7834
	NORMAL COOLING DEG. DAYS	30	0	0	0	4	29	138	273	228	66	3	0	0	741
RH	NORMAL (PERCENT)	30	76	76	74	66	68	69	69	71	69	69	75	77	72
	HOURLY 00 LST	30	77	79	82	76	77	80	80	81	79	76	80	79	79
	HOURLY 06 LST	30	78	81	84	83	84	86	88	89	87	83	83	81	84
	HOURLY 12 LST	30	69	69	65	54	55	56	54	55	53	55	65	70	60
	HOURLY 18 LST	30	73	72	64	51	52	52	50	51	52	58	70	75	60
S	PERCENT POSSIBLE SUNSHINE	54	57	59	59	61	65	70	76	74	69	63	50	49	63
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	43	1.8	2.0	2.4	1.0	0.7	0.4	1.0	1.3	1.1	1.3	1.5	2.4	16.9
	THUNDERSTORMS	102	0.0	0.1	0.4	2.1	5.2	8.3	8.8	7.7	4.0	1.4	0.1	0.0	38.1
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	53	5.2	5.3	5.6	5.3	5.0	4.5	3.8	3.7	4.0	4.4	5.3	5.3	4.8
	MIDNIGHT-MIDNIGHT (OKTAS)	32	4.8	5.0	5.0	5.0	4.7	4.3	3.7	3.6	3.6	4.2	5.0	4.7	4.5
	MEAN NO. DAYS WITH: CLEAR	57	7.9	6.5	6.0	6.5	7.5	8.7	11.9	12.2	11.5	10.5	6.7	7.4	103.3
	PARTLY CLOUDY	57	7.5	7.7	7.7	8.7	9.7	11.0	11.9	11.0	8.2	8.3	7.4	7.2	106.3
	CLOUDY	57	15.6	14.1	17.4	14.9	13.9	10.3	6.7	7.4	9.8	11.7	15.9	16.3	154.0
PR	MEAN STATION PRESSURE (IN)	23	28.68	28.69	28.63	28.56	28.54	28.53	28.57	28.60	28.60	28.62	28.63	28.67	28.61
	MEAN SEA-LEVEL PRES. (IN)	23	30.12	30.12	30.05	29.95	29.91	29.88	29.92	29.96	29.96	30.01	30.04	30.10	30.00
WINDS	MEAN SPEED (MPH)	23	10.5	10.7	11.5	11.8	11.4	10.1	9.3	9.4	10.2	10.4	10.7	10.6	10.6
	PREVAIL. DIR (TENS OF DEGS)	27	33	34	16	36	16	16	16	16	16	16	16	16	16
	MAXIMUM 2-MINUTE: SPEED (MPH)	10	48	52	52	57	47	48	53	70	44	43	48	48	70
	DIR. (TENS OF DEGS)		31	33	33	32	24	32	32	32	31	32	32	32	32
	YEAR OF OCCURRENCE		2000	2002	1999	1997	2005	2004	2005	2004	1997	2006	2005	2000	AUG 2004
	MAXIMUM 5-SECOND SPEED (MPH)	10	55	64	62	70	55	70	62	90	60	53	61	56	90
	DIR. (TENS OF DEGS)		31	33	32	31	23	22	31	32	32	19	34	32	32
	YEAR OF OCCURRENCE		2000	2002	1999	1997	2005	2001	2005	2004	1997	1997	1997	1997	AUG 2004
PRECIPITATION	NORMAL (IN)	30	0.49	0.57	1.67	2.29	3.00	3.28	2.86	2.07	1.80	1.59	0.89	0.39	20.90
	MAXIMUM MONTHLY (IN)	67	2.53	3.87	5.89	6.64	7.69	11.49	6.69	5.47	6.67	6.44	3.95	1.53	11.49
	YEAR OF OCCURRENCE		2001	1962	1977	2001	1962	1984	1993	1956	2005	1946	2005	1968	JUN 1984
	MINIMUM MONTHLY (IN)	67	0.02	0.03	0.12	0.21	0.33	0.67	0.42	0.14	0.10	T	T	T	T
	YEAR OF OCCURRENCE		1990	1968	1939	1996	1992	1950	1941	1976	1998	1952	1990	1986	NOV 1990
	MAXIMUM IN 24 HOURS (IN)	67	1.77	2.16	2.82	2.51	3.74	5.48	4.98	4.15	2.60	4.20	3.46	1.24	5.48
	YEAR OF OCCURRENCE		2001	1962	1985	2001	1990	1967	1986	1956	1950	1961	2005	1949	JUN 1967
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	5.5	6.5	7.9	9.0	10.8	10.3	9.3	8.0	6.8	5.9	6.2	5.2	91.4
	PRECIPITATION >= 1.00	30	0.0	*	0.3	0.4	0.6	0.7	0.6	0.3	0.4	0.3	0.1	0.0	3.7
SNOWFALL	NORMAL (IN)	30	7.7	7.5	9.0	3.2	0.*	0.0	0.0	0.0	0.*	1.2	6.9	6.6	42.1
	MAXIMUM MONTHLY (IN)	66	28.7	39.9	33.9	23.4	1.6	T	T	T	T	10.7	32.7	26.0	39.9
	YEAR OF OCCURRENCE		2001	1962	1975	1995	1954	1994	1996	1996	1995	1995	1985	1968	FEB 1962
	MAXIMUM IN 24 HOURS (IN)	66	19.5	17.5	19.0	11.0	1.6	T	T	T	T	8.6	14.8	10.7	19.5
	YEAR OF OCCURRENCE		2001	1962	2002	2000	1954	1994	1995	1995	1995	1995	2005	1955	JAN 2001
	MAXIMUM SNOW DEPTH (IN)	113	100	36	36	16	1	0	0	0	1	6	16	20	100
	YEAR OF OCCURRENCE		1916	2001	2001	1995	1954				1912	1995	1985	1985	JAN 1916
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	2.3	2.3	2.2	1.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	2.0	12.1

**PRECIPITATION (inches) 2006 HURON (KHON)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.18	1.73	5.89	2.13	1.83	1.31	1.50	2.57	2.29	1.59	1.60	0.52	23.14
1978	0.13	0.49	0.35	3.11	3.66	2.20	2.49	1.81	0.99	0.13	0.27	0.26	15.89
1979	0.89	0.29	1.96	2.23	1.64	2.37	2.61	1.50	0.23	1.97	0.22	0.04	15.95
1980	0.25	0.49	0.81	0.82	1.68	5.31	3.21	3.94	0.53	0.91	0.08	0.12	18.15
1981	0.12	0.12	1.90	0.24	0.68	1.48	2.24	4.63	1.39	1.28	1.20	0.51	15.79
1982	1.36	0.17	1.60	1.29	4.58	1.25	5.10	2.85	2.32	3.49	0.60	0.43	25.04
1983	0.08	0.21	2.34	1.14	1.37	4.62	2.22	0.45	2.55	1.27	1.81	0.48	18.54
1984	0.36	0.69	1.50	2.83	2.52	11.49	1.81	3.55	0.94	3.36	0.13	0.55	29.73
1985	0.40	0.10	3.86	1.57	2.03	2.36	4.67	2.57	3.28	1.06	2.46	0.59	24.95
1986	0.41	0.43	1.56	5.08	3.15	2.50	6.44	2.84	4.03	0.42	0.52	T	27.38
1987	0.19	1.16	4.78	0.42	2.34	1.54	2.19	2.98	1.36	0.42	0.74	1.28	19.40
1988	0.39	0.53	0.88	2.06	5.58	0.77	1.44	2.13	3.69	0.09	0.99	0.65	19.20
1989	0.21	0.81	2.17	1.59	1.00	3.19	1.14	1.25	1.62	0.26	1.05	0.21	14.50
1990	0.02	0.61	1.31	1.92	6.28	6.34	3.51	0.72	0.57	1.27	T	0.43	22.98
1991	0.08	0.92	0.62	5.59	3.72	5.72	1.76	1.18	1.94	0.98	0.81	0.08	23.40
1992	0.71	1.18	0.86	2.10	0.33	5.43	4.86	2.78	2.57	0.39	0.97	0.31	22.49
1993	0.32	0.55	1.57	3.18	3.32	7.12	6.69	2.39	1.74	0.63	1.78	0.72	30.01
1994	0.93	0.70	0.27	2.75	1.67	5.12	2.95	1.27	1.92	2.02	0.61	0.57	20.78
1995	0.48	0.23	3.25	5.31	6.40	2.20	2.87	3.19	2.89	2.33	0.54	0.28	29.97
1996	1.00	0.36	0.61	0.21	4.75	1.78	1.83	2.41	3.69	3.36	.25	.26	20.51
1997	0.93	0.50	0.16	2.70	2.38	3.08	6.30	1.42	3.87	2.58	0.07	0.22	24.21
1998	0.45	0.51	2.53	1.91	4.06	3.02	1.82	1.80	T	5.12	1.89	0.21	23.32
1999	0.41	0.23	0.25	3.24	2.87	3.00	1.30	2.56	2.10	0.70	0.05	0.10	16.81
2000	0.22	0.56	0.35	2.61	4.43	2.92	3.22	1.20	0.44	1.56	2.25	0.32	20.08
2001	2.53	1.15	0.77	6.64	2.41	5.03	2.59	1.08	1.73	0.44	2.35	0.06	26.78
2002	0.83	0.19	1.73	1.58	1.32	1.28	0.84	3.66	0.72	2.30	0.05	0.38	14.88
2003	0.22	1.02	0.27	1.58	2.61	4.04	1.28	1.49	1.60	1.15	0.97	0.19	16.42
2004	0.34	1.22	1.98	1.91	3.58	3.33	4.44	3.10	5.54	3.79	0.27	0.21	29.71
2005	0.21	0.46	0.38	0.67	2.81	5.58	1.40	2.52	6.67	0.55	3.95	0.58	25.78
2006	0.14	0.29	1.04	1.65	1.69	1.56	0.46	4.47	4.59	0.15	0.27	1.22	17.53
POR= 124 YRS	0.52	0.60	1.15	2.17	2.79	3.49	2.58	2.18	1.74	1.38	0.72	0.51	19.83

WBAN : 14936

**AVERAGE TEMPERATURE (°F) 2006 HURON (KHON)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	5.3	25.4	33.9	52.8	65.4	70.2	76.7	67.5	61.9	48.4	31.3	15.5	46.2
1978	0.3	7.1	29.3	44.0	57.5	65.9	70.7	71.2	66.1	47.4	29.1	14.5	41.9
1979	0.3	6.1	28.3	42.4	53.1	68.9	75.2	69.8	63.9	46.2	31.6	28.8	42.9
1980	16.9	18.5	29.7	49.1	60.3	68.5	73.4	70.6	61.7	46.5	37.0	22.0	46.2
1981	22.1	25.6	36.3	52.6	57.8	69.4	77.5	72.2	63.6	49.3	39.7	17.9	48.7
1982	3.5	18.9	33.2	44.5	59.6	63.6	75.4	72.7	61.2	49.0	31.4	26.3	44.9
1983	25.6	30.1	35.0	42.4	54.3	66.3	76.5	78.9	63.1	49.5	34.0	2.8	46.5
1984	18.8	31.1	29.3	47.1	55.8	67.2	74.0	74.5	56.9	49.2	35.4	18.1	46.5
1985	13.2	20.2	37.2	51.6	62.0	63.2	72.5	66.9	58.3	47.0	18.7	8.6	43.3
1986	19.3	14.6	37.3	45.3	57.2	69.1	73.6	67.0	58.9	48.8	28.4	26.9	45.5
1987	24.9	33.3	36.1	53.6	64.6	71.1	75.7	68.7	62.2	44.3	37.1	24.5	49.7
1988	8.7	14.9	35.0	46.2	63.5	75.3	76.7	73.4	61.2	45.3	33.3	22.0	46.3
1989	23.3	7.7	26.6	47.4	56.5	65.7	76.2	73.2	61.6	49.0	30.7	11.0	44.1
1990	28.3	24.2	37.4	45.4	56.8	68.6	71.4	72.7	66.5	47.4	36.3	14.4	47.5
1991	12.8	29.7	35.8	48.9	61.0	73.4	73.5	74.1	61.5	46.4	27.0	26.3	47.5
1992	26.4	29.8	37.2	44.6	59.3	65.3	65.1	65.6	59.7	47.3	30.9	17.6	45.7
1993	14.5	14.2	31.3	44.7	57.1	64.1	69.9	70.3	56.2	45.7	29.6	20.5	43.2
1994	4.3	10.5	36.1	46.0	61.5	68.6	69.1	68.2	63.6	50.9	35.8	20.1	44.6
1995	16.1	23.0	32.3	40.5	54.9	69.0	73.0	74.1	60.1	45.8	28.4	21.9	44.9
1996	8.8	21.3	25.0	43.1	54.6	68.6	69.7	71.7	60.8	47.6	23.1	9.8	42.0
1997	8.5	18.4	29.8	41.6	54.6	70.2	73.2	71.1	63.9	51.1	29.1	28.7	45.0
1998	18.2	32.2	27.5	48.9	62.1	65.2	74.8	73.9	67.4	51.2	36.1	25.6	48.6
1999	14.7	32.0	36.9	47.4	58.4	67.4	75.6	72.4	58.8	48.1	42.3	27.0	48.4
2000	19.4	30.8	40.4	46.5	60.1	66.5	73.9	73.3	63.3	52.3	23.5	7.2	46.4
2001	17.6	7.9	23.3	46.5	60.1	68.1	76.6	73.4	62.9	48.7	42.1	22.4	45.8
2002	24.0	30.3	22.3	46.5	53.9	72.0	79.6	71.5	64.4	39.8	33.3	26.5	47.0
2003	18.2	16.7	32.2	48.0	56.0	66.0	74.6	74.8	60.9	51.3	28.7	26.2	46.1
2004	14.3	21.4	38.5	48.1	57.5	63.7	71.1	66.6	65.0	49.6	37.4	26.0	46.6
2005	14.7	27.2	34.4	49.5	56.5	70.5	76.3	72.1	67.9	50.2	36.0	17.0	47.7
2006	31.0	23.0	34.5	51.3	58.5	69.4	78.3	73.0	57.4	44.8	33.3	27.2	48.5
POR= 124 YRS	13.3	18.0	30.6	46.1	57.3	67.4	73.5	71.4	61.4	48.5	32.0	19.5	44.9

**HEATING DEGREE DAYS (base 65°F) 2006 HURON (KHON)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0	27	129	506	1002	1530	2007	1620	1099	624	247	89	8880
1978-79	12	27	132	539	1070	1560	2006	1647	1130	668	374	35	9200
1979-80	0	32	122	574	997	1117	1485	1343	1088	489	193	29	7469
1980-81	1	19	160	578	835	1326	1322	1098	882	376	243	12	6852
1981-82	5	1	105	480	752	1456	1908	1287	976	609	173	85	7837
1982-83	0	19	168	489	1002	1193	1215	970	923	673	329	83	7064
1983-84	2	0	166	473	924	1926	1430	978	1101	528	294	36	7858
1984-85	4	7	277	493	883	1448	1598	1250	856	403	141	123	7483
1985-86	7	46	267	553	1383	1746	1412	1405	855	584	244	20	8522
1986-87	0	55	191	496	1091	1174	1235	881	889	354	96	20	6482
1987-88	7	53	118	635	828	1248	1744	1449	924	556	117	1	7680
1988-89	3	26	151	603	946	1326	1284	1601	1182	529	262	83	7996
1989-90	0	11	182	491	1024	1674	1131	1138	848	611	258	37	7405
1990-91	7	9	124	543	855	1564	1614	981	898	477	203	0	7275
1991-92	4	0	192	580	1131	1192	1191	1015	855	617	217	62	7056
1992-93	43	79	177	544	1021	1463	1561	1421	1037	602	243	86	8277
1993-94	3	25	274	593	1054	1371	1884	1521	889	568	177	25	8384
1994-95	12	37	132	429	871	1385	1508	1171	1005	728	308	51	7637
1995-96	9	3	211	590	1091	1331	1741	1265	1234	649	337	40	8501
1996-97	7	0	200	533	1252	1706	1745	1299	1083	698	320	7	8850
1997-98	19	13	99	447	1070	1122	1442	916	1157	476	135	88	6984
1998-99	0	0	71	422	860	1213	1553	920	868	518	209	45	6679
1999-00	3	3	205	518	672	1172	1409	987	754	548	180	59	6510
2000-01	14	8	149	387	1239	1785	1460	1592	1286	561	172	48	8701
2001-02	6	7	136	502	680	1313	1266	963	1316	552	377	25	7143
2002-03	0	22	141	776	946	1185	1444	1349	1011	514	283	75	7746
2003-04	0	18	192	429	1081	1195	1566	1256	815	503	262	94	7411
2004-05	21	54	112	469	819	1203	1551	1054	939	460	286	13	6981
2005-06	4	9	63	466	865	1485	1048	1171	941	408	239	20	6719
2006-	0	2	242	627	942	1162							

WBAN : 14936

**COOLING DEGREE DAYS (base 65°F) 2006 HURON (KHON)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	14	79	176	369	113	44	0	0	0	795
1978	0	0	0	0	21	119	196	227	173	0	0	0	736
1979	0	0	0	0	13	162	324	188	96	0	0	0	783
1980	0	0	0	18	56	139	269	199	66	10	0	0	757
1981	0	0	0	9	25	153	399	232	70	0	0	0	888
1982	0	0	0	0	14	50	329	263	57	0	0	0	713
1983	0	0	0	0	4	130	366	437	113	0	0	0	1050
1984	0	0	0	0	13	107	291	306	41	9	0	0	767
1985	0	0	0	7	55	73	246	112	71	0	0	0	564
1986	0	0	0	0	8	152	272	122	16	0	0	0	570
1987	0	0	0	20	92	209	342	173	41	0	0	0	877
1988	0	0	0	3	78	316	374	292	45	0	0	0	1108
1989	0	0	0	9	4	110	354	274	87	4	0	0	842
1990	0	0	0	28	9	154	211	257	174	6	0	0	839
1991	0	0	0	1	85	260	275	289	93	11	0	0	1014
1992	0	0	0	10	48	77	52	105	25	3	0	0	320
1993	0	0	0	0	7	66	163	197	14	1	0	0	448
1994	0	0	0	5	74	140	145	142	98	0	0	0	604
1995	0	0	0	0	1	177	263	293	69	2	0	0	805
1996	0	0	0	0	24	155	160	214	81	3	0	0	637
1997	0	0	0	0	6	167	277	208	74	25	0	0	757
1998	0	0	0	1	53	101	310	283	148	0	0	0	896
1999	0	0	0	0	13	124	336	240	27	1	0	0	741
2000	0	0	0	0	33	112	298	269	104	5	0	0	821
2001	0	0	0	12	26	147	371	275	80	6	0	0	917
2002	0	0	0	4	37	244	462	228	129	0	0	0	1104
2003	0	0	0	13	10	109	305	327	78	12	0	0	854
2004	0	0	0	2	33	64	218	111	118	0	0	0	546
2005	0	0	0	3	30	187	360	238	153	12	0	0	983
2006	0	0	0	3	41	159	369	259	21	9	0	0	861

**SNOWFALL (inches) 2006 HURON (KHON)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	T	7.8	6.5	4.2	9.0	4.8	0.8	0.0	0.0	33.1
1978-79	0.0	0.0	0.0	0.0	3.5	5.9	23.8	5.9	2.6	4.0	T	0.0	45.7
1979-80	0.0	0.0	0.0	2.5	3.2	0.4	1.5	6.0	8.6	T	0.0	0.0	22.2
1980-81	0.0	0.0	0.0	1.5	0.8	3.0	1.6	2.3	1.2	T	0.0	0.0	10.4
1981-82	0.0	0.0	0.0	0.1	8.0	7.4	23.8	1.8	9.5	9.1	0.0	0.0	59.7
1982-83	0.0	0.0	0.0	2.7	2.1	4.4	0.7	0.5	11.8	5.1	0.0	0.0	27.3
1983-84	0.0	0.0	0.0	0.0	16.9	6.9	4.3	6.8	19.1	T	0.0	0.0	54.0
1984-85	0.0	0.0	0.0	T	0.2	8.1	5.5	1.8	26.7	2.0	0.0	0.0	44.3
1985-86	0.0	0.0	0.0	T	32.7	11.8	6.3	4.8	7.0	4.0	0.0	0.0	66.6
1986-87	0.0	0.0	0.0	0.0	5.6	T	2.4	6.7	7.0	T	0.0	0.0	21.7
1987-88	0.0	0.0	0.0	T	1.0	20.0	7.3	7.3	11.1	3.2	0.0	0.0	49.9
1988-89	0.0	0.0	0.0	0.0	5.0	11.2	3.0	14.9	26.6	0.4	0.2	0.0	61.3
1989-90	0.0	0.0	0.0	0.0	3.7	3.6	0.2	14.1	1.1	2.3	0.0	T	25.0
1990-91	0.0	0.0	0.0	1.8	T	7.4	1.9	13.0	6.3	1.2	T	0.0	31.6
1991-92	0.0	0.0	0.0	T	4.9	0.1	4.0	12.1	0.7	1.2	0.0	T	23.0
1992-93	T	0.0	0.0	0.4	7.9	4.7	5.8	11.7	8.1	2.7	0.0	T	41.3
1993-94	0.0	T	0.0	T	13.4	12.1	18.2	10.3	2.2	8.3	0.0	T	64.5
1994-95	0.0	0.0	0.0	0.0	5.0	8.0	7.8	3.7	10.8	23.4	0.0	0.0	58.7
1995-96	T	T	T	10.7	7.4	4.1	18.7	8.5	10.0	1.4	0.0	0.0	60.8
1996-97	T	T	0.0	0.0	4.3	17.9	8.2	8.3	3.0	9.9	0.0	T	51.6
1997-98	T	0.0	T	T	2.4	1.7	10.0	5.2	18.0	T	T	T	37.3
1998-99	0.0	0.0	0.0	0.0	14.7	5.2	11.3	4.7	1.6	0.2	0.0	0.0	37.7
1999-00	0.0	0.0	0.0	4.8	T	2.6	1.8	0.6	0.4	14.0	T	T	24.2
2000-01	0.0	0.0	0.0	T	22.6	10.0	28.7	19.4	4.4	4.5	0.0	T	89.6
2001-02	0.0	0.0	0.0	0.0	11.2	1.6	2.9	2.0	25.2	1.4	0.0	T	44.3
2002-03	0.0	T	0.0	6.0	0.8	4.3	4.6	6.6	5.0	0.1	0.0	0.0	27.4
2003-04	0.0	0.0	0.0	0.4	14.1	1.7	8.8	5.7	3.2	0.4	0.0	0.0	34.3
2004-05	0.0	T	0.0	T	0.0	1.1	4.0	3.6	3.2	0.0	T	0.0	11.9
2005-06	0.0	0.0	0.0	T	20.0	7.0	1.1	4.7	6.5	T	0.0	0.0	39.3
2006-	0.0	0.0	0.0	0.5	0.4	8.7							
POR= 118 YRS	T	T	T	0.8	4.5	5.5	6.7	6.7	7.3	2.6	0.1	T	34.2

WBAN : 14936

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.  ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2006 HURON SOUTH DAKOTA (KHON)

Located on the west bank of the James River at about the middle of the river valley, Huron has a climate that can be classified as continental with frequent daily temperature fluctuations and distinct seasons. The seasons have varied quite markedly from year to year. Agriculture is the main industry in the area.

Winter is characteristically cold and dry with storms of short duration. Normal temperatures for the season are in the middle teens and precipitation is mainly in the form of snow. Seasonal snowfall has varied from under 9 inches to over 75 inches. Wintertime storms of blizzard proportions are infrequent, but they do occur. These blizzards are characterized by strong winds, low temperatures, snow, and very poor visibility. Many mild days can be expected during the winter since about 39 percent of the daily maximum temperatures are above the freezing mark.

Spring is characterized by marked upward trends in both precipitation and temperature with the moisture amounts increasing some three to four fold over winter. Nearly one-third, over 5 inches, of the annual total precipitation usually falls during the spring months. In early spring some of the precipitation falls as snow. As a consequence, the month of March has a slightly higher snowfall average than any of the winter months.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is September 29 and the average last occurrence in the spring is May 11.

Summers are hot but not extreme. Temperatures of 100 degrees or higher usually occur three or four times a year, but nights are normally cool and comfortable. Summertime precipitation is mainly in the form of showers and thunderstorms. Hail occurs about three times a year in the summertime thunderstorms. Sunshine also reaches its maximum during the summer months, when the sun shines during more than 70 percent of the daylight hours.

Autumn, with a relatively slow drop in temperature and steadily lessening amounts of rainfall, is a delightful season with mildly warm days, cool nights, and plentiful sunshine.

The terrain around Huron is exceptionally level and flat. Even the James River has a slope of only 4 to 6 inches per mile. However, floods in the Huron area have generally been of minor importance because the flood plain is agricultural land, and is not developed for homes or businesses. Heavy rains from summertime thunderstorms may, at times, cause some local flooding problems in the city. Moderate to fresh winds occur quite frequently during the daytime in all seasons of the year. Winds are normally from the north in the winter and from the south in the summer. The unusually level terrain helps to accentuate this tendency toward windy days.

# Station Location

HURON

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude NORTH WEST		Longitude WEST		ELEVATION ABOVE								AUTOMATIC OBSERVING EQUIPMENT *	REMARKS
								SEA LEVEL	GROUND								
								GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		
*NOTE:  <u>AIRPORT</u>  WB-FAA Building W.W. Howes Municipal Airport +  +Regional Airport effective ?/1977.  Huron Regional Airport	3/11/68	11/01/96	350 ft. SE	44° 23'	98° 13'	1281	20	hs5	hs5	24 j19	3 g6	5 g6	4 i4	f4 k4	f. Continued on original site. s. Standby equipment. g. Moved 325 ft. W 5/17/78. h. Moved 305 ft. W 5/17/78. i. Moved 10' NNE 5/17/78. j. Relocated 1/21/83. k. type change 5/29/85.		
	11/01/96	Present	NA	44° 23'	98° 14'	11281								S	ASOS Commissioned 11/01/96 l. Ground elevation.		

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

\* NOTES: For earlier station history see previous editions.