




2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0197-9760

JUNEAU, ALASKA (PAJN)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2006

JUNEAU (PAJN)

LATITUDE: 58° 21'N LONGITUDE: -134° 34'W ELEVATION (FT): GRND: 22 BARO: 40 TIME ZONE: ALASKA (UTC -9) WBAN: 25309

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	33.4	35.6	35.4	45.5	55.0	61.8	63.5	56.7	55.5	47.2	26.0	37.7	46.1	
	HIGHEST DAILY MAXIMUM	41	49	51	55	74	77	78	64	64	59	42	44	78	
	DATE OF OCCURRENCE	22+	11	22	08	27+	10	29	20	15	10	10	06	JUL 29	
	MEAN DAILY MINIMUM	25.5	21.3	20.1	32.4	40.6	47.1	49.1	49.4	44.4	37.3	12.7	30.9	34.2	
	LOWEST DAILY MINIMUM	13	4	-3	24	31	38	42	40	30	20	-5	23	-5	
	DATE OF OCCURRENCE	25	25	17	01	15	08	02	07	16+	29	28+	15	NOV 28+	
	AVERAGE DRY BULB	29.5	28.5	27.8	39.0	47.8	54.5	56.3	53.1	50.0	42.3	19.4	34.3	40.2	
	MEAN WET BULB	29.0	26.9	25.8	37.0	44.3	50.5	53.3	51.4	48.3	41.1	18.1	33.4	38.3	
	MEAN DEW POINT	27.2	23.0	19.3	33.8	40.3	47.0	50.6	50.5	46.5	39.4	12.2	31.7	35.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 70	0	0	0	0	3	6	8	0	0	0	0	0	0	17
	MAXIMUM <= 32°	14	8	9	0	0	0	0	0	0	0	25	3	59	
	MINIMUM <= 32°	26	23	28	16	3	0	0	0	2	9	30	21	158	
	MINIMUM <= 0°	0	0	3	0	0	0	0	0	0	0	4	0	7	
H/C	HEATING DEGREE DAYS	1094	1019	1147	774	526	306	264	364	444	700	1361	943	8942	
	COOLING DEGREE DAYS	0	0	0	0	0	0	0	0	0	0	0	0	0	
RH	MEAN (PERCENT)	90	81	72	83	78	79	83	92	89	90	75	91	84	
	HOUR 03 LST	90	88	80	93	90	89	92	95	94	94	76	91	89	
	HOUR 09 LST	90	86	74	81	78	77	82	92	90	92	77	90	84	
	HOUR 15 LST	88	69	60	70	65	67	72	88	79	82	68	91	75	
	HOUR 21 LST	92	82	75	86	80	81	84	93	92	92	73	91	85	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY <= 1/4 MI)	5	0	2	1	0	0	0	0	1	6	5	4	24	
	THUNDERSTORMS	0	0	0	0	0	0	0	0	0	0	0	0	0	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.51	30.06	29.81	29.77	29.99	30.04	29.98	29.99	29.94	29.96	29.73	29.50	29.86	
	MEAN SEA-LEVEL PRESS. (IN.)	29.53	30.08	29.84	29.80	29.99	30.06	30.01	30.03	29.97	29.99	29.75	29.55	29.88	
WINDS	RESULTANT SPEED (MPH)	4.3	4.5	3.5	6.6	5.1	3.6	2.3	6.9	5.2	5.4	2.8	9.7	4.9	
	RES. DIR. (TENS OF DEGS.)	09	10	10	11	11	11	10	08	09	09	09	10	10	
	MEAN SPEED (MPH)	5.4	6.0	5.5	8.4	8.3	6.9	5.5	7.8	6.5	6.2	4.3	10.2	6.8	
	PREVAIL. DIR. (TENS OF DEGS.)	07	09	09	11	11	11	09	07	09	07	09	11	11	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	36	33	30	33	29	26	28	32	33	35	24	44	44	
	DIR. (TENS OF DEGS.)	11	11	11	09	11	11	11	11	11	11	09	11	11	
	DATE OF OCCURRENCE	21	06	24	17	04	21	20	31	01	25	16	25	DEC 25	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	43	39	38	41	37	33	36	40	44	45	33	58	58	
DIR. (TENS OF DEGS.)	11	11	12	09	11	11	11	11	11	11	09	11	11		
DATE OF OCCURRENCE	21	06	24	17	04	21	20	31	01	04	25	25	DEC 25		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.93	2.07	1.55	4.24	4.56	5.93	4.43	11.02	13.01	11.78	3.40	9.37	74.29	
	GREATEST 24-HOUR (IN.)	0.58	0.61	0.72	0.78	1.16	1.66	1.05	1.52	2.73	2.75	0.94	1.14	2.75	
	DATE OF OCCURRENCE	24-25	11-12	07-08	22-23	02-03	02-03	08-09	30-31	24	03-04	28-29	19-20	OCT 03-04	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	24	12	12	22	20	20	18	29	24	21	13	28	243	
PRECIPITATION 0.10	10	5	4	14	12	10	10	22	20	20	8	21	156		
PRECIPITATION 1.00	0	0	0	0	1	2	0	3	3	2	0	0	11		
SNOWFALL	SNOW, ICE PELLETS, HAIL														
	TOTAL (IN.)	30.8	3.2	6.9	0.5	T	0.0	0.0	0.0	0.0	T	64.2	25.4	131.0	
	GREATEST 24-HOUR (IN.)	12.4	1.7	3.7	0.5	T	0.0	0.0	0.0	0.0	T	19.1	9.3	19.1	
	DATE OF OCCURRENCE	24	21	19	30	01					31+	29	02	NOV 29	
	MAXIMUM SNOW DEPTH (IN.)	11	7	2	0	0	0	0	0	0	0	28	34	34	
	DATE OF OCCURRENCE	25	01	21+	30							17	04	DEC 04	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	7	1	1	0	0	0	0	0	0	0	9	7	25		

NORMALS, MEANS, AND EXTREMES JUNEAU (PAJN)

LATITUDE: 58 ° 21'N LONGITUDE: -134 ° 34'W ELEVATION (FT): GRND: 22 BARO: 40 TIME ZONE: ALASKA (UTC -9) WBAN: 25309

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	30.6	34.3	39.5	48.1	55.7	61.6	64.3	63.1	56.1	46.9	37.6	33.0	47.6
	MEAN DAILY MAXIMUM	62	29.9	34.2	38.8	47.2	55.4	61.5	63.7	62.7	54.9	47.1	37.7	32.7	47.2
	HIGHEST DAILY MAXIMUM	62	57	57	61	74	82	86	90	84	73	61	56	54	90
	YEAR OF OCCURRENCE		1958	1992	1998	2003	1947	1969	1975	2004	1996	2003	1949	1999	JUL 1975
	MEAN OF EXTREME MAXS.	63	42.8	44.2	48.1	59.8	69.5	76.0	78.1	75.5	65.5	55.7	48.1	44.2	59.0
	NORMAL DAILY MINIMUM	30	20.7	23.5	27.8	33.4	40.1	46.1	49.2	48.3	43.8	37.7	28.9	24.4	35.3
	MEAN DAILY MINIMUM	61	19.2	23.0	26.4	32.2	39.3	45.1	48.3	47.5	42.5	37.1	28.4	23.5	34.4
	LOWEST DAILY MINIMUM	62	-22	-22	-15	6	25	31	36	27	23	11	-5	-21	-22
	YEAR OF OCCURRENCE		1972	1968	1972	1963	1972	1971	1950	1948	1972	1984	2006	1949	JAN 1972
	MEAN OF EXTREME MINS.	63	-0.0	5.2	10.2	23.2	30.1	37.2	41.7	39.2	31.9	24.3	12.5	4.0	21.6
	NORMAL DRY BULB	30	25.7	28.9	33.7	40.8	47.9	53.9	56.8	55.7	50.0	42.3	33.3	28.7	41.5
	MEAN DRY BULB	61	24.6	28.6	32.6	39.7	47.4	53.5	56.0	55.1	48.8	42.1	33.0	28.1	40.8
	MEAN WET BULB	22	29.7	30.5	32.4	38.6	44.8	50.5	53.2	52.7	48.3	42.0	34.3	32.7	40.8
	MEAN DEW POINT	22	27.0	27.4	28.4	34.2	40.6	47.0	50.6	50.2	46.6	40.0	32.0	30.4	37.9
	NORMAL NO. DAYS WITH: MAXIMUM >= 70	30	0.0	0.0	0.0	0.1	1.4	5.1	7.2	5.7	0.2	0.0	0.0	0.0	19.7
	MAXIMUM <= 32	30	14.8	8.7	3.0	*	0.0	0.0	0.0	0.0	0.0	0.3	5.3	11.5	43.6
	MINIMUM <= 32	30	24.1	21.6	20.5	11.7	1.8	*	0.0	0.0	1.2	6.6	17.1	22.1	126.7
MINIMUM <= 0	30	3.0	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	1.3	5.8	
H/C	NORMAL HEATING DEG. DAYS	30	1219	1010	973	728	529	335	257	288	453	704	953	1125	8574
	NORMAL COOLING DEG. DAYS	30	0	0	0	0	0	0	0	0	0	0	0	0	0
RH	NORMAL (PERCENT)	30	84	82	80	78	76	77	81	84	89	88	86	86	83
	HOURLY 03 LST	30	85	86	87	89	90	89	89	93	95	92	89	88	89
	HOURLY 09 LST	30	86	85	83	78	76	78	83	86	90	90	88	88	84
	HOURLY 15 LST	30	82	76	69	63	62	65	71	74	80	83	83	86	75
	HOURLY 21 LST	30	85	85	83	81	77	76	80	84	92	91	88	87	84
S	PERCENT POSSIBLE SUNSHINE	33	32	32	37	39	39	34	31	32	26	19	23	20	30
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	42	2.0	2.5	2.0	1.1	0.6	0.3	0.1	1.0	2.3	3.3	3.3	2.7	21.2
	THUNDERSTORMS	57	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.4
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	48	6.2	6.4	6.4	6.4	6.3	6.5	6.6	6.3	6.8	7.0	6.7	6.7	6.5
	MIDNIGHT-MIDNIGHT (OKTAS)	16	5.2	5.7	6.1	5.9	6.3	6.1	6.2	5.9	6.4	6.6	6.0	6.1	6.0
	MEAN NO. DAYS WITH: CLEAR	48	5.7	4.3	4.4	3.7	3.8	3.4	2.8	3.9	2.7	2.4	3.3	3.2	43.6
	PARTLY CLOUDY	48	2.6	3.0	3.2	4.2	4.4	4.2	4.5	4.7	3.3	2.1	2.3	2.0	40.5
	CLOUDY	48	22.5	21.0	23.4	22.1	22.6	22.4	23.0	21.9	23.4	26.0	24.0	25.2	277.5
PR	MEAN STATION PRESSURE (IN)	22	30.46	30.55	30.48	30.51	30.53	30.55	30.56	30.54	30.51	30.47	30.44	30.43	30.50
	MEAN SEA-LEVEL PRES. (IN)	22	29.83	29.86	29.85	29.88	29.89	29.91	29.93	29.90	29.88	29.83	29.81	29.79	29.86
WINDS	MEAN SPEED (MPH)	22	7.3	7.5	7.9	7.8	7.7	7.1	7.0	7.2	8.0	8.6	8.0	8.4	7.7
	PREVAIL. DIR (TENS OF DEGS)	25	10	12	12	12	12	11	08	09	09	12	12	12	12
	MAXIMUM 2-MINUTE: SPEED (MPH)	8	45	46	40	37	36	26	30	38	41	47	47	48	48
	DIR. (TENS OF DEGS)		12	12	12	11	12	11	12	12	12	11	12	11	11
	YEAR OF OCCURRENCE		2001	2002	2004	2005	2001	2006	2003	1999	2001	2004	2001	2004	DEC 2004
	MAXIMUM 5-SECOND SPEED (MPH)	8	56	54	49	49	47	33	36	48	53	55	61	60	61
	DIR. (TENS OF DEGS)		12	12	12	11	15	11	11	13	20	10	12	11	12
	YEAR OF OCCURRENCE		2001	2002	2000	2005	1999	2006	2006	1999	2000	2004	2001	2004	NOV 2001
PRECIPITATION	NORMAL (IN)	30	4.81	4.02	3.51	2.96	3.48	3.36	4.14	5.37	7.54	8.30	5.43	5.41	58.33
	MAXIMUM MONTHLY (IN)	62	9.11	8.48	6.50	7.48	9.20	6.22	10.36	12.31	15.14	15.25	13.38	13.61	15.25
	YEAR OF OCCURRENCE		1993	1964	1994	1999	1992	1996	1997	1961	1991	1974	2005	1997	OCT 1974
	MINIMUM MONTHLY (IN)	62	0.94	0.07	0.59	0.27	0.84	1.08	1.15	0.56	2.34	2.71	1.15	0.49	0.07
	YEAR OF OCCURRENCE		1969	1989	1983	1948	2004	1950	1972	1979	1965	1950	1983	1983	FEB 1989
	MAXIMUM IN 24 HOURS (IN)	62	2.74	2.71	1.81	2.05	2.30	2.26	2.46	2.62	3.35	4.66	3.57	3.56	4.66
	YEAR OF OCCURRENCE		1948	1993	1992	1997	1992	1996	2001	1974	1996	1946	2005	1956	OCT 1946
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	19.4	16.3	18.8	17.5	17.1	15.9	16.7	18.1	21.1	23.8	20.3	20.8	225.8
	PRECIPITATION >= 1.00	30	0.7	0.6	0.2	0.2	0.3	0.3	0.5	0.9	1.4	1.5	0.9	0.7	8.2
	SNOWFALL	NORMAL (IN)	30	28.8	18.0	11.1	1.0	0.*	0.0	0.0	0.0	0.*	1.1	13.0	20.9
MAXIMUM MONTHLY (IN)		62	69.2	86.3	52.6	46.3	1.2	T	0.0	0.0	T	15.6	69.8	54.7	86.3
YEAR OF OCCURRENCE			1982	1965	1948	1963	1964	1970			1974	1956	1994	1964	FEB 1965
MAXIMUM IN 24 HOURS (IN)		62	20.1	23.7	31.0	24.2	0.7	T	0.0	0.0	T	8.8	19.4	25.6	31.0
YEAR OF OCCURRENCE			1975	1949	1948	1963	1945	1970			1974	1956	1994	1962	MAR 1948
MAXIMUM SNOW DEPTH (IN)		56	38	41	40	33	0	0	0	0	0	7	28	36	41
YEAR OF OCCURRENCE			1966	1949	1972	1963						1956	2006	1962	FEB 1949
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0		30	7.2	4.9	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.2	3.4	4.6	23.4

PRECIPITATION (inches) 2006 JUNEAU (PAJN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	4.59	4.56	3.31	4.02	1.56	3.47	3.19	3.03	5.57	7.14	4.58	2.16	47.18
1978	1.71	1.50	1.84	2.19	2.86	3.18	3.98	4.39	3.07	13.00	3.90	4.46	46.08
1979	2.19	0.91	3.98	0.98	2.45	2.74	5.44	0.56	4.89	9.06	8.36	7.73	49.29
1980	3.44	2.83	2.75	5.32	2.53	4.37	6.49	5.61	7.91	11.26	7.10	2.27	61.88
1981	4.66	2.57	1.88	2.11	3.27	2.44	4.25	6.19	11.61	6.18	6.93	2.24	54.33
1982	3.74	1.42	2.52	2.44	5.10	1.86	1.73	5.97	5.10	7.97	2.10	1.17	41.12
1983	4.00	1.69	0.59	2.53	5.37	2.69	3.16	9.52	6.13	4.24	1.15	0.49	41.56
1984	6.06	5.40	3.75	2.11	1.84	4.17	6.92	6.26	3.39	6.69			
1985												8.33	
1986	7.00	3.25	6.08	2.98	2.54	2.76	2.38	6.89	2.40	12.33	5.96	6.42	60.99
1987	3.99	3.13	2.12	2.08	2.60	6.02	2.54	4.54	8.92	10.36	7.17	5.32	58.79
1988	2.58	6.55	4.15	2.25	3.91	2.05	5.21	5.53	5.46	9.71	8.62	4.75	60.77
1989	6.77	0.07	1.33	0.87	3.44	1.10	3.81	2.82	7.29	6.37	6.23	6.78	46.88
1990	3.72	4.54	4.86	1.06	1.72	3.32	4.65	5.35	10.63	6.59	4.89	6.03	57.36
1991	4.16	6.55	4.41	4.73	4.72	3.41	4.85	9.60	15.14	8.63	9.63	9.32	85.15
1992	8.69	7.24	6.37	3.63	9.20	2.98	5.18	5.02	11.45	5.90	7.91	5.73	79.30
1993	9.11	8.09	3.50	1.94	2.19	4.92	2.25	3.20	8.44	9.00	11.06	7.89	71.59
1994	7.05	2.52	6.50	3.68	4.20	1.83	4.32	2.68	11.17	9.15	9.57	6.22	68.89
1995	1.78	2.83	3.01	2.08	2.85	3.45	4.36	5.01	7.43	6.04	2.93	4.58	46.35
1996	2.26	8.43	4.12	2.19	1.80	6.22	3.16	7.91	10.68	6.20	2.75	4.73	60.45
1997	2.73	8.17	3.91	4.41	3.25	3.51	10.36	3.93	8.26	7.85	4.63	13.61	74.62
1998	2.54	1.90	3.71	3.12	2.21	2.50	4.95	6.80	6.17	12.13	1.72	5.45	53.20
1999	8.14	2.66	2.58	7.48	5.69	2.69	4.10	6.77	10.62	12.19	5.77	10.30	78.99
2000	4.82	1.56	5.75	4.40	3.25	5.72	6.65	6.12	10.05	10.11	6.37	4.17	68.97
2001	7.43	4.40	3.33	2.19	5.19	1.65	7.26	3.66	8.37	7.80	3.62	4.49	59.39
2002	3.28	5.62	1.33	0.47	2.37	3.40	4.72	10.50	6.08	10.69	7.95	5.86	62.27
2003	5.68	1.44	3.56	0.86	2.90	3.74	3.44	4.53	11.41	4.44	6.21	5.92	54.13
2004	5.89	5.66	5.59	4.43	0.84	1.30	3.54	2.51	9.23	7.18	8.38	10.67	65.22
2005	5.90	6.12	4.18	2.94	0.89	3.00	5.25	6.58	9.92	9.12	13.38	6.74	74.02
2006	2.93	2.07	1.55	4.24	4.56	5.93	4.43	11.02	13.01	11.78	3.40	9.37	74.29
POR= 62 YRS	4.46	3.82	3.39	2.90	3.36	3.19	4.43	5.31	7.44	8.22	5.72	5.32	57.56

WBAN : 25309

AVERAGE TEMPERATURE (°F) 2006 JUNEAU (PAJN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	35.0	40.1	36.0	42.3	47.7	54.1	57.0	58.5	50.5	42.4	29.4	18.9	42.7
1978	25.1	31.8	33.9	42.0	47.8	54.2	55.2	56.3	50.6	45.1	30.3	28.3	41.7
1979	20.6	11.0	35.6	41.1	47.7	52.2	56.7	58.2	51.0	45.2	37.2	26.5	40.3
1980	19.5	33.8	34.1	42.2	49.4	55.6	55.6	54.7	49.0	44.6	38.7	21.7	41.6
1981	37.6	32.7	39.4	39.1	52.1	54.3	56.1	55.9	49.2	42.8	36.8	26.9	43.6
1982	13.8	21.3	31.8	37.1	45.4	56.3	57.7	54.8	50.3	42.2	30.6	31.6	39.4
1983	30.2	31.8	34.8	42.6	49.7	55.6	57.1	54.6	48.0	42.1	31.8	18.9	41.4
1984	32.0		39.6	43.1	49.1	53.5	55.5	55.3	50.0	40.5			
1985												32.5	
1986	34.3	28.7	35.3	37.3	46.6	54.3	56.8	54.4	50.7	45.8	30.5	36.0	42.6
1987	33.1	34.7	31.8	41.6	47.8	51.6	58.6	57.5	50.1	44.4	40.0	34.3	43.8
1988	27.0	32.6	37.6	41.7	48.5	54.0	53.8	53.9	48.2	44.1	36.2	31.3	42.4
1989	25.5	23.9	29.4	42.7	49.0	55.4	60.1	58.2	52.4	41.7	32.9	36.0	42.3
1990	26.4	25.1	36.4	42.7	49.7	55.0	59.3	58.1	51.2	40.7	26.4	23.7	41.2
1991	24.9	35.3	33.1	41.7	48.2	55.0	55.2	55.0	50.3	40.1	36.3	33.6	42.4
1992	35.7	32.7	36.9	41.1	46.4	55.2	57.0	56.0	46.8	40.5	38.4	25.6	42.7
1993	24.5	30.2	35.8	44.4	52.1	55.8	59.6	57.1	51.2	45.8	36.8	35.9	44.1
1994	27.7	18.4	36.7	43.3	48.1	54.9	57.4	59.3	50.2	43.3	29.4	27.7	41.4
1995	27.2	29.0	30.3	43.4	51.4	55.4	57.0	54.8	53.8	42.4	32.4	25.2	42.4
1996	16.6	29.0	32.8	40.7	48.7	54.1	57.7	54.7	48.9	40.2	31.3	26.5	40.1
1997	26.1	35.3	31.5	41.5	51.5	56.6	58.2	58.8	53.3	41.4	37.3	36.7	44.0
1998	24.5	37.1	35.0	42.4	50.1	55.9	57.5	54.2	49.4	42.8	33.1	27.9	42.5
1999	26.6	28.6	33.1	39.5	44.8	53.8	57.4	56.4	49.7	43.5	36.1	35.9	42.1
2000	26.5	31.7	36.3	39.7	46.9	53.0	55.3	54.4	49.0	41.9	37.7	31.2	42.0
2001	36.7	28.2	33.4	40.3	45.2	54.2	55.4	57.2	50.3	41.9	32.9	29.0	42.1
2002	30.6	30.8	28.3	36.3	47.1	54.8	54.6	54.4	49.6	44.3	40.1	31.9	41.9
2003	31.6	31.7	30.5	41.7	46.8	53.7	58.0	54.9	48.8	43.3	30.6	31.8	42.0
2004	25.2	35.5	34.7	41.0	51.7	58.0	59.6	59.4	48.8	41.2	36.8	32.1	43.7
2005	25.2	30.7	37.5	44.0	52.7	56.1	56.3	57.2	51.1	41.7	35.5	33.7	43.5
2006	29.5	28.5	27.8	39.0	47.8	54.5	56.3	53.1	50.0	42.3	19.4	34.3	40.2
POR= 61 YRS	24.6	28.6	32.6	39.7	47.4	53.5	56.0	55.1	48.8	42.1	33.0	28.1	40.8

HEATING DEGREE DAYS (base 65°F) 2006 JUNEAU (PAJN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	243	196	428	695	1062	1423	1233	922	954	683	525	317	8681
1978-79	298	262	427	612	1037	1134	1370	1505	904	712	528	378	9167
1979-80	251	205	415	609	830	1187	1404	895	949	678	477	278	8178
1980-81	283	308	472	628	783	1333	843	899	786	772	392	316	7815
1981-82	269	275	469	682	841	1175	1579	1214	1021	830	601	257	9213
1982-83	220	310	435	699	1027	1029	1073	924	931	663	470	275	8056
1983-84	237	317	502	701	991	1423	1014		780	649	486	338	
1984-85	286	291	444	754									
1985-86						1001	943	1011	913	822	564	316	
1986-87	249	319	423	587	1028	891	982	841	1020	697	526	394	7957
1987-88	199	222	440	635	744	944	1169	935	844	691	508	324	7655
1988-89	338	338	497	641	855	1040	1217	1144	1097	663	491	283	8604
1989-90	159	210	370	713	959	890	1191	1109	879	661	467	295	7903
1990-91	180	210	407	748	1152	1274	1238	823	981	694	516	298	8521
1991-92	294	303	435	764	855	966	902	930	865	712	571	292	7889
1992-93	240	274	540	750	791	1217	1250	966	899	612	394	271	8204
1993-94	166	240	406	588	838	891	1147	1298	869	641	514	299	7897
1994-95	229	171	437	668	1061	1150	1165	1003	1066	641	416	285	8292
1995-96	241	309	329		971	1229	1493	1038	993	719	498	322	
1996-97	218	312	476	764	1004	1187	1196	826	1031	698	414	252	8378
1997-98	203	183	345	725	823	869	1247	776	926	673	457	266	7493
1998-99	224	331	463	681	951	1141	1181	1012	978	758	619	329	8668
1999-00	230	264	452	660	858	895	1184	959	882	751	552	354	8041
2000-01	295	322	471	710	813	1040	873	1026	972	734	605	320	8181
2001-02	292	235	434	709	956	1111	1060	951	1131	856	549	299	8583
2002-03	316	325	455	636	740	1019	1027	927	1064	690	555	330	8084
2003-04	210	306	478	665	1026	1020	1225	849	933	713	406	220	8051
2004-05	163	172	478	730	838	1011	1222	954	848	622	373	260	7671
2005-06	265	240	413	715	877	961	1094	1019	1147	774	526	306	8337
2006-	264	364	444	700	1361	943							

WBAN : 25309

COOLING DEGREE DAYS (base 65°F) 2006 JUNEAU (PAJN)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	0	0	0	0	1	0	0	0	0	1
1978	0	0	0	0	0	0	0	0	0	0	0	0	0
1979	0	0	0	0	0	0	0	1	0	0	0	0	1
1980	0	0	0	0	0	1	0	0	0	0	0	0	1
1981	0	0	0	0	0	0	0	0	0	0	0	0	0
1982	0	0	0	0	0	2	0	0	0	0	0	0	2
1983	0	0	0	0	0	0	0	0	0	0	0	0	0
1984	0		0	0	0	0	0	0	0	0			
1985												0	
1986	0	0	0	0	0	2	0	0	0	0	0	0	2
1987	0	0	0	0	0	0	5	0	0	0	0	0	5
1988	0	0	0	0	0	0	0	0	0	0	0	0	0
1989	0	0	0	0	0	0	14	0	0	0	0	0	14
1990	0	0	0	0	0	1	8	3	0	0	0	0	12
1991	0	0	0	0	0	6	0	0	0	0	0	0	6
1992	0	0	0	0	0	6	0	0	0	0	0	0	6
1993	0	0	0	0	0	0	5	0	0	0	0	0	5
1994	0	0	0	0	0	0	0	2	0	0	0	0	2
1995	0	0	0	0	0	1	0	0	0	0	0	0	1
1996	0	0	0	0	0	0	2	0	0	0	0	0	2
1997	0	0	0	0	0	6	0	0	0	0	0	0	6
1998	0	0	0	0	0	0	0	0	0	0	0	0	0
1999	0	0	0	0	0	0	2	3	0	0	0	0	5
2000	0	0	0	0	0	0	0	0	0	0	0	0	0
2001	0	0	0	0	0	0	0	0	0	0	0	0	0
2002	0	0	0	0	0	0	0	0	0	0	0	0	0
2003	0	0	0	0	0	0	3	0	0	0	0	0	3
2004	0	0	0	0	0	17	2	5	0	0	0	0	24
2005	0	0	0	0	0	0	0	2	0	0	0	0	2
2006	0	0	0	0	0	0	0	0	0	0	0	0	0

SNOWFALL (inches) 2006 JUNEAU (PAJN)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	T	27.4	16.6	5.2	1.1	1.7	0.4	0.0	0.0	52.4
1978-79	0.0	0.0	0.0	0.0	14.9	21.6	24.2	21.4	5.4	T	0.0	0.0	87.5
1979-80	0.0	0.0	0.0	0.0	1.6	48.4	41.6	4.1	2.4	T	0.0	0.0	98.1
1980-81	0.0	0.0	0.0	0.0	0.5	40.5	2.4	16.4	0.5	2.2	0.0	0.0	62.5
1981-82	0.0	0.0	0.0	0.0	4.0	6.0	69.2	29.6	8.4	1.1	T	0.0	118.3
1982-83	0.0	0.0	0.0	2.0	0.4	10.8	40.1	15.7	0.2	T	0.0	0.0	69.2
1983-84	0.0	0.0	0.0	0.0	8.1	13.3	43.1	0.7	1.0	T	T	0.0	66.2
1984-85	0.0	0.0	0.0	0.0									
1985-86						2.0	10.3	7.4	30.4	4.4	T	0.0	
1986-87	0.0	0.0	0.0	T	22.1	1.4	3.3	1.4	7.3	T	0.0	0.0	35.5
1987-88	0.0	0.0	0.0	T	4.6	6.8	3.5	8.0	1.0	0.5	0.0	0.0	24.4
1988-89	0.0	0.0	0.0	0.0	4.8	11.3	44.7	0.2	10.0	T	0.0	0.0	71.0
1989-90	0.0	0.0	0.0	0.6	32.5	6.4	36.5	39.4	0.6	0.0	0.0	0.0	116.0
1990-91	0.0	0.0	0.0	0.0	48.8	33.2	31.8	15.5	9.4	0.8	T	0.0	139.5
1991-92	0.0	0.0	0.0	5.4	7.7	49.3	14.3	12.4	4.1	T	T	0.0	93.2
1992-93	0.0	0.0	0.0	1.1	4.4	25.0	32.5	36.8	2.6	T	0.0	0.0	102.4
1993-94	0.0	0.0	0.0	0.0	4.3	10.4	61.2	32.4	22.9	T	0.0	0.0	131.2
1994-95	0.0	0.0	0.0	0.0	69.8	25.8	8.6	14.0	28.4	T	0.0	0.0	146.6
1995-96	0.0	0.0	0.0	0.0	2.9	23.0	20.8	33.1	5.5	T	0.0	0.0	85.3
1996-97	0.0	0.0	0.0	.5	2.5	4.6	12.3	17.3	19.2	0.4	0.0	0.0	56.8
1997-98	0.0	0.0	0.0	1.9	1.2	14.9	12.9	0.5					
1998-99						22.8	53.1	34.2	7.3	1.1	T	0.0	
1999-00	0.0	0.0	0.0	T	5.1	19.9	13.6	4.6	T	T	0.0	0.0	43.2
2000-01	0.0	0.0	T	2.3	1.0	2.3	7.6	14.9	0.6	T	T	0.0	28.7
2001-02	0.0	0.0	0.0	3.4	3.1	25.5	18.9	28.9	2.5	T	0.0	0.0	82.3
2002-03	0.0	0.0	0.0	0.0	0.0	17.7	15.3	6.2	17.7	T	0.0	0.0	56.9
2003-04	0.0	0.0	0.0	0.0	24.9	11.9	34.2	2.8	18.5	T	0.0	0.0	92.3
2004-05	0.0	0.0	0.0	T	1.9	10.8	46.7	16.6	1.0	1.6	0.0	0.0	78.6
2005-06	0.0	0.0	0.0	0.0	8.3	4.6	30.8	3.2	6.9	0.5	T	0.0	54.3
2006-	0.0	0.0	0.0	T	64.2	25.4							
POR= 61 YRS	0.0	0.0	T	1.0	11.5	21.7	25.4	18.4	12.9	2.4	T	0.0	93.3

WBAN : 25309

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2006 JUNEAU ALASKA (PAJN)

Juneau lies well within the area of maritime influences which prevail over the coastal areas of southeastern Alaska, and is in the path of most storms that cross the Gulf of Alaska. Consequently, the area has little sunshine, generally moderate temperatures, and abundant precipitation. In contrast with the characteristic lack of sunshine there are greatly appreciated intervals, sometimes lasting for several days at a stretch, during which clear skies prevail. The rugged terrain exerts a fundamental influence upon local temperatures and the distribution of precipitation, creating considerable variations in both weather elements within relatively short distances.

Temperature variations, both daily and seasonal, are usually confined to relatively narrow limits by the dominant maritime influences. There are, however, periods of comparatively severe cold, which usually start with strong northerly winds, and are most often caused by the flow of cold air from northwestern Canada through nearby mountain passes and over the Juneau ice field. These are generally of brief duration. During such periods strong, gusty winds, known locally as Taku Winds, often occur especially in downtown Juneau, Douglas, and other local areas, but generally they are not felt in the Mendenhall Valley. At times these are strong enough to cause considerable damage. During periods of calm or light winds, temperature differences within short distances are frequently very pronounced. Variations in local sunlight and air drainage patterns produce wide differences in temperatures particularly between upland or sloping areas and areas of low, flat terrain. Juneau International Airport, located on low, flat terrain formed by the Mendenhall River delta, and in the path of drainage air from the Mendenhall Glacier, averages about 10 days a year with minimum readings below zero. Downtown Juneau, located on a sloping portion of a rugged mountain area, experiences on the average only about one day each year with minimum readings below zero. At the airport the growing season averages 146 days, from May 4 to September 28, while the downtown average is 181 days, from April 22 to October 21.

The months of February to June mark the period of lightest precipitation, with monthly averages of about 3 inches. After June the monthly amounts increase gradually, reaching an average of 7.71 inches in October. Due to the rugged topography, precipitation throughout the year tends to vary greatly within short distances. At the Juneau Airport, yearly precipitation is 53 inches while downtown, only 8 miles away, it is 93 inches. The maximum yearly amount received in the city is almost double the maximum received at the airport.

Although a trace of snow has fallen as early as September 9, first falls usually occur in the latter part of October, and sometimes not until the first part of December. On the average there is very little accumulation on the ground at low levels until the last of November, although at higher elevations, and particularly on mountain tops, a cover is usually established in early October. Snow accumulation usually reaches its greatest depth during the middle of February. Individual storms may produce heavy falls as late as the first half of May. However, snow cover is usually gone before the middle of April. Ice accumulations due to alternating thawing and freezing of snow or due to freezing precipitation are frequent problems in the Juneau area during the winter months.

Station Location

JUNEAU

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE										REMARKS
				NORTH	WEST	SEA LEVEL	GROUND							AUTOMATIC OBSERVING EQUIPMENT *		
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE		HYGROTHERMOMETER	
*NOTE:																
AIRPORT																
Juneau Airport	7/1/43	4/15/59	8 mi. NW	58° 22'	134° 35'	15	34	6	6	a	4	b5	4		a. Height unknown. b. Out of service 8/31/52-8/22/56. c. Removed 8/22/56. d. Commissioned 390 feet SSE of thermometer site 9/19/64. e. Effective 9/19/64. f. Minor relocation 10/15/67. g. Removed 12/1977.	
Administration Building Municipal Airport	4/16/59	6/14/79	500' SSE	58° 22'	134° 35'	17 e12	37	6 f6	6 f5	73		4 f6	4 f4 g	d5		
Federal Aviation Admin. International Airport	6/14/79	11/1/84	Not Moved	58° 22'	134° 35'	12	37 n15	6 i	5 h24		3 i j4 k4		m4	5	WSO closed. Observations by FAA in same location. FAA operations reduced 11/1/84 to 12/1/85. 1985 annual not published. h. Moved to roof 11/13/84. i. Removed 11/1984. j. Reinstalled 9/1/85. k. Minor move 4/7/86. m. Installed 4/7/86. n. Lowered 11/14/86.	
Closed	11/01/84	12/01/85														
Juneau International AP	03/01/98	Present	NA	58° 21'	134° 35'	o37								s	ASOS Commissioned 03/01/98 o. ground Elevation	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

* NOTES: For earlier station history see previous edition.