




# 2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-3156

## NORTH PLATTE, NEBRASKA (KLBF)

### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2006

## NORTH PLATTE (KLBF)

LATITUDE: 41° 7' N      LONGITUDE: -100° 40' W      ELEVATION (FT): GRND: 2763 BARO: 2781      TIME ZONE: CENTRAL (UTC -6)      WBAN: 24023

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	54.5	44.0	49.9	69.0	78.4	87.3	92.1	85.3	72.9	61.2	51.7	41.8	65.7	
	HIGHEST DAILY MAXIMUM	68	76	75	88	99	100	106	100	88	89	83	64	106	
	DATE OF OCCURRENCE	14+	28	29	13	27	14	19	05	15+	07	08	14	JUL 19	
	MEAN DAILY MINIMUM	19.5	12.1	23.5	36.5	44.1	57.5	63.4	59.3	42.5	31.6	19.5	14.0	35.3	
	LOWEST DAILY MINIMUM	8	-11	8	19	29	47	54	49	28	15	-3	-5	-11	
	DATE OF OCCURRENCE	23	18+	24	08	12	26	06	29	28	23	30	07	FEB 18+	
	AVERAGE DRY BULB	37.0	28.1	36.7	52.8	61.3	72.4	77.8	72.3	57.7	46.4	35.6	27.9	50.5	
	MEAN WET BULB	29.9		31.8	44.7	51.1	61.8	66.6	64.5	51.3	40.5	30.3	23.6		
	MEAN DEW POINT	21.6		24.1	36.4	41.7	54.9	60.8	60.4	46.1	34.3	22.5	17.2		
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	13	20	9	0	0	0	0	0	42
	MAXIMUM <= 32°	0	4	5	0	0	0	0	0	0	0	4	10	23	
MINIMUM <= 32°	30	28	25	7	3	0	0	0	4	18	28	31	174		
MINIMUM <= 0°	0	3	0	0	0	0	0	0	0	0	1	2	6		
H/C	HEATING DEGREE DAYS	858	1026	868	363	187	3	0	10	232	586	875	1143	6151	
	COOLING DEGREE DAYS	0	0	0	3	77	232	403	241	21	17	0	0	994	
RH	MEAN (PERCENT)	63	63	65	59	54	59	61	71	70	68	65	70	64	
	HOUR 00 LST	75	75	74	73	67	72	74	82	80	80	78	78	76	
	HOUR 06 LST	79	79	82	81	84	81	82	90	90	83	79	84	83	
	HOUR 12 LST	46	46	52	43	35	44	46	56	52	53	46	56	48	
	HOUR 18 LST	47	47	49	41	33	40	45	54	51	55	55	61	48	
S	PERCENT POSSIBLE SUNSHINE				87	86	87	90	86	85	82	76	77		
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	3	4	0	0	0	1	6	2	2	0	2	20	
	THUNDERSTORMS	0	0	2	4	3	9	4	2	1	1	0	0	26	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	27.03	27.16	27.07	26.98	27.06	27.11	27.11	27.13	27.10	27.08	27.11	27.18	27.09	
	MEAN SEA-LEVEL PRESS. (IN.)	29.97	30.15	30.02	29.85	29.93	29.93	29.92	29.96	29.96	30.00	30.07	30.17	29.99	
WINDS	RESULTANT SPEED (MPH)	5.3	4.1	2.7	2.5	0.7	3.3	3.7	3.6	2.2	2.6	1.8	4.1	1.2	
	RES. DIR. (TENS OF DEGS.)	31	33	05	33	30	13	13	12	31	33	33	33	35	
	MEAN SPEED (MPH)	8.1	8.9	11.3	12.3	9.0	8.5	7.6	7.5	8.5	8.2	6.8	7.2	8.7	
	PREVAIL.DIR.(TENS OF DEGS.)	32	32	11	36	31	11	11	12	31	32	30	32	32	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	38	36	40	48	36	53	41	37	32	35	40	31	53	
	DIR. (TENS OF DEGS.)	29	32	33	31	25	04	32	32	35	33	35	05	04	
	DATE OF OCCURRENCE	08	10	27	02	28	07	26	12	27	30	14	20	JUN 07	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	54	46	52	60	44	69	66	44	46	45	53	39	69	
DIR. (TENS OF DEGS.)	25	32	33	29	26	05	32	32	34	33	34	33	05		
DATE OF OCCURRENCE	18	10	27	19	28	07	26	12	27	30	14	31	JUN 07		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.21	0.13	0.73	1.40	0.83	5.03	3.27	1.95	2.73	0.86	0.07	2.56	19.77	
	GREATEST 24-HOUR (IN.)	0.16	0.06	0.45	0.70	0.44	2.61	1.15	1.02	1.63	0.61	0.03	1.44	2.61	
	DATE OF OCCURRENCE	01	16	18-19	06-07	26	16-17	10	12-13	21	08-09	28	19-20	JUN 16-17	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	4	4	6	8	5	9	8	7	6	6	4	4	71	
PRECIPITATION 0.10	1	0	3	4	2	5	5	4	2	2	0	4	32		
PRECIPITATION 1.00	0	0	0	0	0	2	2	0	1	0	0	1	6		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	T	2.7	9.7	0.1	0.0	T	T	0.0	0.0	0.8	2.0	16.3	31.6	
	GREATEST 24-HOUR (IN.)	T	1.4	5.5	0.1	0.0	T	T	0.0	0.0	0.8	1.0	8.0	8.0	
	DATE OF OCCURRENCE	02	16	19	25		05	26			17	29+	29	DEC 29	
	MAXIMUM SNOW DEPTH (IN.)	0	1	9	0	0	0	0	0	0	T	1	10	10	
	DATE OF OCCURRENCE		19+	21							18	29+	30	DEC 30	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	2	2	0	0	0	0	0	0	0	2	3	9		



**PRECIPITATION (inches) 2006 NORTH PLATTE (KLBF)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.18	0.27	2.89	4.85	5.90	1.31	4.41	1.79	1.48	0.18	0.39	1.22	24.87
1978	0.52	1.98	0.40	1.96	4.84	1.75	3.70	1.92	0.33	0.43	1.03	0.99	19.85
1979	0.86	0.09	2.78	1.46	2.96	3.37	7.05	1.49	0.45	1.32	2.89	0.28	25.00
1980	0.52	0.82	2.56	0.77	2.59	1.89	0.64	3.04	0.34	1.00	0.13	0.02	14.32
1981	0.07	0.05	2.72	2.47	5.37	2.32	5.09	2.48	0.25	0.60	1.94	0.43	23.79
1982	0.20	0.15	0.99	1.42	6.32	2.35	1.78	1.18	1.26	2.44	0.73	1.08	19.90
1983	0.33	0.25	1.54	2.12	3.20	3.32	3.74	1.98	0.14	0.56	1.56	0.46	19.20
1984	0.36	0.87	1.20	5.01	2.82	4.37	0.94	1.38	0.39	2.41	0.69	0.72	21.16
1985	0.55	0.14	0.44	1.84	4.01	0.87	3.98	1.16	3.23	1.24	1.09	0.79	19.34
1986	0.02	1.10	0.70	3.77	2.80	1.70	2.57	1.22	1.02	1.58	0.19	0.27	16.94
1987	0.16	1.55	1.65	1.01	3.19	3.95	2.81	1.19	1.16	1.67	1.26	0.81	20.41
1988	0.72	0.03	0.37	2.02	3.59	3.12	3.03	3.93	1.59	0.05	0.40	T	18.85
1989	0.55	0.73	0.38	0.10	3.02	3.51	1.86	2.37	1.11	0.08	0.02	0.28	14.01
1990	0.27	0.18	1.75	1.52	3.65	1.90	1.99	1.79	0.31	1.48	0.87	0.09	15.80
1991	0.35	0.21	1.00	3.00	5.39	2.78	1.81	0.53	1.75	2.14	0.92	0.67	20.55
1992	0.89	1.42	2.98	0.18	3.18	2.61	3.75	6.30	0.25	0.92	0.20	0.33	23.01
1993	0.74	1.37	0.61	1.80	2.47	6.12	5.47	3.78	0.71	1.59	1.32	0.22	26.20
1994	0.53	0.29	0.05	1.47	1.16	4.92	4.52	1.24	0.60	2.63	0.78	0.66	18.85
1995	0.12	0.09	1.21	3.09	4.51	2.59	2.01	0.73	1.98	0.87	0.08	0.02	17.30
1996	0.50	T	0.33	0.84	4.12	3.87	5.57	3.25	5.55	.33	.40	.03	24.79
1997	T	0.73	0.07	1.00	1.87	2.58	3.19	3.40	1.76	2.77	0.04	0.20	17.61
1998	0.27	0.40	1.30	0.67	2.93	4.84	5.81	1.85	1.13	1.92	1.31	0.01	22.44
1999	0.34	0.26	0.64	2.83	1.92	5.32	0.93	5.49	1.20	0.22	0.14	0.05	19.34
2000	0.31	0.46	1.22	1.65	1.21	1.53	2.86	2.05	1.22	3.24	0.53	0.04	16.32
2001	0.48	0.40	0.60	5.94	2.19	1.71	2.52	5.26	2.76	0.80	0.96	0.07	23.69
2002	0.08	0.01	0.68	1.17	1.56	2.20	0.45	1.29	1.14	2.38	0.10	T	11.06
2003	0.35	0.49	1.28	3.84	2.02	5.45	1.90	0.59	1.08	0.49	0.73	0.03	18.25
2004	0.26	0.77	0.16	1.90	1.77	5.06	4.97	1.25	1.98	0.96	1.30	0.06	20.44
2005	0.41	0.17	1.76	2.33	3.04	5.07	1.26	2.78	0.17	0.78	0.46	0.22	18.45
2006	0.21	0.13	0.73	1.40	0.83	5.03	3.27	1.95	2.73	0.86	0.07	2.56	19.77
POR= 59 YRS	0.40	0.51	1.11	1.91	3.24	3.53	3.04	2.18	1.54	1.09	0.63	0.42	19.60

WBAN : 24023

**AVERAGE TEMPERATURE (°F) 2006 NORTH PLATTE (KLBF)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	16.6	32.0	37.0	51.7	63.1	70.5	74.5	68.5	63.8	50.0	35.8	24.9	49.0
1978	11.2	14.7	35.1	48.4	56.6	68.2	74.5	71.0	65.4	49.2	32.1	14.6	45.1
1979	6.0	17.2	37.0	48.4	57.4	68.1	74.1	72.9	67.1	53.8	32.2	34.0	47.4
1980	25.1	26.8	35.5	50.5	60.2	72.5	78.0	74.0	63.7	48.9	38.5	32.0	50.5
1981	29.7	29.1	40.2	55.8	54.8	68.6	73.8	70.1	63.0	49.0	39.9	26.7	50.1
1982	17.1	28.1	36.3	44.8	57.3	63.4	75.0	73.1	61.7	49.2	33.3	28.1	47.3
1983	27.1	35.1	37.2	42.3	54.0	65.2	75.3	78.0	64.8	51.3	36.7	7.5	47.9
1984	20.4	33.2	34.1	43.3	58.1	68.0	73.7	75.5	58.4	48.0	37.2	22.5	47.7
1985	18.3	23.1	40.5	52.2	60.8	65.4	75.3	70.1	59.8	48.6	24.6	19.2	46.5
1986	31.6	27.0	44.3	48.9	58.0	71.4	75.6	71.3	63.0	50.4	35.5	30.2	50.6
1987	29.5	35.8	36.7	51.3	63.1	70.2	75.7	70.3	61.3	47.0	38.2	27.7	50.6
1988	16.4	26.5	37.8	48.5	60.7	74.6	74.5	73.4	62.0	48.7	38.0	30.3	49.3
1989	30.2	17.8	35.7	51.1	59.0	65.8	74.3	71.7	61.0	50.7	37.6	20.6	48.0
1990	30.6	30.9	40.0	48.5	56.7	71.1	73.7	74.0	67.6	50.2	38.1	21.9	50.3
1991	23.1	37.5	40.5	49.3	61.8	71.0	74.9	73.7	63.6	48.4	32.2	33.4	50.8
1992	32.1	37.3	41.8	50.6	58.7	65.7	68.5	66.5	63.0	49.9	32.4	22.5	49.1
1993	18.5	18.0	37.0	45.5	58.7	65.3	71.5	70.3	58.3	48.5	32.7	30.4	46.2
1994	24.0	23.7	41.5	47.8	62.6	71.7	70.5	72.6	65.4	52.0	37.4	29.1	49.9
1995	26.8	34.0	37.8	43.8	52.6	66.7	73.8	79.3	62.6	48.2	38.6	28.8	49.4
1996	20.9	30.1	31.3	47.3	56.6	68.5	71.2	70.0	59.1	48.6	30.7	25.0	46.6
1997	23.3	29.1	39.5	42.3	55.1	69.5	73.9	70.9	64.2	51.1	33.9	28.2	48.4
1998	26.0	34.7	32.6	46.3	59.6	64.1	75.3	72.4	68.5	49.7	39.3	27.7	49.7
1999	27.6	36.7	38.5	45.3	57.1	66.9	75.6	70.7	58.2	50.0	41.8	30.7	49.9
2000	27.3	33.9	40.9	48.0	60.7	67.9	76.5	77.5	63.6	51.1	24.6	21.6	49.5
2001	27.7	23.4	36.9	49.1	57.0	67.5	77.5	71.1	61.7	48.4	38.9	27.4	48.9
2002	26.9	30.5	29.2	48.0	56.0	74.8	79.1	73.5	63.4	42.8	37.0	30.2	49.3
2003	27.9	25.8	40.4	49.5	57.9	66.1	77.4	75.6	60.9	53.8	34.8	29.9	50.0
2004	23.9	27.1	42.1	48.8	61.7	64.9	71.9	67.8	66.2	51.9	37.7	30.5	49.5
2005	23.8	34.2	38.7	47.7	57.1	70.9	77.2	72.8	67.9	50.9	39.5	25.5	50.5
2006	37.0	28.1	36.7	52.8	61.3	72.4	77.8	72.3	57.7	46.4	35.6	27.9	50.5
POR= 59 YRS	23.1	28.4	36.1	47.8	58.3	68.3	74.3	72.4	62.3	49.9	35.4	26.3	48.5

**HEATING DEGREE DAYS (base 65°F) 2006 NORTH PLATTE (KLBF)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	2	34	96	458	869	1236	1662	1400	924	491	275	71	7518
1978-79	5	24	99	488	982	1560	1828	1335	862	491	259	56	7989
1979-80	4	11	52	341	975	957	1233	1102	909	439	166	10	6199
1980-81	0	6	107	491	790	1019	1089	1000	762	283	318	26	5891
1981-82	9	4	101	492	749	1179	1479	1030	885	601	239	111	6879
1982-83	0	18	160	484	946	1138	1167	833	854	672	343	90	6705
1983-84	2	0	128	419	840	1780	1379	915	953	647	236	33	7332
1984-85	0	0	247	519	829	1312	1440	1168	752	393	156	83	6899
1985-86	0	23	252	502	1205	1416	1029	1060	634	479	219	2	6821
1986-87	0	14	98	446	878	1074	1093	810	868	420	102	15	5818
1987-88	13	36	139	551	796	1152	1501	1109	839	490	170	3	6799
1988-89	0	13	128	498	803	1067	1072	1316	902	430	211	67	6507
1989-90	2	7	180	437	815	1374	1061	948	771	502	259	15	6371
1990-91	15	1	84	457	797	1331	1290	762	754	466	149	5	6111
1991-92	3	1	148	508	977	971	1010	797	714	436	219	45	5829
1992-93	18	60	113	466	970	1310	1436	1311	862	578	204	73	7401
1993-94	2	24	218	513	965	1066	1263	1151	724	517	131	5	6579
1994-95	3	8	90	395	820	1106	1180	863	840	631	377	67	6380
1995-96	17	2	167	517	786	1116	1359	1004	1037	527	283	40	6855
1996-97	3	1	214	503	1021	1233	1284	1001	782	673	306	14	7035
1997-98	10	17	113	452	926	1133	1202	841	998	551	195	114	6552
1998-99	2	0	39	467	764	1149	1151	785	815	586	248	54	6060
1999-00	8	9	227	458	690	1057	1164	894	738	503	169	49	5966
2000-01	0	0	142	424	1204	1337	1152	1156	868	473	255	87	6821
2001-02	0	5	146	511	773	1160	1173	957	1104	506	299	11	6645
2002-03	0	8	138	680	831	1074	1142	1091	758	462	236	56	6476
2003-04	0	7	168	352	897	1079	1267	1091	705	477	153	101	6297
2004-05	11	46	87	402	812	1062	1269	856	807	513	266	28	6159
2005-06	6	3	72	438	757	1218	858	1026	868	363	187	3	5799
2006-	0	10	232	586	875	1143							

WBAN : 24023

**COOLING DEGREE DAYS (base 65°F) 2006 NORTH PLATTE (KLBF)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	2	26	174	305	149	64	0	0	0	720
1978	0	0	0	1	21	174	307	218	117	5	0	0	843
1979	0	0	0	0	27	156	294	262	123	0	0	0	862
1980	0	0	0	10	27	243	411	289	74	0	0	0	1054
1981	0	0	0	10	9	141	288	168	47	1	0	0	664
1982	0	0	0	0	8	70	314	276	68	0	0	0	736
1983	0	0	0	0	8	103	331	412	128	1	0	0	983
1984	0	0	0	0	27	129	281	331	55	2	0	0	825
1985	0	0	0	14	32	100	326	189	100	0	0	0	761
1986	0	0	0	3	11	201	334	217	43	0	0	0	809
1987	0	0	0	16	48	176	352	208	35	0	0	0	835
1988	0	0	0	1	41	293	301	282	46	0	0	0	964
1989	0	0	0	21	35	99	295	220	67	2	0	0	739
1990	0	0	0	15	10	205	291	289	165	5	0	0	980
1991	0	0	0	3	59	194	317	276	112	2	0	0	963
1992	0	0	0	13	31	68	135	116	60	1	0	0	424
1993	0	0	0	0	15	88	212	194	24	6	0	0	539
1994	0	0	0	10	63	213	183	251	111	0	0	0	831
1995	0	0	0	0	0	125	298	449	103	4	0	0	979
1996	0	0	0	0	33	149	204	165	44	3	0	0	598
1997	0	0	0	0	5	156	295	206	96	29	0	0	787
1998	0	0	0	0	37	94	326	237	150	0	0	0	844
1999	0	0	0	0	9	119	343	192	28	0	0	0	691
2000	0	0	0	0	42	140	362	393	107	0	0	0	1044
2001	0	0	0	4	13	168	394	201	52	3	0	0	835
2002	0	0	0	2	27	312	446	277	96	0	0	0	1160
2003	0	0	0	5	24	98	393	341	50	12	0	0	923
2004	0	0	0	0	57	104	231	141	129	1	0	0	663
2005	0	0	0	0	29	196	394	252	164	9	0	0	1044
2006	0	0	0	3	77	232	403	241	21	17	0	0	994

**SNOWFALL (inches) 2006 NORTH PLATTE (KLBF)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	T	0.3	6.4	6.2	20.6	2.0	T	T	0.0	35.5
1978-79	0.0	0.0	0.0	T	7.6	10.3	6.3	0.3	5.9	2.3	T	0.0	32.7
1979-80	0.0	0.0	0.0	2.9	17.5	2.3	5.2	9.1	21.9	7.4	0.0	0.0	66.3
1980-81	0.0	0.0	0.0	0.6	1.2	T	0.7	0.5	0.5	0.4	0.0	0.0	3.9
1981-82	0.0	0.0	0.0	T	5.3	6.4	4.4	1.7	6.4	0.9	0.0	0.0	25.1
1982-83	0.0	0.0	0.0	1.0	2.0	9.7	1.6	0.1	5.9	5.4	0.0	0.0	25.7
1983-84	0.0	0.0	T	0.0	12.1	7.3	5.3	9.6	8.8	14.5	0.2	0.0	57.8
1984-85	0.0	0.0	T	0.3	0.9	8.7	8.5	0.8	2.1	0.0	0.0	0.0	21.3
1985-86	0.0	0.0	3.1	T	13.0	8.1	0.2	8.7	3.8	T	0.0	0.0	36.9
1986-87	0.0	0.0	0.0	2.0	1.0	2.6	1.6	9.2	7.2	0.1	0.0	0.0	23.7
1987-88	0.0	0.0	0.0	1.3	8.2	7.2	12.6	0.6	3.8	2.1	0.0	0.0	35.8
1988-89	0.0	0.0	0.0	T	2.5	T	6.1	10.6	4.3	0.3	T	0.0	23.8
1989-90	T	0.0	T	T	T	2.2	5.9	1.9	5.3	0.3	T	T	15.6
1990-91	0.0	0.0	0.0	2.0	9.7	0.8	4.1	1.1	5.6	T	T	0.0	23.3
1991-92	0.0	0.0	0.0	7.3	1.6	1.8	5.4	1.2	5.1	0.3	T	0.0	22.7
1992-93	T	T	0.0	T	2.2	3.9	10.1	17.2	2.7	2.0	T	T	38.1
1993-94	T	0.0	T	T	3.9	3.3	10.6	6.0	0.4	11.5	T	T	35.7
1994-95	T	0.0	0.0	0.0	4.6	9.0	0.1	2.7	7.4	9.6	0.0	T	33.4
1995-96	T	0.0	0.7	4.1	0.8	0.5	4.9	T	3.4	4.0	0.0	0.0	18.4
1996-97	T		0.0	T	5.2	1.0	0.9	12.1	0.5	4.4	0.0	0.0	
1997-98	0.0	T	0.0	5.7	1.6	3.2	4.4	4.2	8.8	0.0	T	T	27.9
1998-99	T	0.0	0.0	T	5.7	0.7	4.5	5.2	2.7	1.2	0.0	T	20.0
1999-00	T	T	0.0	0.0	1.4	1.1	8.1	3.6	0.8	T	T	T	15.0
2000-01	T	T	2.8	0.0	10.6	1.0	7.4	5.3	4.2	6.3	T	T	37.6
2001-02	T	T	0.0	0.0	1.6	3.4	2.0	0.2	10.5	T	T	T	17.7
2002-03	0.0	0.0	0.0	8.2	1.0	T	4.1	8.9	1.0	7.6	0.0	0.0	30.8
2003-04	0.0	0.0	0.0	0.0	1.2	0.7	5.3	5.2	0.7	1.5	0.0	0.0	14.6
2004-05	0.0	T	0.0	0.0	9.9	0.6	5.7	1.8	5.1	0.4	T	0.0	23.5
2005-06	T	0.0	0.0	0.0	3.9	3.5	T	2.7	9.7	0.1	0.0	T	19.9
2006-	T	0.0	0.0	0.8	2.0	16.3							
POR= 59 YRS	T	T	0.1	1.3	3.9	4.4	5.3	4.9	6.4	2.8	0.2	T	29.3

WBAN : 24023

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2006

## NORTH PLATTE

### NEBRASKA (KLBF)

The climate of North Platte is characterized throughout the year by frequent rapid changes in the weather. During the winter, most North Pacific lows cross the country north of North Platte. The passage usually brings little or no snowfall, and only a moderate drop in temperature. Only when there is a major outbreak of cold air from Canada does the temperature fall to zero or below. The duration of below-zero temperature is hardly more than two mornings, and by the third or fourth day the temperature is ordinarily rising to the 40s or higher. Snowfall at the onset of a cold outbreak is usually less than 2 inches.

Only when a low moves from the middle Rockies through Nebraska, allowing easterly winds to draw moist air into the low circulation, does snowfall of appreciable amounts occur. Few of these storms move slowly enough, or are intense enough, to deposit much precipitation in the North Platte area. However, during some winters the cold outbreak and intense low from the mid-Rockies combine to produce severe cold and snow several inches in depth, with blizzard conditions following. During and after these snowfalls and blizzards, rail and highway traffic may be stalled until the snow is cleared. Widespread loss of unsheltered livestock and wild life results from such conditions.

The sudden and frequent weather changes of the winter continue through spring with decreasing intensity of temperature changes but increasing precipitation. The summer and fall months bring frequent changes from hot to cool weather. Most summer and fall precipitation is associated with thunderstorms, so the amounts are extremely variable. The surrounding area is occasionally damaged by locally severe winds and hailstorms.

Temperatures may reach into the upper 90s and lower 100s frequently during the summer months, but the elevation and clear skies bring rapid cooling after sunset to lows in the 60s or below by daybreak. Since the humidity is generally low, the extremely hot days of summer are not uncomfortable.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is September 24 and the average last occurrence in the spring is May 11.

# Station Location

## NORTH PLATTE

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								REMARKS	
								SEA LEVEL	GROUND								AUTOMATIC OBSERVING EQUIPMENT *
									GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE		
*NOTE:																	
AIRPORT																	
Administration Building Lee Bird Field	1/15/52	02/01/96	5/8 mi. E	41° 08'	100° 41'	c2775	a20	6 d5	6 d5	%17 f23	e5	4 d5	4 d4 i5	b5 g5 h5	a. 32 ft. to 8/12/64. b. Commissioned 1550 ft. SSE of thermometer site 8/12/64. c. 2779 ft. to 8/12/64. d. Relocated about 165 ft. WSW of previous location 7/12/68 and moved 200 ft. NNE 12/17/74. e. Commissioned 4/21/75. %. Effective 11/22/71. f. Effective 11/21/80. g. Type change 7/1/80. h. Type change 1/9/86. i. Moved 20' SSW 5/4/87. j. Changed 06/06/95		
Lee Bird Field	02/01/96	Present	NA	41° 07'	100° 40'	k2778								s	ASOS Commissioned 02/01/96 g. Ground elevation.		

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

\* NOTES: For earlier station history see previous editions.