




2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-5124

MIDLAND, TEXAS (KMAF)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2006

MIDLAND (KMAF)

LATITUDE: 31° 55'N LONGITUDE: -102° 12'W ELEVATION (FT): GRND: 2860 BARO: 2866 TIME ZONE: CENTRAL (UTC -6) WBAN: 23023

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	65.7	63.4	70.4	83.5	92.4	95.8	97.2	91.8	82.4	76.4	69.9	57.2	78.8	
	HIGHEST DAILY MAXIMUM	83	85	89	95	103	105	102	100	92	89	85	77	105	
	DATE OF OCCURRENCE	03	28	01	15	20	11	17+	11	27+	03+	09+	16	JUN 11	
	MEAN DAILY MINIMUM	32.9	33.4	44.5	54.7	61.8	68.3	72.4	70.2	60.5	52.0	39.4	30.3	51.7	
	LOWEST DAILY MINIMUM	20	20	24	41	46	59	65	63	49	38	22	14	14	
	DATE OF OCCURRENCE	10	19+	24	08	11	27+	23	30	29	29+	30	04	DEC 04	
	AVERAGE DRY BULB	49.3	48.4	57.5	69.1	77.1	82.1	84.8	81.0	71.5	64.2	54.7	43.8	65.3	
	MEAN WET BULB	37.5	37.8	46.3	54.2	59.3	64.1	66.8	68.8	61.4	54.7	45.0	36.4	52.7	
	MEAN DEW POINT	18.3	20.9	32.1	39.0	44.7	51.8	56.6	62.9	54.6	47.0	33.7	26.3	40.7	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	23	31	23	5	0	0	0	82	
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 32°	15	14	4	0	0	0	0	0	0	0	6	18	57		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	478	459	243	34	5	0	0	0	5	104	305	655	2288	
	COOLING DEGREE DAYS	0	0	18	164	388	517	621	506	205	85	1	0	2505	
RH	MEAN (PERCENT)	34	41	46	41	38	39	41	59	60	59	50	57	47	
	HOUR 00 LST	42	45	55	46	45	42	45	65	68	64	54	67	53	
	HOUR 06 LST	48	57	62	63	61	61	61	78	75	78	68	73	65	
	HOUR 12 LST	24	34	37	31	29	32	34	47	50	45	38	43	37	
	HOUR 18 LST	21	26	30	22	20	21	26	44	44	45	35	44	32	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	0	1	2	1	0	0	0	1	0	0	0	2	7	
	THUNDERSTORMS	1	1	3	2	3	1	2	11	0	0	0	0	24	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	27.11	27.11	27.02	26.98	26.96	27.06	27.06	27.06	27.06	27.04	27.09	27.15	27.06	
	MEAN SEA-LEVEL PRESS. (IN.)	30.04	30.05	29.92	29.84	29.80	29.89	29.89	29.90	29.92	29.93	30.01	30.11	29.94	
WINDS	RESULTANT SPEED (MPH)	4.5	0.6	2.7	3.1	6.2	7.1	7.5	5.4	3.9	2.8	2.7	2.7	3.3	
	RES. DIR. (TENS OF DEGS.)	24	24	15	19	15	14	14	16	14	17	20	25	17	
	MEAN SPEED (MPH)	10.7	10.0	12.0	12.3	12.1	10.8	10.4	8.5	9.6	10.0	9.8	9.5	10.5	
	PREVAIL.DIR.(TENS OF DEGS.)	25	18	08	17	18	17	16	17	18	16	18	21	16	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	41	35	38	41	41	36	37	39	32	29	40	44	44	
	DIR. (TENS OF DEGS.)	26	02	27	26	20	05	23	16	27	26	27	02	02	
	DATE OF OCCURRENCE	01	05	20	06	18	22	28	31	21	16	14	24	DEC 24	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	49	40	47	47	48	43	43	62	37	33	48	54	62	
DIR. (TENS OF DEGS.)	24	05	27	25	20	05	23	17	25	27	27	02	17		
DATE OF OCCURRENCE	01	16	20	06	18	22	28	31	21	16	14	24	AUG 31		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.16	0.82	1.78	0.33	0.13	1.02	1.55	5.92	1.23	1.46	T	1.35	15.75	
	GREATEST 24-HOUR (IN.)	0.15	0.51	1.00	0.17	0.07	0.76	1.48	2.23	0.96	1.14	T	0.57	2.23	
	DATE OF OCCURRENCE	27	24-25	18-19	20	29	23	28	31	03-04	15-16	30+	29	AUG 31	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	2	3	6	3	5	2	3	13	5	4	0	6	52	
PRECIPITATION 0.10	1	2	3	2	0	2	1	7	2	3	0	3	26		
PRECIPITATION 1.00	0	0	0	0	0	0	1	2	0	0	0	0	3		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	
	GREATEST 24-HOUR (IN.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	
	DATE OF OCCURRENCE											30		NOV 30	
	MAXIMUM SNOW DEPTH (IN.)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	DATE OF OCCURRENCE														
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

NORMALS, MEANS, AND EXTREMES MIDLAND (KMAF)

LATITUDE: 31 ° 55'N LONGITUDE: -102° 12'W ELEVATION (FT): GRND: 2860 BARO: 2866 TIME ZONE: CENTRAL (UTC -6) WBAN: 23023

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	56.8	63.0	70.9	78.8	86.8	92.7	94.3	92.8	86.1	77.4	65.8	58.4	77.0
	MEAN DAILY MAXIMUM	58	57.3	62.0	69.7	78.8	86.8	92.9	94.5	93.3	86.6	77.6	66.0	58.8	77.0
	HIGHEST DAILY MAXIMUM	59	84	90	95	101	108	116	112	107	107	101	90	85	116
	YEAR OF OCCURRENCE		1974	1986	1989	1996	2000	1994	1989	1964	1953	2000	1996	1954	JUN 1994
	MEAN OF EXTREME MAXS.	58	76.0	80.5	86.6	92.9	99.6	102.7	101.9	101.2	97.4	91.1	82.0	76.4	90.7
	NORMAL DAILY MINIMUM	30	29.6	34.1	40.8	48.6	58.8	66.4	69.1	67.9	61.6	51.3	38.8	31.2	49.9
	MEAN DAILY MINIMUM	58	30.1	34.1	40.6	49.5	59.1	66.8	69.5	68.6	62.0	51.7	39.1	31.7	50.2
	LOWEST DAILY MINIMUM	59	-8	-11	9	20	34	47	53	54	36	24	11	-1	-11
	YEAR OF OCCURRENCE		1962	1985	1980	1973	1970	1983	1978	1989	1989	1993	2001	1989	FEB 1985
	MEAN OF EXTREME MINS.	58	14.1	18.0	23.4	33.7	45.1	56.9	63.0	62.4	48.9	37.3	23.9	17.2	37.0
	NORMAL DRY BULB	30	43.2	48.6	55.9	63.7	72.8	79.6	81.7	80.4	73.9	64.4	52.3	44.8	63.4
	MEAN DRY BULB	58	43.8	48.0	55.2	64.2	73.0	80.0	82.0	81.0	74.3	64.7	52.6	45.2	63.7
	MEAN WET BULB	23	35.8	39.1	44.3	50.6	59.4	66.0	67.2	67.3	62.7	54.7	43.8	36.6	52.3
	MEAN DEW POINT	23	27.5	29.9	33.4	38.5	49.9	59.2	60.1	60.8	56.5	47.8	35.7	27.9	43.9
	NORMAL NO. DAYS WITH:														
	MAXIMUM >= 90	30	0.0	*	0.5	3.8	12.5	21.3	25.8	23.1	11.9	2.4	*	0.0	101.3
	MAXIMUM <= 32	30	1.6	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	3.4
MINIMUM <= 32	30	19.3	12.0	4.9	0.9	0.0	0.0	0.0	0.0	0.0	0.3	6.9	17.8	62.1	
MINIMUM <= 0	30	*	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.1	
H/C	NORMAL HEATING DEG. DAYS	30	680	472	302	120	18	0	0	0	19	103	380	622	2716
	NORMAL COOLING DEG. DAYS	30	0	2	15	77	254	438	512	473	281	83	4	0	2139
RH	NORMAL (PERCENT)	30	58	55	47	45	51	54	52	55	60	60	59	58	55
	HOURLY 00 LST	30	65	62	54	53	60	63	58	62	68	70	69	65	62
	HOURLY 06 LST	30	72	71	65	67	75	78	73	77	80	80	76	72	74
	HOURLY 12 LST	30	47	44	35	33	38	42	42	44	49	47	45	46	43
	HOURLY 18 LST	30	42	36	28	27	31	34	35	38	43	44	45	44	37
S	PERCENT POSSIBLE SUNSHINE	20	66	69	72	78	78	81	81	77	77	72	74	65	74
W/O	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY <= 1/4 MI) THUNDERSTORMS	43 58	3.6 0.3	2.5 0.6	1.0 1.5	0.7 3.0	0.5 6.5	0.1 5.7	0.0 5.7	0.1 6.1	0.5 3.6	1.5 2.8	2.4 0.7	2.7 0.3	15.6 36.8
CLOUDNESS	MEAN:														
	SUNRISE-SUNSET (OKTAS)	48	4.2	4.1	3.8	3.7	3.8	3.2	3.5	3.4	3.4	3.0	3.4	3.8	3.6
	MIDNIGHT-MIDNIGHT (OKTAS)	32	3.9	3.8	3.3	3.3	3.4	3.0	3.1	3.2	3.3	2.8	3.2	3.4	3.3
	MEAN NO. DAYS WITH:														
	CLEAR	48	12.4	11.1	13.1	13.3	12.9	15.0	13.1	14.2	14.2	16.9	14.6	13.8	164.6
PARTLY CLOUDY	48	6.4	7.0	7.7	8.0	9.6	9.5	11.1	10.4	7.9	6.3	6.5	6.0	96.4	
CLOUDY	48	12.2	10.1	10.2	8.7	8.5	5.5	6.8	6.3	8.0	7.7	8.9	11.2	104.1	
PR	MEAN STATION PRESSURE (IN)	23	27.13	27.09	27.03	26.99	26.98	27.00	27.07	27.08	27.08	27.09	27.11	27.13	27.07
	MEAN SEA-LEVEL PRES. (IN)	23	30.08	30.03	29.93	29.87	29.82	29.83	29.90	29.92	29.93	29.97	30.03	30.08	29.95
WINDS	MEAN SPEED (MPH)	23	10.3	11.0	12.1	12.7	12.4	12.3	11.1	9.9	10.0	10.3	10.3	10.0	11.0
	PREVAIL.DIR (TENS OF DEGS)	35	19	19	19	19	19	17	17	17	17	19	19	19	17
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	10	46	43	45	44	45	47	45	53	51	38	40	46	53
	DIR. (TENS OF DEGS)		26	03	02	27	31	29	14	23	19	04	27	27	23
	YEAR OF OCCURRENCE		2005	2002	2002	2003	2003	2003	1998	1997	2001	2005	2006	2004	AUG 1997
	MAXIMUM 5-SECOND														
	SPEED (MPH)	10	54	52	54	59	55	63	69	64	70	52	48	54	70
DIR. (TENS OF DEGS)		27	03	27	21	32	18	16	23	20	25	27	02	20	
YEAR OF OCCURRENCE		2005	2002	2000	2001	2003	2003	2004	1997	2001	2004	2006	2006	SEP 2001	
PRECIPITATION	NORMAL (IN)	30	0.53	0.58	0.42	0.73	1.79	1.71	1.89	1.77	2.31	1.77	0.65	0.65	14.80
	MAXIMUM MONTHLY (IN)	59	3.66	2.55	2.86	2.85	7.63	3.93	8.50	5.92	9.70	7.45	5.42	3.30	9.70
	YEAR OF OCCURRENCE		1949	1992	1970	1949	1992	1949	1991	2006	1980	1986	2004	1986	SEP 1980
	MINIMUM MONTHLY (IN)	59	0.00	0.00	T	0.00	0.02	0.01	T	0.05	0.00	0.00	0.00	T	0.00
	YEAR OF OCCURRENCE		1967	1999	1994	1964	1998	1990	1983	1999	2000	1952	1950	1958	SEP 2000
	MAXIMUM IN 24 HOURS (IN)	53	1.15	1.32	2.20	1.62	4.75	3.07	5.99	2.41	4.37	3.59	2.17	0.90	5.99
	YEAR OF OCCURRENCE		1958	1997	1970	1979	1968	1993	1961	1965	1986	1985	2004	2002	JUL 1961
	NORMAL NO. DAYS WITH:														
	PRECIPITATION >= 0.01	30	3.9	3.4	2.6	3.2	6.2	4.9	5.0	5.8	6.0	4.7	3.1	3.6	52.4
PRECIPITATION >= 1.00	30	0.0	*	*	0.1	0.4	0.5	0.5	0.4	0.6	0.5	0.2	0.1	3.3	
SNOWFALL	NORMAL (IN)	30	2.2	0.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.*	0.5	1.4	5.1
	MAXIMUM MONTHLY (IN)	58	9.0	3.9	5.9	2.0	T	T	T	T	T	0.6	8.0	9.8	9.8
	YEAR OF OCCURRENCE		1985	1973	1970	1996	1995	1993	1995	1992	2001	1993	2001	1998	DEC 1998
	MAXIMUM IN 24 HOURS (IN)	52	6.8	3.9	5.0	2.0	T	T	T	T	T	0.6	6.0	9.8	9.8
	YEAR OF OCCURRENCE'		1974	1985	1970	1996	1995	1993	1995	1992	2001	1993	2001	1998	DEC 1998
	MAXIMUM SNOW DEPTH (IN)	56	7	5	3	0	0	0	0	0	1	8	5	8	8
	YEAR OF OCCURRENCE		1974	1985	1989						1993	2001	1998	1998	NOV 2001
	NORMAL NO. DAYS WITH:														
SNOWFALL >= 1.0	30	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.9	

PRECIPITATION (inches) 2006 MIDLAND (KMAF)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.63	0.55	0.61	1.22	0.60	0.81	0.40	0.37	0.09	1.27	0.02	0.27	6.84
1978	0.22	0.34	T	0.09	1.97	1.15	2.51	1.01	5.02	2.51	2.27	0.20	17.29
1979	0.16	0.26	0.81	1.63	1.14	2.98	3.05	2.17	0.08	0.97	T	2.80	16.05
1980	0.49	0.29	T	0.86	1.85	1.59	T	0.93	9.70	0.12	0.78	1.15	17.76
1981	0.56	0.67	0.56	2.15	2.21	0.46	0.40	3.33	1.68	5.53	T	0.05	17.60
1982	0.42	0.16	0.01	1.08	3.16	1.45	3.24	0.67	1.43	1.01	0.62	1.40	14.65
1983	1.14	0.26	0.21	0.06	0.50	0.19	T	0.43	0.62	4.64	1.62	0.33	10.00
1984	0.41	0.17	T	0.01	3.40	2.15	0.84	2.45	1.89	1.99	2.31	0.83	16.45
1985	0.84	0.59	0.63	0.21	0.99	2.23	0.90	0.81	3.15	5.93	0.08	0.05	16.41
1986	0.23	0.17	0.03	0.01	3.89	3.42	1.26	3.94	6.98	7.45	1.45	3.30	32.13
1987	0.10	1.93	1.23	0.63	4.13	2.98	0.33	0.51	1.37	0.44	0.02	0.38	14.05
1988	0.01	0.44	0.74	0.08	2.26	0.84	6.66	1.66	5.07	T	T	0.53	18.29
1989	0.25	1.28	0.34	0.05	0.95	0.61	0.34	1.19	2.78	0.17	0.04	0.14	8.14
1990	0.21	1.09	0.94	1.97	0.35	0.01	1.65	2.15	2.89	1.46	0.75	0.69	14.16
1991	1.80	0.25	T	0.01	0.54	3.50	8.50	1.58	3.76	0.58	0.71	2.23	23.46
1992	1.20	2.55	0.97	1.03	7.63	2.12	1.63	2.75	0.16	0.03	0.70	0.61	21.38
1993	1.28	0.82	0.26	0.57	1.45	3.11	0.89	4.37	2.11	1.11	0.06	0.34	16.37
1994	1.02	0.08	T	0.52	1.30	1.00	2.43	1.75	0.45	0.38	1.30	0.46	10.69
1995	0.72	0.46	0.19	0.40	2.51	1.45	2.28	0.34	1.77	0.34	T	0.24	10.70
1996	0.08	T	0.05	1.22	0.11	1.71	.13	2.94	.97	.20	1.43	T	8.84
1997	0.21	1.69	0.26	2.02	0.73	3.27	2.26	2.41	0.86	1.60	0.44	1.35	17.10
1998	0.24	0.50	0.42	0.00	0.02	0.30	0.65	0.92	0.08	1.30	0.13	0.58	5.14
1999	0.33	0.00	1.22	0.19	1.10	2.87	0.61	0.05	0.95	0.28	0.00	T	7.60
2000	0.61	T	0.76	0.19	1.05	3.14	0.24	0.06	0.00	2.39	0.88	0.33	9.65
2001	0.69	1.24	0.78	T	1.14	0.01	T	3.44	0.95	0.03	1.47	0.10	9.85
2002	0.08	1.00	0.88	0.35	0.11	0.17	1.48	0.17	0.30	3.29	0.47	1.05	9.35
2003	0.27	0.72	0.17	0.02	3.14	1.99	1.14	1.91	0.86	0.79	0.14	T	11.15
2004	0.63	0.84	1.33	1.88	0.10	2.01	1.21	0.77	5.31	2.84	5.42	0.11	22.45
2005	0.41	1.51	0.45	0.01	1.73	0.92	2.52	2.61	T	3.74	0.01	0.07	13.98
2006	0.16	0.82	1.78	0.33	0.13	1.02	1.55	5.92	1.23	1.46	T	1.35	15.75
POR= 58 YRS	0.53	0.64	0.51	0.75	1.90	1.56	1.75	1.71	1.94	1.62	0.65	0.52	14.08

WBAN : 23023

AVERAGE TEMPERATURE (°F) 2006 MIDLAND (KMAF)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	40.5	50.2	54.8	61.6	76.4	82.1	83.6	85.4	82.1	67.0	55.0	49.4	65.7
1978	38.2	43.8	58.1	67.8	72.1	78.1	81.9	78.9	71.4	61.3	52.3	42.6	62.2
1979	35.9	45.3	55.4	62.6	70.7	77.4	82.1	79.0	75.1	68.1	49.5	46.4	62.3
1980	44.9	46.3	52.4	59.1	69.1	81.9	84.1	80.8	72.7	60.2	47.2	46.2	62.1
1981	43.2	48.6	52.4	63.9	70.2	79.1	83.6	80.2	75.7	65.6	57.0	47.8	63.9
1982	43.6	45.9	57.5	63.8	70.7	79.1	82.3	82.8	77.4	64.2	52.2	43.4	63.6
1983	41.8	48.0	55.9	59.5	71.5	79.3	83.7	84.1	77.8	67.8	55.0	37.5	63.5
1984	40.1	48.2	55.0	63.6	74.1	79.8	80.9	80.2	71.5	61.7	50.7	48.0	62.8
1985	37.5	44.3	56.7	66.9	74.8	77.3	81.2	84.1	74.2	63.7	54.6	41.1	63.0
1986	46.3	51.3	58.9	68.4	72.8	77.2	80.8	79.6	74.2	61.7	50.7	43.7	63.8
1987	42.6	47.5	49.5	59.2	69.2	75.7	80.5	81.3	73.1	66.3	50.8	44.2	61.7
1988	39.3	46.2	54.3	63.1	70.8	78.5	77.7	79.3	72.5	64.7	54.9	43.7	62.1
1989	45.9	43.3	56.9	66.8	76.9	78.7	83.1	80.5	71.7	65.2	53.6	38.7	63.4
1990	46.4	50.5	54.9	64.7	73.0	86.5	79.0	78.6	75.0	63.8	55.6	43.4	64.3
1991	41.7	50.6	56.9	65.9	76.6	79.5	79.2	77.6	69.9	64.6	47.7	45.8	63.0
1992	41.3	50.9	57.3	63.2	68.0	77.0	79.9	76.9	74.8	66.4	49.2	46.5	62.6
1993	43.4	47.1	54.6	63.3	71.2	78.9	83.5	81.1	71.9	61.9	49.5	46.9	62.8
1994	44.1	48.0	57.2	63.3	72.0	84.5	83.3	81.8	73.6	66.0	55.5	48.7	64.8
1995	45.9	51.8	54.5	64.0	71.8	78.1	83.0	81.8	73.9	66.6	54.8	46.4	64.4
1996	44.6	51.3	51.2	63.4	81.1	82.9	84.5	80.0	72.3	64.1	52.9	47.4	64.6
1997	41.4	44.8	57.9	59.1	70.8	77.9	82.8	81.9	77.0	65.0	50.2	42.0	62.6
1998	48.1	49.3	53.8	62.2	79.0	85.7	86.9	81.5	79.6	69.0	56.4	44.0	66.3
1999	48.0	54.8	55.9	65.0	73.8	79.3	82.6	84.3	75.0	63.9	56.5	45.1	65.4
2000	47.4	55.3	59.1	67.4	78.8	78.7	85.4	83.2	77.8	64.2	47.0	40.4	65.4
2001	41.5	48.5	51.9	66.9	75.9	83.8	86.7	82.0	75.1	65.9	54.3	44.7	64.8
2002	45.9	44.4	52.5	66.2	74.1	82.3	82.4	85.3	75.8	62.3	49.9	43.8	63.7
2003	44.3	46.5	57.0	67.1	76.0	79.1	82.7	83.3	75.1	67.3	55.2	46.8	65.0
2004	46.8	45.1	58.9	62.6	75.0	80.5	81.2	79.1	73.1	65.1	50.5	44.3	63.5
2005	48.0	47.7	52.9	62.6	71.6	81.3	81.6	78.8	77.9	63.8	54.4	44.6	63.8
2006	49.3	48.4	57.5	69.1	77.1	82.1	84.8	81.0	71.5	64.2	54.7	43.8	65.3
POR= 58 YRS	43.8	48.0	55.2	64.2	73.0	80.0	82.0	81.0	74.3	64.7	52.6	45.2	63.6

HEATING DEGREE DAYS (base 65°F) 2006 MIDLAND (KMAF)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0	0	0	47	295	478	823	586	245	49	30	0	2553
1978-79	0	0	36	138	374	689	893	546	297	106	34	3	3116
1979-80	0	0	3	63	459	566	619	535	384	184	34	0	2847
1980-81	0	0	20	173	531	575	669	452	383	99	20	0	2922
1981-82	0	0	0	109	234	527	655	535	245	112	21	0	2438
1982-83	0	0	0	128	378	661	711	469	281	224	19	3	2874
1983-84	0	0	9	56	304	844	768	481	313	100	7	0	2882
1984-85	0	0	66	135	426	521	843	573	277	53	2	1	2897
1985-86	0	0	30	87	308	734	575	390	192	39	11	0	2366
1986-87	0	0	2	137	423	653	689	484	473	205	14	0	3080
1987-88	0	0	2	38	427	636	788	540	338	100	11	0	2880
1988-89	0	0	10	54	321	654	586	601	279	102	2	0	2609
1989-90	0	0	36	98	341	806	569	401	324	105	58	0	2738
1990-91	0	0	2	101	295	662	715	398	260	47	8	0	2488
1991-92	0	0	47	107	513	587	728	404	235	113	29	0	2763
1992-93	0	0	1	32	475	564	665	494	322	118	16	0	2687
1993-94	0	3	10	185	457	556	639	468	265	117	18	0	2718
1994-95	0	0	3	80	284	500	586	363	343	119	8	0	2286
1995-96	0	0	29	45	301	573	626	410	423	139	0	0	2546
1996-97	0	0	25	101	358	538	726	560	232	206	22	0	2768
1997-98	0	0	3	119	437	704	518	434	367	129	0	0	2711
1998-99	0	0	0	48	259	644	522	282	285	104	9	0	2153
1999-00	0	0	16	106	250	610	542	274	195	83	13	0	2089
2000-01	0	0	12	127	535	755	720	455	399	56	0	0	3059
2001-02	0	0	5	51	329	619	586	572	394	94	8	0	2658
2002-03	0	0	0	160	449	652	634	512	252	56	10	0	2725
2003-04	0	0	0	41	318	556	556	570	229	113	22	0	2405
2004-05	1	0	1	46	431	632	521	478	371	116	49	0	2646
2005-06	0	0	3	121	325	625	478	459	243	34	5	0	2293
2006-	0	0	5	104	305	655							

WBAN : 23023

COOLING DEGREE DAYS (base 65°F) 2006 MIDLAND (KMAF)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	9	21	359	522	584	638	518	112	1	0	2764
1978	0	0	38	139	260	401	531	438	233	30	0	0	2070
1979	0	0	5	43	216	383	539	442	314	167	0	0	2109
1980	0	0	0	17	166	514	600	498	260	33	2	0	2090
1981	0	0	0	71	188	428	583	480	327	135	0	0	2212
1982	0	3	20	84	204	429	543	556	374	111	1	0	2325
1983	0	0	5	64	227	439	588	599	401	151	11	0	2485
1984	0	0	10	69	296	447	500	482	267	39	2	0	2112
1985	0	1	26	115	311	376	505	599	310	56	3	0	2302
1986	0	13	13	147	259	371	496	460	286	38	0	0	2083
1987	0	0	0	39	151	328	487	511	251	86	7	0	1860
1988	0	0	13	51	198	414	397	452	242	52	22	0	1841
1989	0	0	36	164	376	416	569	487	244	111	4	0	2407
1990	0	0	15	103	312	651	441	428	310	68	19	0	2347
1991	0	1	17	80	374	440	447	399	200	101	0	0	2059
1992	0	0	1	68	131	367	468	377	303	83	4	0	1802
1993	0	0	6	75	213	422	579	510	224	95	0	0	2124
1994	0	0	27	74	240	594	576	526	271	118	7	0	2433
1995	0	0	26	94	227	398	566	529	302	97	3	0	2242
1996	0	18	6	98	510	546	611	471	252	77	4	0	2593
1997	2	0	18	35	211	395	557	531	373	125	0	0	2247
1998	0	0	27	52	441	626	684	519	444	178	6	1	2978
1999	0	5	8	111	289	436	553	604	320	77	3	0	2406
2000	0	2	18	162	446	418	640	570	404	110	0	0	2770
2001	0	0	1	118	348	566	674	533	313	88	18	0	2659
2002	0	2	14	135	296	521	546	636	329	84	3	0	2566
2003	0	0	12	128	354	428	553	575	306	122	31	0	2509
2004	0	0	46	47	338	471	508	444	251	57	0	0	2162
2005	0	0	0	52	261	497	522	437	397	93	13	0	2272
2006	0	0	18	164	388	517	621	506	205	85	1	0	2505

SNOWFALL (inches) 2006 MIDLAND (KMAF)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0.0	0.0	0.0	0.0	0.0	T	1.1	T	T	0.0	0.0	0.0	1.1
1978-79	0.0	0.0	0.0	0.0	0.0	1.1	T	2.0	0.0	0.0	0.0	0.0	3.1
1979-80	0.0	0.0	0.0	0.0	0.0	2.1	0.1	3.2	0.0	T	0.0	0.0	5.4
1980-81	0.0	0.0	0.0	T	7.2	T	4.4	0.0	0.0	0.0	0.0	0.0	11.6
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	3.8	T	0.0	0.0	0.0	0.0	3.8
1982-83	0.0	0.0	0.0	0.0	0.1	6.4	5.3	T	T	0.5	0.0	0.0	12.3
1983-84	0.0	0.0	0.0	0.0	0.0	2.1	T	T	T	0.0	0.0	0.0	2.1
1984-85	0.0	0.0	0.0	0.0	0.0	T	9.0	0.7	0.0	0.0	0.0	0.0	9.7
1985-86	0.0	0.0	0.0	0.0	0.0	0.5	2.0	0.2	0.0	0.0	0.0	0.0	2.7
1986-87	0.0	0.0	0.0	0.0	T	8.5	1.1	2.0	0.1	0.0	0.0	0.0	11.7
1987-88	0.0	0.0	0.0	0.0	0.0	1.2	T	3.2	0.1	0.0	0.0	0.0	4.5
1988-89	0.0	0.0	0.0	0.0	0.0	1.5	0.6	T	5.5	0.0	0.0	T	7.6
1989-90	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.0	0.0	0.3	0.0	0.0	1.0
1990-91	0.0	0.0	0.0	0.0	T	0.2	5.8	T	0.0	0.0	0.0	T	6.0
1991-92	0.0	0.0	0.0	0.1	0.0	T	5.8	2.1	T	0.0	T	T	8.0
1992-93	0.0	T	0.0	0.0	T	4.2	T	T	T	0.0	0.0	T	4.2
1993-94	0.0	0.0	0.0	0.6	0.0	0.9	5.5	T	T	T	T	0.0	7.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	T	0.0	T	0.0	2.1
1995-96	T	0.0	0.0	0.0	0.0	T	0.6	0.2	0.2	2.0		0.0	
1996-97	0.0	0.0	0.0		.2	T	4.5	1.0	0.0	0.0	0.0	0.0	
1997-98	0.0	T	0.0	0.0	T	3.0	T	0.0	T	0.0	0.0	T	3.0
1998-99	0.0	0.0	0.0	0.0	0.0	9.8	0.8	0.0	0.0	0.0	0.0	0.0	10.6
1999-00	0.0	0.0	0.0	0.0	0.0	0.3	T	0.0	0.0	0.0	0.0	0.0	0.3
2000-01	0.0	0.0	0.0	0.0	1.2	0.3	2.2	T	0.0	0.0	T	0.0	3.7
2001-02	0.0	0.0	T	0.0	8.0	T	0.8	T	T	0.0	0.0	0.0	8.8
2002-03	T	0.0	0.0	0.0	0.0	T							
2003-04							0.0	0.3	0.0	0.0	0.0	0.0	
2004-05	0.0	0.0	0.0	0.0	T	0.3	0.0	1.6	0.0	0.0	0.0	0.0	1.9
2005-06	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5
2006-	0.0	0.0	0.0	0.0	0.2	0.0							
POR= 59 YRS	T	T	0.0	0.0	0.5	0.9	1.6	0.7	0.3	0.0	T	T	4.0

WBAN : 23023

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2006 MIDLAND TEXAS (KMAF)

The Midland-Odessa region is on the southern extension of the South Plains of Texas. The terrain is level with only slight occasional undulations.

The climate is typical of a semi-arid region. The vegetation of the area consists mostly of native grasses and a few trees, mostly of the mesquite variety.

Most of the annual precipitation in the area comes as a result of very violent spring and early summer thunderstorms. These are usually accompanied by excessive rainfall, over limited areas, and sometimes hail. Due to the flat nature of the countryside, local flooding occurs, but is of short duration. Tornadoes are occasionally sighted.

During the late winter and early spring months, blowing dust occurs frequently. The flat plains of the area with only grass as vegetation offer little resistance to the strong winds. The sky is occasionally obscured by dust but in most storms visibilities range from 1 to 3 miles.

Daytime temperatures are quite hot in the summer, but there is a large diurnal range of temperature and most nights are comfortable. The temperature drops below 32 degrees in the fall about mid-November and the last temperature below 32 degrees in spring comes early in April.

Winters are characterized by frequent cold periods followed by rapid warming. Cold frontal passages are followed by chilly weather for two or three days. Cloudiness is at a minimum. Summers are hot and dry with numerous small convective showers.

The prevailing wind direction in this area is from the southeast. This, together with the upslope of the terrain from the same direction, causes occasional low cloudiness and drizzle during winter and spring months. Snow is infrequent. Maximum temperatures during the summer months frequently are from 2 to 6 degrees cooler than those at places 100 miles southeast, due to the cooling effect of the upslope winds.

Very low humidities are conducive to personal comfort, because even though summer afternoon temperatures are frequently above 90 degrees, the low humidity with resultant rapid evaporation, has a cooling effect. The climate of the area is generally quite pleasant with the most disagreeable weather concentrated in the late winter and spring months.

Station Location

MIDLAND

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude NORTH	Longitude WEST	ELEVATION ABOVE										REMARKS	
						SEA LEVEL	GROUND										AUTOMATIC OBSERVING EQUIPMENT *
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE	HYGROTHERMOMETER			
*NOTE:																	
AIRPORT																	
NWS Building Midland-Odessa Regional Airport + + Midland Regional Air Terminal, effective in 1974 Midland International Airport eff. 3/1988.	4/24/72	03/01/96	1.0 mi. ENE	31° 56'	102° 11'	2851 j2862	d22	4	4	h15	2	2	4	d4 i6	d. Same site as prior to 4/24/72. g. Added 2/11/77. h. Installed 10/8/80. i. Type change and minor relocation 7/27/82. j. Effective 3/21/88.		
Midland Int'l Airport	03/01/96	Present	NA	31° 56'	102° 12'	k2863								S	ASOS Commissioned 03/01/96. k. Ground elevation.		

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous edition.