




2006 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA

ISSN 0198-1013

STOCKTON, CALIFORNIA (KSCK)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2006

STOCKTON (KSCK)

LATITUDE: 37° 53'N LONGITUDE: -121° 14'W ELEVATION (FT): GRND: 26 BARO: 27 TIME ZONE: PACIFIC (UTC -8) WBAN: 23237

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	58.2	63.9	60.4	68.6	84.0	93.7	100.4	93.0	89.3	77.5	64.8	58.4	76.0	
	HIGHEST DAILY MAXIMUM	64	74	72	86	97	107	115	103	100	86	82	69	115	
	DATE OF OCCURRENCE	07+	25	24	27	15	23	23	10	13	12	07	09+	JUL 23	
	MEAN DAILY MINIMUM	40.5	38.8	40.8	48.1	52.4	58.6	63.6	57.4	54.3	46.3	43.9	37.0	48.5	
	LOWEST DAILY MINIMUM	31	29	34	39	45	51	54	50	49	36	29	28	28	
	DATE OF OCCURRENCE	20	16	04	17	07	14+	07+	17	17+	26	30	20	DEC 20	
	AVERAGE DRY BULB	49.4	51.4	50.6	58.4	68.2	76.2	82.0	75.2	71.8	61.9	54.4	47.7	62.3	
	MEAN WET BULB	46.0	45.9	46.1	52.6	57.2	61.3	64.4	60.9	57.7	51.7	49.6	42.5	53.0	
	MEAN DEW POINT	42.6	40.9	41.5	48.2	48.9	51.2	53.1	51.2	47.5	42.8	45.3	37.1	45.9	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	21	30	26	16	0	0	0	0	93
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MINIMUM <= 32°	1	4	0	0	0	0	0	0	0	0	2	12	19		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	472	375	442	202	17	0	0	0	4	96	314	530	2452	
	COOLING DEGREE DAYS	0	0	0	11	125	339	535	325	214	9	2	0	1560	
RH	MEAN (PERCENT)	80	72	74	72	56	47	41	48	49	56	75	71	62	
	HOUR 04 LST	89	87	87	86	80	74	67	73	72	77	87	84	80	
	HOUR 10 LST	77	62	64	62	40	34	31	37	34	41	65	65	51	
	HOUR 16 LST	69	56	59	59	36	28	23	26	27	37	64	58	45	
	HOUR 22 LST	84	80	81	80	66	56	47	55	58	66	82	78	69	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	8	7	3	0	0	0	0	0	0	0	10	3	31	
	THUNDERSTORMS	1	0	0	0	0	0	0	0	0	0	0	0	1	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	30.14	30.06	29.96	29.89	29.89	29.86	29.83	29.83	29.85	29.93	30.08	30.16	29.96	
	MEAN SEA-LEVEL PRESS. (IN.)	30.17	30.09	29.98	29.92	29.92	29.90	29.86	29.87	29.88	29.96	30.11	30.20	29.99	
WINDS	RESULTANT SPEED (MPH)	2.1	1.2	2.9	2.4	6.1	7.9	6.4	6.1	5.3	3.6	1.5	1.1	2.9	
	RES. DIR. (TENS OF DEGS.)	17	20	18	27	29	30	30	31	31	30	28	15	29	
	MEAN SPEED (MPH)	6.4	5.7	8.2	7.3	8.4	9.2	7.9	7.7	7.2	5.5	5.7	6.5	7.1	
	PREVAIL.DIR.(TENS OF DEGS.)	14	14	15	29	29	29	30	30	31	29	14	14	29	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	43	38	36	32	28	24	23	21	26	24	25	31	43	
	DIR. (TENS OF DEGS.)	15	15	26	14	25	26	25	26	32	34	34	33	15	
	DATE OF OCCURRENCE	01	27	28	11	26	18	31	11	20	25	23	27	JAN 01	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	52	51	40	40	36	35	29	24	30	29	30	38	52	
DIR. (TENS OF DEGS.)	15	16	26	15	25	33	26	28	32	35	35	32	15		
DATE OF OCCURRENCE	01	27	28	11	26	15	31	07	20	17	23	27	JAN 01		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	3.30	1.16	3.83	2.65	0.93	0.00	0.01	0.00	0.00	0.35	1.08	1.60	14.91	
	GREATEST 24-HOUR (IN.)	1.56	0.47	0.67	1.04	0.93	0.00	0.01	0.00	0.00	0.27	0.49	0.51	1.56	
	DATE OF OCCURRENCE	01-02	27	24-25	03-04	21-22		19			04-05	13	12	JAN 01-02	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	12	7	20	11	2	0	1	0	0	3	10	8	74	
PRECIPITATION 0.10	6	5	13	6	2	0	0	0	0	1	4	5	42		
PRECIPITATION 1.00	1	0	0	0	0	0	0	0	0	0	0	0	1		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0															

NORMALS, MEANS, AND EXTREMES STOCKTON (KSCK)

LATITUDE: 37° 53'N LONGITUDE: -121° 14'W ELEVATION (FT): GRND: 26 BARO: 27 TIME ZONE: PACIFIC (UTC -8) WBAN: 23237

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	53.8	61.2	66.1	73.3	81.3	88.9	93.8	92.6	88.2	78.6	64.0	53.8	74.6
	MEAN DAILY MAXIMUM	58	53.6	60.6	65.8	72.8	81.0	88.5	94.3	92.7	88.2	78.4	64.3	53.9	74.5
	HIGHEST DAILY MAXIMUM	47	71	78	87	100	107	111	115	109	108	101	84	72	115
	YEAR OF OCCURRENCE		1981	1977	1988	1981	2001	1961	2006	1998	1979	1980	1997	1987	JUL 2006
	MEAN OF EXTREME MAXS.	58	64.5	70.4	77.6	87.3	96.9	103.7	105.8	104.1	100.4	91.8	76.6	64.8	87.0
	NORMAL DAILY MINIMUM	30	38.1	41.0	43.6	46.7	52.1	57.5	60.8	60.3	57.4	50.5	42.1	36.7	48.9
	MEAN DAILY MINIMUM	58	37.7	40.5	42.6	46.1	51.7	56.9	60.5	59.8	57.0	50.2	42.3	37.6	48.6
	LOWEST DAILY MINIMUM	47	19	22	27	32	38	45	49	50	43	33	25	17	17
	YEAR OF OCCURRENCE		1963	1989	1971	2001	1964	1999	1999	2006	1982	1972	1985	1990	DEC 1990
	MEAN OF EXTREME MINS.	58	27.1	30.0	33.7	37.9	43.2	49.5	52.7	53.4	49.8	40.8	31.2	27.3	39.7
	NORMAL DRY BULB	30	46.0	51.1	54.9	60.0	66.7	73.2	77.3	76.5	72.8	64.6	53.1	45.3	61.8
	MEAN DRY BULB	58	45.7	50.5	54.2	59.4	66.4	72.7	77.4	76.3	72.6	64.3	53.3	45.7	61.5
	MEAN WET BULB	23	44.9	48.3	51.4	53.4	57.2	60.7	63.8	63.1	61.0	56.2	49.9	44.3	54.5
	MEAN DEW POINT	23	42.1	43.8	45.5	45.1	48.3	51.2	54.6	54.1	52.3	48.3	44.2	41.0	47.5
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.7	6.6	14.2	22.2	20.3	13.9	3.4	0.0	0.0	81.3
	MAXIMUM <= 32	30	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MINIMUM <= 32	30	6.7	2.2	0.4	*	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.7	19.6	
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	592	391	313	169	54	6	0	0	5	76	348	609	2563
	NORMAL COOLING DEG. DAYS	30	0	0	0	18	111	254	390	363	247	73	0	0	1456
RH	NORMAL (PERCENT)											59			
	HOUR 04 LST						76	71	71	72	75	79			
	HOUR 10 LST	30	87	79	66	53	45	42	43	46	49	58	75	85	61
	HOUR 16 LST	30	72	61	51	41	35	28	29	30	32	38	57	67	45
	HOUR 22 LST	30	88	84								66	80	86	
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISBY <= 1/4 MI)	39	11.6	5.8	1.7	0.4	0.1	0.0	0.0	0.0	0.0	0.9	6.4	10.5	37.4
	THUNDERSTORMS	54	0.1	0.4	0.4	0.5	0.3	0.3	0.1	0.1	0.3	0.2	0.1	0.1	2.9
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	46	5.8	5.2	4.6	3.9	2.8	1.8	1.0	1.1	1.5	2.6	4.5	5.6	3.4
	MIDNIGHT-MIDNIGHT (OKTAS)	21	5.4	4.6	3.9	3.2	2.1	1.7	1.0	1.1	1.5	2.3	4.3	5.1	3.0
	MEAN NO. DAYS WITH: CLEAR	46	5.3	7.1	9.8	11.9	17.4	21.9	26.3	25.2	23.0	18.8	9.2	6.7	182.6
	PARTLY CLOUDY	46	6.3	6.5	8.6	8.7	8.4	5.7	3.2	3.8	4.3	5.9	8.5	6.5	76.4
	CLOUDY	46	19.3	14.7	12.7	9.5	5.1	2.5	0.9	1.4	2.2	5.7	12.3	17.8	104.1
PR	MEAN STATION PRESSURE (IN)	23	30.11	30.05	30.01	29.98	29.92	29.87	29.87	29.87	29.87	29.94	30.07	30.11	29.97
	MEAN SEA-LEVEL PRES. (IN)	23	30.15	30.08	30.05	30.02	29.96	29.90	29.90	29.91	29.90	29.98	30.10	30.14	30.01
WINDS	MEAN SPEED (MPH)	23	7.3	8.1	8.8	9.7	10.4	10.6	9.2	8.6	8.1	7.3	7.2	7.4	8.6
	PREVAIL.DIR (TENS OF DEGS)	14	15	15	30	28	28	28	30	30	31	31	15	15	28
	MAXIMUM 2-MINUTE: SPEED (MPH)	10	43	41	36	37	41	34	31	28	31	39	47	41	47
	DIR. (TENS OF DEGS)		15	14	26	35	35	26	27	27	30	14	15	15	15
	YEAR OF OCCURRENCE		2006	2004	2006	1999	2001	1999	1999	1999	1997	2004	2001	2002	NOV 2001
	MAXIMUM 5-SECOND SPEED (MPH)	10	52	54	43	44	48	43	38	33	36	48	58	51	58
	DIR. (TENS OF DEGS)		15	16	14	35	35	26	27	27	31	14	15	15	15
	YEAR OF OCCURRENCE		2006	1998	2001	1999	2001	1999	1999	1999	1997	2004	2001	2002	NOV 2001
PRECIPITATION	NORMAL (IN)	30	2.71	2.46	2.28	0.96	0.50	0.09	0.05	0.05	0.33	0.82	1.77	1.82	13.84
	MAXIMUM MONTHLY (IN)	65	7.06	8.22	6.48	3.55	3.73	0.66	0.61	0.81	3.00	2.97	6.22	8.05	8.22
	YEAR OF OCCURRENCE		1967	1998	1982	1958	1998	1964	1974	1975	1959	1945	1972	1955	FEB 1998
	MINIMUM MONTHLY (IN)	65	0.14	0.05	T	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
	YEAR OF OCCURRENCE		1976	1964	1956	1949	1982	1981	1983	1982	1980	1978	1995	1989	NOV 1995
	MAXIMUM IN 24 HOURS (IN)	65	3.01	2.28	1.71	1.54	1.66	0.53	0.57	0.81	2.64	1.88	2.23	3.01	3.01
	YEAR OF OCCURRENCE		1967	1945	1968	1958	1990	1964	1974	1975	1959	1991	1950	1955	JAN 1967
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	9.5	8.9	9.3	4.8	2.3	1.0	0.4	0.4	1.2	3.3	6.7	7.5	55.3
	PRECIPITATION >= 1.00	30	0.3	0.3	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.2	1.8
	SNOWFALL	NORMAL (IN)	30	0.0	0.*	0.*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.*
MAXIMUM MONTHLY (IN)		42	0.0	0.3	T	T	T	T	0.0	0.0	0.0	0.0	0.0	0.2	0.3
YEAR OF OCCURRENCE				1976	1995	1970	1994							1988	FEB 1976
MAXIMUM IN 24 HOURS (IN)		42	0.0	0.3	T	T	T	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3
YEAR OF OCCURRENCE				1976	1995	1970	1994							1988	FEB 1976
MAXIMUM SNOW DEPTH (IN)		47	0	0	0	0	0	0	0	0	0	0	0	0	0
YEAR OF OCCURRENCE															
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

PRECIPITATION (inches) 2006 STOCKTON (KSCK)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	0.83	0.79	0.95	0.50	0.80	0.00	0.01	0.00	0.55	0.02	0.86	2.46	7.77
1978	4.33	2.50	5.56	2.09	0.02	T	0.00	0.00	0.47	0.00	1.70	0.58	17.25
1979	4.29	3.53	1.15	0.78	0.05	0.00	0.22	T	0.00	1.36	0.99	1.76	14.13
1980	3.06	2.73	1.12	0.90	0.27	T	0.50	0.00	0.00	0.06	0.04	1.22	9.90
1981	4.30	0.59	3.18	1.02	0.05	0.00	0.00	0.00	0.02	1.48	3.68	1.72	16.04
1982	3.87	2.28	6.48	1.55	0.00	0.18	0.00	0.00	2.47	2.22	3.93	2.60	25.58
1983	5.80	3.49	5.10	2.10	0.16	0.02	0.00	T	1.79	0.50	4.23	3.46	26.65
1984	0.22	1.20	0.65	0.37	0.01	0.06	T	0.01	0.06	1.47	3.53	1.69	9.27
1985	0.67	0.85	2.21	0.13	0.00	0.22	0.05	0.01	0.07	1.25	2.49	1.72	9.67
1986	1.69	5.82	3.64	0.93	0.15	0.00	0.02	0.00	0.80	0.01	0.03	0.67	13.76
1987	2.03	3.28	2.84	0.12	0.02	T	0.00	0.00	0.00	1.04	1.31	2.41	13.05
1988	1.97	0.31	0.19	1.98	0.54	0.23	0.00	0.00	0.00	0.01	1.36	2.28	8.87
1989	0.37	1.07	2.16	0.07	0.07	0.21	0.00	T	2.06	0.87	1.11	0.03	8.02
1990	2.23	1.30	0.86	0.52	2.33	0.00	T	T	T	0.20	0.45	0.91	8.80
1991	0.17	2.32	5.35	0.45	0.12	0.11	0.02	0.07	T	1.98	0.34	0.76	11.69
1992	1.39	5.37	1.30	0.72	0.00	0.12	0.00	T	0.00	0.52	0.20	3.49	13.11
1993	4.91	3.87	3.22	0.26	0.83	0.42	0.00	0.00	0.00	0.31	2.04	1.01	16.87
1994	1.56	2.79	0.18	1.18	1.68	0.00	0.00	0.00	0.24	0.42	2.05	1.15	11.25
1995	6.88	0.38	4.90	1.16	0.55	0.08	T	0.00	0.00	0.00	0.00	4.29	18.24
1996	4.07	4.02	2.10	1.19	1.39	0.09	.00	.00	.00	1.09	2.56	4.54	21.05
1997	4.05	0.29	0.12	0.11	0.28	0.20	T	0.02	T	0.22	3.76	1.94	10.99
1998	5.39	8.22	2.16	1.92	3.73	0.14	0.00	0.00	T	1.02	2.31	0.30	25.19
1999	2.86	2.81	0.87	1.13	0.17	T	0.00	0.00	0.08	0.08	1.70	0.30	10.00
2000	3.72	5.07	0.76	1.22	0.68	0.03	0.00	T	0.08	2.68	0.20	0.40	14.84
2001	2.84	2.33	1.52	1.13	0.00	0.06	T	0.00	0.25	0.28	1.98	4.99	15.38
2002	1.63	0.66	1.78	0.14	0.40	0.00	0.00	0.00	0.00	T	2.48	5.00	12.09
2003	0.52	1.00	1.11	1.65	0.35	0.00	T	0.06	T	0.02	1.48	3.09	9.28
2004	1.74	3.67	0.68	0.23	0.19	0.00	0.00	0.00	0.02	2.41	1.89	3.13	13.96
2005	2.99	2.46	3.20	1.48	0.60	0.20	T	T	0.30	0.06	0.28	4.15	15.72
2006	3.30	1.16	3.83	2.65	0.93	0.00	0.01	0.00	0.00	0.35	1.08	1.60	14.91
POR= 58 YRS	2.86	2.25	2.09	1.15	0.42	0.08	0.03	0.04	0.27	0.70	1.77	2.35	14.01

WBAN : 23237

AVERAGE TEMPERATURE (°F) 2006 STOCKTON (KSCK)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1977	43.8	53.1	53.6	65.3	63.0	76.7	79.2	78.8	72.8	66.5	55.3	50.3	63.2
1978	50.4	51.9	58.6	57.7	68.9	73.1	78.5	78.4	71.9	68.3	51.5	41.7	62.6
1979	45.3	51.1	56.4	60.6	70.2	75.1	78.1	77.2	77.8	66.2	53.5	48.0	63.3
1980	49.4	54.5	53.8	60.7	66.0	70.8	79.5	76.7	71.2	65.4	54.5	45.0	62.3
1981	48.2	52.6	54.0	61.7	69.2	80.5	78.0	76.7	73.8	61.3	56.0	49.4	63.5
1982	41.9	50.6	51.7	57.3	67.2	69.6	76.0	76.0	71.2	63.6	49.6	45.2	60.0
1983	44.2	52.6	55.2	56.3	66.5	73.8	75.9	79.2	76.2	67.0	52.6	50.2	62.5
1984	45.5	49.0	57.2	58.2	71.0	74.2	81.8	77.8	76.9	61.3	52.0	44.0	62.4
1985	41.4	50.2	49.7	62.0	64.1	75.9	78.3	73.6	68.1	62.9	50.4	41.1	59.8
1986	51.0	54.1	57.6	59.3	66.6	72.8	75.9	76.0	67.1	64.5	55.7	45.9	62.2
1987	44.9	51.2	54.4	64.1	69.7	73.6	72.8	74.9	72.7	67.8	52.8	47.1	62.2
1988	46.9	52.4	57.3	61.0	64.6	72.2	80.0	76.0	72.9	66.5	53.9	45.2	62.4
1989	43.6	47.6	56.2	63.3	66.5	72.1	77.2	74.8	70.2	63.3	53.7	42.2	60.9
1990	46.5	47.4	56.1	64.1	65.9	73.2	79.0	77.7		67.3	53.6	40.9	
1991	47.0	54.6	51.6	58.5	63.5	69.9	77.9	73.9	76.2	69.6	56.3	45.8	62.1
1992	42.8	54.8	57.1	64.0	72.3	72.4	76.8	78.9	74.2	68.0	54.7	44.3	63.4
1993	45.7	50.4	59.2	60.7	66.8	73.9	77.2	76.7	74.0	66.7	53.3	44.5	62.4
1994	46.0	49.0	57.8	60.8	65.4	74.1	77.3	78.3	74.0	64.1	49.1	44.6	61.7
1995	52.8	53.7	55.3	60.1	65.2	71.1	77.5	78.8	74.3	67.5	60.2	50.5	63.9
1996	48.6	54.1	56.9	62.6	68.4	75.0	81.4	79.9	72.5	63.9	54.1	50.0	64.0
1997	48.2	51.4	56.9	61.7	71.0	72.1	76.3	75.5	74.7	62.7	55.9	44.4	62.6
1998	48.5	49.6	53.9	57.4	59.4	68.4	76.6	78.0	72.5	60.5	52.5	42.1	60.0
1999	44.5	48.3	50.9	57.5	63.8	71.0	73.4	73.6	72.0	65.4	55.0	46.3	60.1
2000	49.7	52.1	54.8	60.9	67.0	74.7	73.9	75.1	71.8	60.7	48.5	46.3	61.3
2001	44.9	48.9	56.8	56.1	73.0	74.8	75.4	75.8	71.9	65.5	55.7	48.2	62.3
2002	44.0	50.3	52.8	58.9	65.6	73.2	76.7	74.1	73.4	62.5	53.6	48.3	61.1
2003	49.3	49.3	55.5	54.8	65.7	73.1	80.0	75.2	73.9	66.7	50.7	48.5	61.9
2004	46.0	49.7	58.6	62.0	67.0	72.5	75.9	75.6	72.3	62.7	51.2	47.2	61.7
2005	46.3	53.2	56.7	58.5	67.2	71.1	81.5	78.8	70.7	65.2	55.9	50.9	63.0
2006	49.4	51.4	50.6	58.4	68.2	76.2	82.0	75.2	71.8	61.9	54.4	47.7	62.3
POR= 58 YRS	45.7	50.5	54.2	59.4	66.4	72.7	77.4	76.3	72.6	64.3	53.3	45.7	61.6

HEATING DEGREE DAYS (base 65°F) 2006 STOCKTON (KSCK)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1977-78	0	0	2	41	284	451	449	358	191	212	16	0	2004
1978-79	0	0	3	33	398	713	605	384	262	126	27	0	2551
1979-80	0	0	0	60	338	518	473	300	345	140	54	3	2231
1980-81	0	0	5	107	309	613	512	341	330	137	23	0	2377
1981-82	0	0	0	116	263	477	708	396	405	228	35	13	2641
1982-83	0	0	9	73	453	607	638	341	297	252	70	0	2740
1983-84	0	0	0	12	365	451	595	456	234	203	20	4	2340
1984-85	0	0	0	136	383	643	724	408	468	105	64	8	2939
1985-86	0	0	22	110	435	734	425	298	221	174	63	0	2482
1986-87	0	0	39	50	272	585	615	380	323	75	36	0	2375
1987-88	0	0	0	15	360	550	555	361	234	134	96	26	2331
1988-89	0	0	2	40	328	607	656	480	268	94	38	2	2515
1989-90	0	0	6	94	335	699	565	487	269	65	42	2	2564
1990-91	0	0	0	20	336	741	553	284	406	196	99	7	
1991-92	0	0	0	79	256	585	680	289	237	59	0	2	2187
1992-93	0	0	0	20	305	635	594	405	178	141	26	15	2319
1993-94	0	0	4	14	346	628	581	442	214	132	58	0	2419
1994-95	0	0	0	50	470	623	372	311	296	146	73	19	2360
1995-96	0	0	0	19	139	441	502	308	245	115	3	0	1772
1996-97	0	0	0	126	320	458	514	374	245	112	7	0	2156
1997-98	0	0	0	96	276	632	505	427	340	242	169	9	2696
1998-99	0	0	11	134	368	702	630	460	431	240	75	23	3074
1999-00	0	0	0	43	293	572	469	369	312	129	61	1	2249
2000-01	0	0	1	145	489	574	619	445	249	276	0	0	2798
2001-02	0	0	0	50	274	514	642	406	369	180	57	0	2492
2002-03	0	0	3	110	337	510	480	434	289	303	82	0	2548
2003-04	0	0	0	28	421	506	582	438	196	124	18	0	2313
2004-05	0	0	14	129	404	543	571	322	249	189	34	3	2458
2005-06	0	0	0	33	266	431	472	375	442	202	17	0	2238
2006-	0	0	4	96	314	530							

WBAN : 23237

COOLING DEGREE DAYS (base 65°F) 2006 STOCKTON (KSCK)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1977	0	0	0	55	46	356	446	436	243	95	0	0	1677
1978	0	0	0	1	142	250	425	426	218	142	0	0	1604
1979	0	0	0	0	192	309	412	386	390	104	0	0	1793
1980	0	0	0	18	91	184	456	370	199	126	0	0	1444
1981	0	0	0	48	159	474	411	371	270	9	0	0	1742
1982	0	0	0	2	111	155	348	345	202	37	0	0	1200
1983	0	0	0	0	122	273	347	446	347	79	1	0	1615
1984	0	0	0	6	214	288	527	402	364	27	0	0	1828
1985	0	0	0	20	47	342	422	270	123	48	0	0	1272
1986	0	0	0	10	118	240	341	348	111	43	0	0	1211
1987	0	0	0	54	189	265	251	314	236	112	0	0	1421
1988	0	0	2	22	86	250	473	348	246	93	1	0	1521
1989	0	0	0	50	94	222	389	312	168	48	0	0	1283
1990	0	0	0	45	79	253	440	401		99	0	0	
1991	0	0	0	9	58	162	407	283	340	227	1	0	1487
1992	0	0	0	35	234	229	373	439	284	118	3	0	1715
1993	0	0	3	20	88	287	388	371	279	73	0	0	1509
1994	0	0	0	11	76	279	390	420	277	28	0	0	1481
1995	0	0	0	7	85	206	392	434	286	100	0	0	1510
1996	0	0	1	49	116	302	516	470	233	98	0	0	1785
1997	0	0	0	20	201	221	358	331	296	31	7	0	1465
1998	0	0	0	20	2	116	369	411	242	2	0	0	1162
1999	0	0	0	19	44	210	269	271	217	66	0	0	1096
2000	0	0	0	11	130	300	285	321	211	20	0	0	1278
2001	0	0	2	15	257	299	330	341	213	69	1	0	1527
2002	0	0	0	5	84	252	367	288	264	40	0	0	1300
2003	0	0	0	0	112	251	472	325	275	88	0	0	1523
2004	0	0	2	42	86	231	345	335	239	63	0	0	1343
2005	0	0	1	0	108	193	518	433	178	47	0	0	1478
2006	0	0	0	11	125	339	535	325	214	9	2	0	1560

SNOWFALL (inches) 2006 STOCKTON (KSCK)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1976-77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1977-78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1978-79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1980-81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1981-82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1982-83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1983-84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1984-85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1985-86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1987-88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1988-89	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2
1989-90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	0.0	0.0	0.0	T
1993-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	0.0	T
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0									
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-													
POR= 55 YRS	0.0	0.0	0.0	0.0	0.0	T	0.0	0.0	T	T	T	0.0	T

WBAN : 23237

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2006 STOCKTON CALIFORNIA (KSCK)

Stockton, the county seat of San Joaquin County, is located near the center of the Great Central Valley of California. It is on the southeast corner of the broad delta formed by the confluence of the San Joaquin and Sacramento Rivers. The surrounding terrain is flat, irrigated farm and orchard land, near sea level, with the rivers and canals of the delta controlled by a system of levees.

Approximately 25 miles east and northeast of Stockton lie the foothills of the Sierra Nevada, rising gradually to an elevation of about 1,000 feet. Beyond the foothills, the mountains rise abruptly to the crest of the Sierra, at a distance of about 75 miles, with some peaks here exceeding 9,000 feet in elevation. On a few days during the year, when atmospheric conditions are favorable, the downslope effect of a north or northeast wind can bring unseasonably dry weather to the delta area, but on the whole the Sierra Nevada has little or no effect on the weather of San Joaquin County. The Sierra Nevada does affect the area, however, to the extent that the entire economy of the Great Valley depends upon the water supplied by the melting snows in the mountains.

To the west and southwest, the Coast Range, with peaks above 2,000 feet, form a barrier separating the Great Valley from the marine air which dominates the climate of the coastal communities. Several gaps in the Coast Range in the San Francisco Bay Area, however, permit the passage inland of a sea breeze which fans out into the delta and has a moderating effect on summer heat, with the result that Stockton enjoys slightly cooler summer days than communities in the upper San Joaquin and Sacramento Valleys.

The summer climate in Stockton is characterized by warm, dry days and relatively cool nights with clear skies and no rainfall. Winter brings mild temperatures and relatively light rains with frequent heavy fogs.

The annual rainfall averages about 14 inches, with 90 percent of the precipitation falling from November through April. Thunderstorms are infrequent, occurring on 3 or 4 days a year. Snow is practically unknown in the Stockton area.

In summer, temperatures exceeding 100 degrees can be expected on about 15 days. During these hot afternoons the air is extremely dry, with relative humidities running generally less than 20 percent. Even on these hot days, however, temperatures will fall into the low 60s at night. In winter the nighttime temperature on clear nights will fall to or slightly below freezing, and will rise in the afternoon into the low 50s.

In late autumn and early winter, clear still nights give rise to the formation of dense fogs, which normally settle in during the night and burn off sometime during the day. In December and January, the so-called fog season, under stagnant atmospheric conditions the fog may last for as long as 4 or 5 weeks, with only brief and temporary periods of clearing.

Station Location

STOCKTON

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE							REMARKS
				NORTH	WEST	SEA LEVEL	GROUND							AUTOMATIC OBSERVING EQUIPMENT *	
							GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE		
*NOTE:															
AIRPORT															
Terminal Building Metropolitan Airport	10/10/63	11/01/96	1/4 mi. NW	37° 54'	121° 15'	22	d20	e32			f5	33	d5 g5 h5	d. Not moved from original site. e. Standby equipment. f. Added 10/11/74. g. Minor move 1/19/79. h. Type change 7/2/85.	
Metropolitan Airport	11/01/96	Present	NA	37° 54'	121° 14'	i24							S	ASOS Commissioned 11/01/96 i. Ground elevation.	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous editions.