




# 2007 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-1781

## LEWISTON, IDAHO (KLWS)


### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2007

## LEWISTON (KLWS)

LATITUDE: 46° 22'N      LONGITUDE: -117° 0'W      ELEVATION (FT): GRND: 1425 BARO: 1447      TIME ZONE: PACIFIC (UTC -8)      WBAN: 24149

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	37.6	46.6	58.4	63.0	73.6	80.4	95.8	88.7	78.6	62.8	47.4	41.4	64.5	
	HIGHEST DAILY MAXIMUM	58	64	73	76	93	101	108	103	94	87	66	63	108	
	DATE OF OCCURRENCE	09	17	11	27	08	03	05	15	03	09	04	04	JUL 05	
	MEAN DAILY MINIMUM	24.6	32.8	38.8	40.2	47.3	54.2	64.8	58.3	50.4	41.8	32.3	30.8	43.0	
	LOWEST DAILY MINIMUM	2	20	24	27	34	45	54	49	37	28	20	14	2	
	DATE OF OCCURRENCE	12	03	02	03	05	26	01	28	29	31+	22	11	JAN 12	
	AVERAGE DRY BULB	31.1	39.7	48.6	51.6	60.5	67.3	80.3	73.5	64.5	52.3	39.9	36.1	53.8	
	MEAN WET BULB	28.3	36.3	42.5	44.4	49.9	54.6	60.7	55.9	50.7	45.2	36.1	33.1	44.8	
	MEAN DEW POINT	22.3	31.6	34.6	35.4	39.5	43.3	45.5	40.0	37.4	38.1	31.1	27.7	35.5	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	1	6	26	14	4	0	0	0	0	51
	MAXIMUM <= 32°	10	1	0	0	0	0	0	0	0	0	4	4	4	19
	MINIMUM <= 32°	23	12	5	2	0	0	0	0	0	4	17	19	82	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	1045	704	501	396	159	51	0	7	96	388	748	889	4984	
	COOLING DEGREE DAYS	0	0	0	0	27	127	483	280	88	2	0	0	1007	
RH	MEAN (PERCENT)	70	76	60	56	49	46	31	34	41	63	73	72	56	
	HOUR 04 LST	75	83	73	74	71	65	49	49	58	78	80	76	69	
	HOUR 10 LST	65	73	54	47	42	38	26	30	35	55	70	67	50	
	HOUR 16 LST	68	69	47	40	32	32	19	23	27	49	68	70	45	
	HOUR 22 LST	73	78	65	62	54	51	32	36	43	65	76	73	59	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG (VISBY <= 1/4 MI)	3	5	0	0	0	0	0	0	0	2	2	2	14	
	THUNDERSTORMS	0	0	0	0	0	0	2	0	0	0	0	0	2	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.74	28.46	28.56	28.47	28.46	28.42	28.35	28.38	28.43	28.51	28.63	28.58	28.50	
	MEAN SEA-LEVEL PRESS. (IN.)	30.32	30.03	30.10	30.00	29.98	29.93	29.84	29.88	29.94	30.05	30.19	30.14	30.03	
WINDS	RESULTANT SPEED (MPH)	2.7	1.1	0.6	1.2	0.5	1.4	1.9	1.3	1.3	0.7	0.9	3.2	0.6	
	RES. DIR. (TENS OF DEGS.)	19	21	17	28	03	33	31	31	30	17	15	18	24	
	MEAN SPEED (MPH)	6.8	5.5	6.3	5.3	5.1	5.1	4.9	4.6	4.7	4.9	3.9	6.3	5.3	
	PREVAIL. DIR. (TENS OF DEGS.)	18	28	11	30	06	31	30	30	30	09	13	18	18	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	39	31	30	33	31	30	24	36	30	29	30	32	39	
	DIR. (TENS OF DEGS.)	27	27	26	25	22	28	30	27	30	30	20	18	27	
	DATE OF OCCURRENCE	06	20	20	09	08	29	13	31	16	24	12	22	JAN 06	
	MAXIMUM 5-SECOND WIND:														
	SPEED (MPH)	47	38	37	41	39	44	33	52	41	43	48	40	52	
DIR. (TENS OF DEGS.)	25	29	25	25	24	29	32	28	32	30	33	25	28		
DATE OF OCCURRENCE	06	20	20	09	08	29	13	31	16	24	30	30	AUG 31		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.11	1.11	0.76	0.57	0.82	0.76	0.04	0.37	0.10	1.08	1.65	0.36	7.73	
	GREATEST 24-HOUR (IN.)	0.05	0.22	0.22	0.21	0.37	0.37	0.04	0.21	0.05	0.45	0.61	0.16	0.61	
	DATE OF OCCURRENCE	10-11	14-15	07	09	21-22	09-10	18-19	19	28	16-17	18-19	23-24	NOV 18-19	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	6	11	9	5	6	7	2	3	3	13	11	8	84		
PRECIPITATION 0.10	0	5	3	3	3	2	0	1	0	3	5	2	27		
PRECIPITATION 1.00	0	0	0	0	0	0	0	0	0	0	0	0	0		
SNOWFALL	SNOW, ICE PELLETS, HAIL														
	TOTAL (IN.)	1.4	2.6	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.2	10.5	
	GREATEST 24-HOUR (IN.)	0.5	1.5	T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.7	2.7	
	DATE OF OCCURRENCE	10	22	01								29	10	DEC 10	
	MAXIMUM SNOW DEPTH (IN.)	1	1	0	0	0	0	0	0	0	0	1	2	2	
	DATE OF OCCURRENCE	18+	04									29+	11	DEC 11	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	1	0	0	0	0	0	0	0	0	2	1	4		

# NORMALS, MEANS, AND EXTREMES LEWISTON (KLWS)

**LATITUDE:**  
46° 22'N

**LONGITUDE:**  
-117° 0 'W

**ELEVATION (FT):**  
GRND: 1425 BARO: 1447

**TIME ZONE:**  
PACIFIC (UTC -8)

**WBAN: 24149**

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
<b>TEMPERATURE °F</b>	NORMAL DAILY MAXIMUM	30	39.4	45.6	53.8	61.6	70.0	78.0	87.6	87.6	76.7	62.0	46.8	39.2	62.4
	MEAN DAILY MAXIMUM	60	39.5	46.2	53.8	62.1	70.8	78.8	89.2	87.9	77.8	62.9	48.0	40.6	63.1
	HIGHEST DAILY MAXIMUM	61	66	72	78	97	100	107	110	115	103	89	77	65	115
	YEAR OF OCCURRENCE		1953	1986	2004	2003	1983	1973	2002	1961	1950	1987	1999	2002	AUG 1961
	MEAN OF EXTREME MAXS.	60	54.3	59.4	68.3	78.6	88.9	95.5	102.9	102.0	93.9	79.6	62.5	55.4	78.4
	NORMAL DAILY MINIMUM	30	28.0	31.2	35.6	40.6	47.0	53.6	59.3	59.3	50.9	41.2	34.1	28.5	42.4
	MEAN DAILY MINIMUM	60	26.9	30.5	34.5	39.7	46.5	53.1	59.0	58.2	50.3	40.8	33.5	28.7	41.8
	LOWEST DAILY MINIMUM	61	-22	-15	2	20	23	34	41	41	28	15	-3	-22	-22
	YEAR OF OCCURRENCE		1950	1950	1955	1966	1954	1951	1955	1992	1965	2002	1955	1968	DEC 1968
	MEAN OF EXTREME MINS.	60	9.0	15.7	23.3	29.6	35.2	43.0	48.7	48.1	38.8	28.7	20.3	12.3	29.4
	NORMAL DRY BULB	30	33.7	38.4	44.7	51.1	58.5	65.8	73.5	73.4	63.8	51.6	40.4	33.9	52.4
	MEAN DRY BULB	60	33.2	38.4	44.1	50.9	58.6	66.0	74.1	73.1	64.1	51.9	40.8	34.7	52.5
	MEAN WET BULB	24	32.2	34.2	40.0	44.8	50.1	55.0	58.4	57.0	51.8	44.6	37.1	31.3	44.7
	MEAN DEW POINT	24	27.7	28.9	33.2	37.3	42.4	46.4	47.6	45.5	42.1	37.2	32.3	27.0	37.3
	NORM. NO. DAYS WITH:	MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	1.2	4.8	15.3	15.4	3.6	0.0	0.0	0.0
MAXIMUM <= 32		30	6.5	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.6	15.9
MINIMUM <= 32		30	19.4	14.5	9.1	2.8	0.1	0.0	0.0	0.0	0.1	2.6	11.3	20.6	80.5
MINIMUM <= 0		30	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.5
<b>H/C</b>	NORMAL HEATING DEG. DAYS	30	962	742	616	411	218	71	10	10	104	403	722	951	5220
	NORMAL COOLING DEG. DAYS	30	0	0	0	3	29	105	283	285	84	3	0	0	792
<b>RH</b>	NORMAL (PERCENT)	30													
	hour 04 LST	30													74
	hour 10 LST	30													59
	hour 16 LST	30													47
	hour 22 LST	30													
<b>S</b>	PERCENT POSSIBLE SUNSHINE														
<b>W/O</b>	MEAN NO. DAYS WITH:														
	HEAVY FOG (VISBY <= 1/4 MI) THUNDERSTORMS	25 30	4.2 0.0	2.5 0.1	1.0 0.1	0.3 0.9	0.3 1.5	0.2 2.4	0.0 2.4	0.0 1.6	0.2 0.8	1.4 0.3	2.9 0.0	4.3 0.0	17.3 10.1
<b>CLOUDNESS</b>	MEAN:														
	SUNRISE-SUNSET (OKTAS)				7.2		7.2	4.0							
	MIDNIGHT-MIDNIGHT (OKTAS)						7.2	4.0				3.2			
	MEAN NO. DAYS WITH:														
	CLEAR	1	1.0	3.0	4.0		4.0	9.0							
PARTLY CLOUDY			2.0	3.0		4.0	5.0								
CLOUDY	1	2.0	4.0	8.0		16.0	4.0								
<b>PR</b>	MEAN STATION PRESSURE (IN)	24	28.58	28.54	28.49	28.46	28.43	28.43	28.43	28.44	28.47	28.53	28.54	28.60	28.50
	MEAN SEA-LEVEL PRES. (IN)	24	30.15	30.10	30.03	29.99	29.95	29.94	29.93	29.93	29.98	30.06	30.10	30.16	30.03
<b>WINDS</b>	MEAN SPEED (MPH)	24	6.7	6.1	6.7	6.7	6.3	6.3	6.1	5.8	5.2	5.3	6.1	6.3	6.1
	PREVAIL. DIR (TENS OF DEGS)	13	19	08	08	31	31	31	31	31	31	07	08	08	31
	MAXIMUM 2-MINUTE:														
	SPEED (MPH)	12	45	45	44	45	45	43	51	36	38	49	39	46	51
	DIR. (TENS OF DEGS)		25	25	27	26	25	29	26	27	26	25	24	26	26
	YEAR OF OCCURRENCE		2000	1999	1997	2004	2006	2001	1998	2007	2000	2001	2006	2000	JUL 1998
	MAXIMUM 5-SECOND														
	SPEED (MPH)	12	60	56	55	54	52	53	63	52	47	58	48	59	63
DIR. (TENS OF DEGS)		26	23	26	29	25	28	25	28	26	26	33	26	25	
YEAR OF OCCURRENCE		2000	1999	2004	2002	2006	2001	1998	2007	2000	2001	2007	2000	JUL 1998	
<b>PRECIPITATION</b>	NORMAL (IN)	30	1.14	0.95	1.12	1.31	1.56	1.16	0.72	0.75	0.81	0.96	1.21	1.05	12.74
	MAXIMUM MONTHLY (IN)	61	3.55	2.22	2.70	3.29	4.80	4.70	2.60	2.96	2.48	2.79	2.79	3.28	4.80
	YEAR OF OCCURRENCE		1970	2000	1972	1978	1948	1950	1987	1989	2000	1950	1973	1964	MAY 1948
	MINIMUM MONTHLY (IN)	61	0.11	0.17	0.25	0.05	0.27	0.23	T	T	T	T	0.23	0.14	T
	YEAR OF OCCURRENCE		2007	1988	1969	1956	1964	2003	1953	1969	1975	1987	1976	1970	OCT 1987
	MAXIMUM IN 24 HOURS (IN)	61	1.35	0.93	0.95	1.06	1.63	1.72	1.90	1.64	1.73	1.19	1.44	1.12	1.90
	YEAR OF OCCURRENCE		1956	1959	2003	1978	1948	1950	1998	1989	1955	1950	1996	1958	JUL 1998
	NORMAL NO. DAYS WITH:														
PRECIPITATION >= 0.01	30	10.8	9.7	11.0	10.3	10.0	8.7	5.7	4.5	5.5	7.1	11.2	10.6	105.1	
PRECIPITATION >= 1.00	30	0.0	0.0	0.0	0.0	0.1	*	*	0.1	0.0	*	*	0.0	0.2	
<b>SNOWFALL</b>	NORMAL (IN)	30	3.9	2.4	0.7	0.1	0.*	0.0	0.0	0.0	0.0	0.1	1.8	3.5	12.5
	MAXIMUM MONTHLY (IN)	51	26.1	14.9	9.7	1.1	T	0.0	0.0	T	0.0	2.5	14.4	18.7	26.1
	YEAR OF OCCURRENCE		1957	1956	1955	1972	2006		1991			1971	1961	1968	JAN 1957
	MAXIMUM IN 24 HOURS (IN)	51	12.8	7.5	6.7	1.0	T	0.0	T	0.0	0.0	1.3	8.3	8.4	12.8
	YEAR OF OCCURRENCE		1966	1956	1989	1947	1990		1991			1971	1961	1968	JAN 1966
	MAXIMUM SNOW DEPTH (IN)	50	16	9	5	0	0	0	0	0	0	1	10	7	16
	YEAR OF OCCURRENCE		1957	1969	1989							1971	1961	1968	JAN 1957
NORMAL NO. DAYS WITH:															
SNOWFALL >= 1.0	30	1.3	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.3	4.3	

**PRECIPITATION (inches) 2007 LEWISTON (KLWS)**

<b>YEAR</b>	<b>JAN</b>	<b>FEB</b>	<b>MAR</b>	<b>APR</b>	<b>MAY</b>	<b>JUN</b>	<b>JUL</b>	<b>AUG</b>	<b>SEP</b>	<b>OCT</b>	<b>NOV</b>	<b>DEC</b>	<b>ANNUAL</b>
1978	1.92	1.47	1.09	3.29	1.06	0.30	0.56	1.90	1.06	T	1.06	0.96	14.67
1979	0.97	1.12	0.69	2.17	1.56	0.70	0.21	0.57	0.18	1.57	1.44	0.97	12.15
1980	1.72	1.57	1.23	0.76	1.87	1.31	0.89	0.47	0.97	0.68	1.00	0.88	13.35
1981	0.89	1.22	1.93	0.92	1.11	1.94	0.92	0.01	1.01	1.41	1.54	1.31	14.21
1982	1.57	0.75	1.29	1.14	0.65	0.46	1.74	0.47	0.97	1.98	0.39	1.03	12.44
1983	0.95	1.46	1.48	1.12	1.15	1.70	0.96	0.93	0.74	0.87	1.00	1.14	13.50
1984	0.71	0.46	1.66	1.15	1.68	1.58	0.27	0.93	0.21	0.91	0.89	0.69	11.14
1985	0.24	0.66	0.67	0.93	1.29	0.92	0.57	0.91	1.82	0.60	0.62	0.36	9.59
1986	1.13	1.99	0.63	0.37	1.39	0.41	0.56	0.84	0.94	0.30	1.44	0.53	10.53
1987	0.56	0.44	0.91	0.83	0.84	1.44	2.60	0.34	0.01	T	0.31	0.81	9.09
1988	0.97	0.17	1.04	1.12	0.91	1.69	0.88	0.08	0.82	0.17	2.04	0.53	10.42
1989	1.61	0.33	1.69	0.65	2.57	1.61	0.07	2.96	0.64	0.63	0.67	0.30	13.73
1990	0.84	0.26	1.05	2.08	2.39	0.71	0.35	0.71	0.04	1.18	1.05	0.92	11.58
1991	0.14	0.32	1.11	0.79	3.74	1.86	0.53	0.03	0.24	0.15	2.00	0.40	11.31
1992	0.71	0.74	0.42	1.76	0.49	0.75	1.34	1.37	0.84	0.67	1.25	0.39	10.73
1993	0.99	0.70	1.17	2.78	1.97	1.63	1.19	0.62	0.07	0.67	0.64	0.80	13.23
1994	0.89	0.74	0.28	1.50	1.21	1.05	0.54	0.08	0.37	1.10	0.88		
1995	1.39	0.59	1.85	1.55	0.93	2.60		1.31	1.21	2.41	0.79	1.37	
1996	1.62	2.00	1.16	2.59	2.75	0.67	.11	.07	.47	1.12	2.27	2.62	17.45
1997	2.43	0.71	1.69	2.52	0.81	0.93	1.03	0.47	0.98	1.77	1.12	0.60	15.06
1998	1.77	0.33	0.87	1.29	3.78	0.77	2.42	0.17	1.90	0.62	2.67	1.00	17.59
1999	0.58	1.30	1.02	0.71	1.31	1.50	0.20	1.06	T	1.23	1.62	1.14	11.67
2000	0.89	2.22	0.95	0.99	1.46	1.27	0.03	0.12	2.48	1.18	0.71	0.72	13.02
2001	0.98	0.66	0.85	1.65	0.60	1.12	0.59	0.14	0.19	1.86	1.23	0.64	10.51
2002	0.81	0.96	1.44	0.79	0.57	1.45	0.15	1.38	0.38	0.77	0.74	0.68	10.12
2003	3.01	0.68	2.26	1.56	2.10	0.23	0.31	0.39	1.06	0.29	0.37	1.78	14.04
2004	0.92	0.72	0.44	1.34	3.12	1.14	0.29	1.81	0.33	1.42	1.00	0.86	13.39
2005	0.31	0.19	1.05	1.53	3.22	1.30	0.26	0.05	0.17	1.57	0.48	1.63	11.76
2006	1.11	0.25	0.94	2.25	1.65	1.45	0.21	0.18	0.66	0.42	2.41	0.96	12.49
2007	0.11	1.11	0.76	0.57	0.82	0.76	0.04	0.37	0.10	1.08	1.65	0.36	7.73
POR= 60 YRS	1.21	0.88	1.06	1.23	1.57	1.35	0.65	0.72	0.76	1.00	1.18	1.13	12.74

WBAN : 24149

**AVERAGE TEMPERATURE (°F) 2007 LEWISTON (KLWS)**

<b>YEAR</b>	<b>JAN</b>	<b>FEB</b>	<b>MAR</b>	<b>APR</b>	<b>MAY</b>	<b>JUN</b>	<b>JUL</b>	<b>AUG</b>	<b>SEP</b>	<b>OCT</b>	<b>NOV</b>	<b>DEC</b>	<b>ANNUAL</b>
1978	35.4	40.7	47.6	50.0	56.0	67.2	74.1	71.1	61.9	52.2	35.1	29.0	51.7
1979	16.9	36.0	46.0	49.9	59.2	67.1	76.0	75.0	69.0	55.9	37.5	39.8	52.4
1980	28.6	39.6	43.1	56.0	58.2	63.2	73.5	68.8	64.0	52.2	41.6	40.4	52.4
1981	38.5	39.7	46.6	51.6	57.0	62.2	70.9	77.7	65.5	49.5	44.2	36.7	53.3
1982	32.1	36.7	44.3	47.7	57.2	69.2	72.7	74.4	63.9	51.4	38.8	34.8	51.9
1983	40.5	42.9	47.1	49.2	59.5	65.2	70.5	76.7	60.7	53.0	43.8	25.3	52.9
1984	36.0	40.8	46.8	49.3	56.1	63.9	75.2	75.0	61.5	48.6	42.2	30.5	52.2
1985	28.0	32.6	42.3	53.5	60.3	66.9	80.0	69.5	56.8	48.6	29.0	23.2	49.2
1986	39.2	39.0	48.8	50.5	60.1	70.9	68.9	77.7	59.4	53.9	40.5	34.7	53.6
1987	32.0	40.4	46.4	57.0	62.3	70.0	71.5	72.0	68.3	54.6	43.6	33.8	54.3
1988	33.3	41.3	44.4	53.5	58.9	66.7	73.8	73.9	64.2	58.7	42.6	34.2	53.8
1989	36.3	26.6	46.3	56.1	59.4	68.6	74.5	71.4	66.1	54.4	47.1	37.9	53.7
1990	41.9	39.7	48.4	57.0	58.8	67.6	77.4	75.6	73.0	53.1	47.1	30.6	55.9
1991	34.5	47.7	45.4	52.0	55.9	60.3	72.3	75.1	65.6	50.6	40.1	37.6	53.1
1992	37.9	42.2	49.1	53.8	63.0	71.2	72.4	73.4	62.4	54.2	40.2	32.7	54.4
1993	27.0	32.9	46.4	50.1	62.9	63.9	65.4	70.2	64.7	54.4	35.2	36.1	50.8
1994	40.4	35.6	46.6	54.2	61.6	66.0	77.8	75.2	67.4	52.1	38.4		
1995	35.4	41.9	44.5	49.9	59.8	63.8		70.0	66.3	49.4	45.1	34.7	
1996	34.1		43.4	51.4	54.1	64.1	74.8	73.4	61.8	51.4	40.5	34.3	
1997	33.7	38.3	44.6	48.8	61.5	64.2	71.7	76.2	66.5	52.0	43.1	34.1	52.9
1998	36.9	42.0	45.6	51.0	58.9	65.5	78.7	76.4	69.3	50.0	43.5	34.5	54.4
1999	37.6	40.6	43.7	48.7	55.3	63.8	71.9	75.3	64.1	52.0	46.2	37.4	53.1
2000	36.1	40.6	44.2	54.4	58.7	66.0	73.6	73.6	61.1	49.7	34.1	32.9	52.1
2001	34.2	36.9	45.1	48.4	60.2	63.4	73.6	76.5	68.1	51.8	44.2	34.9	53.1
2002	36.9	38.9	40.8	49.8	56.8	67.0	77.1	70.5	64.2	47.7	41.6	38.1	52.5
2003	39.8	38.0	46.1	49.9	57.4	68.3	78.9	75.7	66.5	55.4	38.7	36.6	54.3
2004	34.0	40.3	49.2	54.0	58.6	67.9	77.6	75.8	63.5	53.4	41.9	37.9	54.5
2005	38.0	39.2	47.9	52.4	60.6	64.4	76.6	75.2	63.0	53.8	40.4	31.9	53.6
2006	42.2	37.5	44.7	52.0	61.3	68.6	79.3	74.0	65.4	50.7	42.8	35.6	54.5
2007	31.1	39.7	48.6	51.6	60.5	67.3	80.3	73.5	64.5	52.3	39.9	36.1	53.8
POR= 60 YRS	33.2	38.4	44.1	50.9	58.6	66.0	74.1	73.1	64.1	51.9	40.8	34.7	52.5

**HEATING DEGREE DAYS (base 65°F) 2007 LEWISTON (KLWS)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	6	22	139	390	890	1109	1485	808	582	448	190	61	6130
1979-80	12	0	14	281	819	774	1122	730	673	274	218	86	5003
1980-81	0	35	74	401	695	757	815	700	564	401	249	111	4802
1981-82	13	0	118	472	620	869	1013	787	636	514	239	57	5338
1982-83	15	0	118	416	779	928	755	612	548	470	243	51	4935
1983-84	17	0	143	366	630	1224	893	697	559	470	282	98	5379
1984-85	0	7	158	510	679	1064	1144	901	698	340	198	47	5746
1985-86	0	12	246	499	1076	1285	791	721	496	430	248	25	5829
1986-87	27	3	192	338	729	932	1016	680	570	255	137	31	4910
1987-88	9	3	35	323	635	961	976	681	634	344	215	87	4903
1988-89	12	0	122	208	666	948	884	1071	572	260	184	18	4945
1989-90	3	14	29	322	531	833	709	703	508	233	198	56	4139
1990-91	0	3	0	371	530	1059	940	478	601	383	276	145	4786
1991-92	3	0	45	441	739	842	831	656	488	328	108	40	4521
1992-93	4	39	122	338	737	993	1172	894	568	439	124	81	5511
1993-94	37	25	105	325	886	891	754	816	561	334	148	70	4952
1994-95	8	0	40	391	790		910	639	628	446	177	97	
1995-96		15	72	477	587	933	950		661	404	331	69	
1996-97	3	2	147	416	729	945	964	740	627	482	145	59	5259
1997-98	12	0	52	405	650	949	863	638	595	419	201	39	4823
1998-99	0	0	46	458	637	941	842	676	651	484	310	114	5159
1999-00	16	16	84	394	559	849	889	699	637	313	203	51	4710
2000-01	10	3	157	470	919	987	949	779	611	491	200	112	5688
2001-02	2	0	31	403	616	928	865	724	745	451	260	72	5097
2002-03	0	10	94	531	694	824	771	749	578	449	261	27	4988
2003-04	0	0	65	308	783	874	954	711	486	321	197	58	4757
2004-05	0	3	74	354	685	833	830	718	526	371	154	82	4630
2005-06	0	0	99	340	733	1019	700	762	622	382	178	15	4850
2006-07	0	10	89	435	658	905	1045	704	501	396	159	51	4953
2007-	0	7	96	388	748	889							

WBAN : 24149

**COOLING DEGREE DAYS (base 65°F) 2007 LEWISTON (KLWS)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1978	0	0	0	0	0	112	296	217	51	0	0	0	676
1979	0	0	0	0	15	131	360	315	140	7	0	0	968
1980	0	0	0	10	15	37	271	160	51	10	0	0	554
1981	0	0	0	7	8	32	204	403	139	0	0	0	793
1982	0	0	0	0	5	190	260	298	89	1	0	0	843
1983	0	0	0	0	77	63	197	369	20	0	0	0	726
1984	0	0	0	3	11	69	325	322	59	7	0	0	796
1985	0	0	0	0	59	112	468	157	7	0	0	0	803
1986	0	0	0	1	104	210	155	404	31	0	0	0	905
1987	0	0	0	21	62	188	216	224	141	10	0	0	862
1988	0	0	0	2	29	145	293	281	105	19	0	0	874
1989	0	0	0	0	17	131	305	219	66	0	0	0	738
1990	0	0	0	0	12	140	393	337	245	8	0	0	1135
1991	0	0	0	0	0	11	234	317	69	2	0	0	633
1992	0	0	0	0	55	234	243	305	50	8	0	0	895
1993	0	0	0	0	69	55	56	194	105	2	0	0	481
1994	0	0	0	13	49	107	412	322	117	0	0	0	
1995	0	0	0	0	25	65		176	117	0	0	0	
1996	0	0	0	0	0	46	315	272	56	3	0	0	692
1997	0	0	0	0	43	41	225	354	105	6	0	0	774
1998	0	0	0	3	18	64	432	361	181	0	0	0	1059
1999	0	0	0	0	16	87	236	345	64	0	0	0	748
2000	0	0	0	0	14	91	286	277	49	0	0	0	717
2001	0	0	0	1	58	72	275	362	131	1	0	0	900
2002	0	0	0	0	13	139	382	187	77	0	0	0	798
2003	0	0	0	0	32	135	437	334	117	14	0	0	1069
2004	0	0	0	0	3	151	399	342	36	1	0	0	932
2005	0	0	0	0	26	71	369	324	45	0	0	0	835
2006	0	0	0	0	71	127	450	296	108	0	0	0	1052
2007	0	0	0	0	27	127	483	280	88	2	0	0	1007

**SNOWFALL (inches) 2007 LEWISTON (KLWS)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1978-79	0.0	0.0	0.0	0.0	5.2	3.1	11.6	0.1	T	0.1	0.0	0.0	20.1
1979-80	0.0	0.0	0.0	0.0	1.6	T	15.5	2.0	2.4	T	0.0	0.0	21.5
1980-81	0.0	0.0	0.0	0.0	1.9	2.3	T	3.2	0.0	T	0.0	0.0	7.4
1981-82	0.0	0.0	0.0	0.0	T	5.1	8.7	2.2	T	T	0.0	0.0	16.0
1982-83	0.0	0.0	0.0	0.0	T	2.5	T	T	0.0	0.0	0.0	0.0	2.5
1983-84	0.0	0.0	0.0	0.0	T	12.1	0.5	T	0.0	0.0	T	0.0	12.6
1984-85	0.0	0.0	0.0	T	0.8	10.0	3.9	13.9	1.1	T	0.0	0.0	29.7
1985-86	0.0	0.0	0.0	T	6.2	3.0	0.8	3.0	0.0	T	0.0	0.0	13.0
1986-87	0.0	0.0	0.0	0.0	1.6	T	2.3	T	0.0	0.0	0.0	0.0	3.9
1987-88	0.0	0.0	0.0	0.0	T	1.2	3.5	T	T	T	0.0	0.0	4.7
1988-89	0.0	0.0	0.0	0.0	7.3	4.5	4.8	5.2	6.7	0.0	0.0	0.0	28.5
1989-90	0.0	0.0	0.0	0.0	0.0	2.0	T	1.4	T	0.0	T	0.0	3.4
1990-91	0.0	0.0	0.0	T	T	5.7	T	0.0	2.0	T	0.0	0.0	7.7
1991-92	T	0.0	0.0	T	T	0.0	T	0.0	0.0	0.0	0.0	0.0	T
1992-93	0.0	0.0	0.0	0.0	3.5	2.8	11.0	5.1	0.8	T	0.0	0.0	23.2
1993-94	0.0	0.0	0.0	0.0	3.1	T	0.0	3.7	T	0.0	0.0	0.0	6.8
1994-95	0.0	0.0	0.0	0.0	1.0		2.2	1.8	T	0.0	0.0	0.0	
1995-96		0.0	0.0		0.0								
1996-97	0.0												
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-06						3.8	T	0.1	0.2	0.0	T	0.0	
2006-07	0.0	0.0	0.0	0.0	2.5	0.1	1.4	2.6	T	0.0	0.0	0.0	6.6
2007-	0.0	0.0	0.0	0.0	3.3	3.2							
POR= 59 YRS	T	0.0	0.0	0.1	1.5	3.5	4.9	2.1	1.1	T	T	0.0	13.2

WBAN : 24149

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

# 2007 LEWISTON IDAHO (KLWS)

Lewiston is located at the confluence of the Snake and Clearwater Rivers at an elevation of 738 feet above mean sea level. Lower Granite Lake extends from the confluence of the two rivers, 32 miles downstream in the Snake River channel, to Lower Granite Dam. The valley is rather narrow with a range of hills to the north sloping abruptly to about 2,000 feet above the valley floor. To the south the terrain rises more gradually to a more or less flat bench about 700 feet above the valley. The Weather Office is located on the bench at an elevation of 1,413 feet above sea level and about 2 miles south of Lewiston. Although Lewiston is at about the same latitude as Duluth, Minnesota, the climate, especially in the wintertime, is comparatively very mild. This mildness can be explained by its location with respect to the effects of Pacific air masses from the west and by the sheltering effects of the mountains that surround the valley in almost every direction.

Considerable variations in the climate are to be found within relatively short distances from the valley itself. On the prairies surrounding the valley, winter temperatures are much lower and the precipitation is normally almost double that recorded in the valley and at the airport location.

Precipitation normally amounts to about 13 inches annually, which is rather evenly distributed through the year except for the months of July and August, which are characterized by infrequent thunderstorms that usually drop only small amounts of rain. Records show that several times during these two months not more than a trace of rain has been recorded and at times not even a trace. The thunderstorms on the prairie are, at times, accompanied by heavy hail and windstorms. Snowfall in the valley averages about 18 inches during the year, concentrated mostly in the three months of December, January, and February, but in the higher country surrounding the valley the snowfall is much heavier.

Most of the precipitation reaching this vicinity results from strong invasions of moist air from the North Pacific source region. Greatest amounts of both rain and snow occur when this moist air is overrunning a weak front that has become stationary along an east-west line a short distance south of the area.

Temperatures show a wide range from more than 115 degrees to less than -20 degrees. Many winters have gone by without a temperature of zero being recorded in the valley, but the prairie sections usually experience lower temperatures. The summers experience hot and dry periods with as many as 10 consecutive days with afternoon temperatures reaching 100 degrees or more. Considerable cooling after sunset makes the nights very comfortable. Cold waves occur when arctic air, originating in the Yukon Territory, moves southward. Such cold waves are relatively infrequent when compared to the number of arctic outbreaks east of the continental divide in Montana only a short distance away.

Winds are light, usually prevailing from the east, with occasional stronger winds accompanying the well-developed frontal systems from the west.

Relative humidity averages about 70 percent during the winter months and gradually lowers to about 40 percent during July and August.

The growing season of approximately 200 days in this part of the country, makes conditions favorable for the growing of many types of fruits, vegetables, and berries.

# Station Location

LEWISTON

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE										REMARKS
				NORTH	WEST	SEA LEVEL	GROUND								AUTOMATIC OBSERVING EQUIPMENT *	
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE	HYGROTHERMOMETER		
*NOTE:																
AIRPORT																
Administration Building Lewiston-Nez Perce County Airport	11/18/46	9/7/51	2 mi. S	46° 23'	117° 01'	1413	23		4	4			3			
New Administration Bldg Lewiston-Nez Perce County Airport + + Lewiston - Nez Perce County Regional Airport effective 12/1/68.	9/7/51	07/01/95	30 ft. N	46° 23'	117° 01'	1413	b20		4 d30	4 d29		a5 f28	c3 d26	e6	g	a. Added 1/1/54. b. 40 ft. to 3/24/66. c. Removed 1/75. d. Moved to roof exposure 9/1/76. e. Added 2/4/77. f. Added 5/17/78. g. RAMOS installed 11/6/80.
Lewiston-Nez Perce County Airport	07/01/95	Present	NA	46° 22'	117° 01'	h1444									S	ASOS Commissioned 07/01/95 h. Ground Elevation.

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

**INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322**

Visit our Web Site for other weather data: [www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Non-Subscription Request:**

NCDC Customer Services;  
Phone: 828-271-4800  
Fax: 828-271-4876  
Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

**FIRST CLASS**  
**POSTAGE & FEES PAID**  
**United States Department of Commerce**  
**NOAA Permit No. G - 19**

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
CHANGE SERVICE REQUESTED

\* NOTES: For earlier station history see previous editions.