




2008 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-4845

NASHVILLE, TENNESSEE (KBNA)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2008

NASHVILLE (KBNA)

LATITUDE: 36° 7' N LONGITUDE: -86° 41' W ELEVATION (FT): GRND: 600 BARO: 574 TIME ZONE: CENTRAL (UTC -6) WBAN: 13897

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	46.0	52.7	61.6	68.9	77.3	88.3	89.9	88.9	84.4	71.8	56.9	50.9	69.8	
	HIGHEST DAILY MAXIMUM	71	72	74	84	89	94	97	97	92	86	76	73	97	
	DATE OF OCCURRENCE	07	05	27+	25	31	25+	21	05	01	06	05	19	AUG 05	
	MEAN DAILY MINIMUM	28.0	33.1	38.8	47.3	56.2	67.8	69.2	69.0	63.4	48.6	35.9	30.5	49.0	
	LOWEST DAILY MINIMUM	11	19	23	31	45	56	60	60	52	29	18	9	9	
	DATE OF OCCURRENCE	25+	14	09	15	17+	18	01	17	25	29	22	22	DEC 22	
	AVERAGE DRY BULB	37.0	42.9	50.2	58.1	66.8	78.1	79.6	79.0	73.9	60.2	46.4	40.7	59.4	
	MEAN WET BULB	33.0	38.1	44.1	51.7	59.7	68.3	70.2	68.2	65.0	52.6	41.3	36.7	52.4	
	MEAN DEW POINT	24.8	31.0	36.9	45.3	54.0	62.7	64.9	62.2	59.2	45.5	34.0	30.2	45.9	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	14	17	15	4	0	0	0	0	50
MAXIMUM <= 32°	2	1	0	0	0	0	0	0	1	0	0	1	1	5	
MINIMUM <= 32°	23	14	11	1	0	0	0	0	0	1	9	19	19	78	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	861	636	453	224	46	0	0	0	0	202	552	747	3721	
	COOLING DEGREE DAYS	0	3	2	25	109	401	458	439	273	62	0	1	1773	
RH	MEAN (PERCENT)	63	66	64	64	65	62	64	60	64	62	64	69	64	
	HOUR 00 LST	67	67	72	71	76	73	75	69	72	74	72	74	72	
	HOUR 06 LST	71	73	78	81	80	79	82	78	83	82	78	79	79	
	HOUR 12 LST	56	60	54	53	53	48	50	46	50	46	51	62	52	
	HOUR 18 LST	60	60	55	53	54	49	49	47	51	51	55	62	54	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	0	0	0	0	1	1	0	0	0	3	3	10	
	THUNDERSTORMS	3	3	3	4	5	7	5	1	1	1	0	2	35	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.55	29.40	29.41	29.39	29.34	29.36	29.36	29.31	29.41	29.53	29.46	29.52	29.42	
	MEAN SEA-LEVEL PRESS. (IN.)	30.22	30.05	30.06	30.03	29.99	29.99	30.00	29.95	30.05	30.18	30.11	30.18	30.07	
WINDS	RESULTANT SPEED (MPH)	2.6	2.6	2.3	2.1	2.3	2.6	0.7	2.6	0.8	0.4	1.4	2.1	1.2	
	RES. DIR. (TENS OF DEGS.)	22	23	20	20	22	22	27	02	07	03	26	21	23	
	MEAN SPEED (MPH)	7.3	8.1	8.9	7.0	6.9	5.8	4.5	5.1	5.7	5.0	5.2	8.7	6.5	
	PREVAIL.DIR.(TENS OF DEGS.)	18	18	17	17	18	18	17	01	17	18	18	17	17	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	40	37	36	31	30	23	22	21	29	21	22	30	40	
	DIR. (TENS OF DEGS.)	13	17	17	17	26	36	26	04	17	35	32	16	13	
	DATE OF OCCURRENCE	31	17	19	10	11	01	12	26	14	27	24	14	JAN 31	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	49	48	47	43	41	30	37	29	41	30	31	48	49	
DIR. (TENS OF DEGS.)	27	16	16	26	27	36	26	15	17	34	19	21	27		
DATE OF OCCURRENCE	29	05	03	11	11	30	12	21	14	26	24	24	JAN 29		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	4.76	2.53	5.56	7.20	5.54	2.21	4.32	1.67	0.88	5.03	1.75	6.72	48.17	
	GREATEST 24-HOUR (IN.)	2.14	0.62	1.86	2.61	1.72	0.70	1.94	1.60	0.84	2.90	0.52	3.36	3.36	
	DATE OF OCCURRENCE	10	12	19	11	02-03	01	09-10	25-26	05	07-08	07	09-10	DEC 09-10	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	9	11	10	11	12	6	9	6	3	5	8	16	106	
PRECIPITATION 0.10	7	7	7	7	10	6	7	2	0	5	5	11	74		
PRECIPITATION 1.00	1	0	1	3	2	0	1	1	0	2	0	2	13		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	T	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	1.0	3.0	
	GREATEST 24-HOUR (IN.)	T	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	T	1.0	1.0	
	DATE OF OCCURRENCE	22+	27	07								21+	11	DEC 11	
	MAXIMUM SNOW DEPTH (IN.)	0	T	1	0	0	0	0	0	0	0	0	1	1	
	DATE OF OCCURRENCE		27+	08									12	DEC 12	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	0	0	0	0	0	0	0	0	0	0	0	1	1		

NORMALS, MEANS, AND EXTREMES NASHVILLE (KBNA)

LATITUDE:
36 ° 7 'N

LONGITUDE:
-86 ° 41'W

ELEVATION (FT):
GRND: 600 BARO: 574

TIME ZONE:
CENTRAL (UTC -6)

WBAN: 13897

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	45.6	51.4	60.7	69.8	77.5	85.1	88.7	87.8	81.5	71.1	59.0	49.4	69.0	
	MEAN DAILY MAXIMUM	61	47.2	51.6	60.6	70.9	79.0	86.4	89.8	89.1	82.9	72.3	59.8	50.4	70.0	
	HIGHEST DAILY MAXIMUM	69	78	84	86	91	97	106	107	106	105	94	84	79	107	
	YEAR OF OCCURRENCE		1972	1962	2007	1989	1941	1952	1952	2007	1954	1953	2000	1982	1982	JUL 1952
	MEAN OF EXTREME MAXS.	61	68.4	71.9	78.9	85.3	89.3	94.7	97.0	96.4	93.4	85.9	77.5	69.0	84.0	
	NORMAL DAILY MINIMUM	30	27.9	31.2	39.4	47.1	56.7	65.0	69.5	68.0	61.0	48.6	39.5	31.5	48.8	
	MEAN DAILY MINIMUM	61	28.6	31.3	38.9	48.0	57.1	65.2	69.5	68.2	61.1	48.9	38.8	31.6	48.9	
	LOWEST DAILY MINIMUM	69	-17	-13	2	23	34	42	51	47	36	26	-1	-10	-17	
	YEAR OF OCCURRENCE		1985	1951	1980	2007	1976	1966	1947	1946	1983	1987	1950	1989	1989	JAN 1985
	MEAN OF EXTREME MINS.	61	8.0	11.9	22.0	31.3	42.3	53.3	60.4	58.6	46.0	32.7	21.3	13.2	33.4	
	NORMAL DRY BULB	30	36.8	41.3	50.1	58.5	67.1	75.1	79.1	77.9	71.3	59.9	49.3	40.5	58.9	
	MEAN DRY BULB	61	37.9	41.5	49.7	59.5	68.1	75.9	79.7	78.7	72.0	60.6	49.3	41.0	59.5	
	MEAN WET BULB	25	34.1	36.9	43.4	51.6	60.6	67.7	71.1	70.0	63.9	53.8	44.4	36.9	52.9	
	MEAN DEW POINT	25	29.9	32.2	37.8	46.3	57.1	65.0	68.5	67.4	60.7	49.9	40.1	32.8	49.0	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	1.0	8.8	17.1	13.1	5.7	0.1	0.0	0.0	45.9	
	MAXIMUM <= 32	30	4.5	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.2	9.3	
MINIMUM <= 32	30	20.6	15.6	8.4	1.9	0.0	0.0	0.0	0.0	0.0	1.1	8.1	17.0	72.7		
MINIMUM <= 0	30	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9		
H/C	NORMAL HEATING DEG. DAYS	30	859	664	462	217	56	2	0	0	24	189	460	744	3677	
	NORMAL COOLING DEG. DAYS	30	0	0	9	37	136	321	453	416	229	46	5	0	1652	
RH	NORMAL (PERCENT)	30	71	68	64	63	70	71	72	73	73	70	70	72	70	
	HOURLY 00 LST	30	76	74	71	72	82	84	84	84	84	81	77	77	79	
	HOURLY 06 LST	30	80	80	78	81	86	87	89	90	90	87	82	81	84	
	HOURLY 12 LST	30	64	59	54	51	56	56	57	56	57	53	59	64	57	
	HOURLY 18 LST	30	67	60	55	52	58	60	62	61	63	60	64	67	61	
S	PERCENT POSSIBLE SUNSHINE	55	41	47	52	59	60	65	63	63	62	62	50	42	56	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	45	2.0	1.3	1.0	0.6	1.2	1.0	0.8	1.4	1.9	2.2	1.7	1.5	16.6	
	THUNDERSTORMS	61	1.3	1.6	3.9	5.0	7.1	8.3	9.1	7.3	3.5	1.5	1.7	1.0	51.3	
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	56	5.7	5.4	5.3	4.9	4.8	4.5	4.4	4.2	4.2	3.9	4.8	5.3	4.8	
	MIDNIGHT-MIDNIGHT (OKTAS)	32	5.3	5.1	5.0	4.6	4.6	4.1	4.0	3.8	4.0	3.6	4.7	5.0	4.5	
	MEAN NO. DAYS WITH: CLEAR	55	6.3	6.9	7.5	8.3	8.0	8.0	8.1	9.9	10.5	12.8	8.8	7.1	102.2	
	PARTLY CLOUDY	55	6.1	5.9	7.2	8.5	10.1	12.5	13.2	12.2	9.1	8.0	6.8	7.0	106.6	
	CLOUDY	55	18.5	15.5	16.3	13.2	13.0	9.5	9.7	8.9	10.4	10.2	14.4	17.0	156.6	
PR	MEAN STATION PRESSURE(IN)	25	29.49	29.46	29.41	29.35	29.36	29.36	29.38	29.39	29.41	29.45	29.47	29.50	29.42	
	MEAN SEA-LEVEL PRES. (IN)	25	30.16	30.12	30.06	30.00	30.00	29.99	30.01	30.02	30.05	30.10	30.13	30.16	30.07	
WINDS	MEAN SPEED (MPH)	25	8.4	8.5	8.8	8.2	7.1	6.4	6.3	5.9	6.2	6.5	7.6	8.1	7.3	
	PREVAIL.DIR.(TENS OF DEGS)	40	19	19	19	19	19	19	19	19	19	19	19	19	19	
	MAXIMUM 2-MINUTE: SPEED (MPH)	12	40	37	39	40	33	38	38	43	31	37	37	32	58	
	DIR. (TENS OF DEGS)		13	17	17	25	33	01	03	27	03	26	16	16	03	
	YEAR OF OCCURRENCE		2008	2008	1999	1998	1998	1999	2004	2003	2004	2007	2005	2003	JUL 2004	
	MAXIMUM 3-SECOND SPEED (MPH)	12	61	48	48	59	47	47	67	59	41	55	48	48	67	
	DIR. (TENS OF DEGS)		26	16	16	23	32	01	02	33	17	27	33	21	02	
	YEAR OF OCCURRENCE		1999	2008	1999	1998	2000	1999	2004	2003	2008	2007	2007	2008	JUL 2004	
PRECIPITATION	NORMAL (IN)	30	3.97	3.69	4.87	3.93	5.07	4.08	3.77	3.28	3.59	2.87	4.45	4.54	48.11	
	MAXIMUM MONTHLY (IN)	69	13.92	10.31	12.35	8.41	11.04	11.95	7.75	8.31	11.44	6.13	9.04	13.63	13.92	
	YEAR OF OCCURRENCE		1950	1956	1975	1984	1983	1998	1950	1942	1979	1959	1945	1978	JAN 1950	
	MINIMUM MONTHLY (IN)	69	0.19	0.64	1.18	0.52	0.69	0.45	0.71	0.69	0.28	T	0.54	0.98	T	
	YEAR OF OCCURRENCE		1986	1968	1987	1986	1941	1988	1954	1968	1956	1963	1949	1985	OCT 1963	
	MAXIMUM IN 24 HOURS (IN)	69	4.40	4.73	4.66	3.29	4.63	5.24	4.32	5.34	6.68	3.75	4.20	5.12	6.68	
	YEAR OF OCCURRENCE		1946	1989	1975	1979	2003	1998	1992	1963	1979	1975	1997	1978	SEP 1979	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	11.1	10.1	12.1	10.7	11.3	9.7	10.0	8.4	8.3	7.4	10.1	11.0	120.2	
	PRECIPITATION >= 1.00	30	0.9	0.7	1.0	1.2	1.5	1.1	1.1	1.0	0.9	0.8	1.2	1.5	12.9	
SNOWFALL	NORMAL (IN)	30	3.9	3.4	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.*	0.1	0.5	9.1	
	MAXIMUM MONTHLY (IN)	61	18.8	18.9	16.1	1.1	0.0	0.0	T	T	T	0.4	9.2	13.2	18.9	
	YEAR OF OCCURRENCE		1948	1979	1960	1971		2006	2007	1989		1993	1950	1963	FEB 1979	
	MAXIMUM IN 24 HOURS (IN)	61	8.1	8.3	8.8	1.1	0.0	T	T	T	0.0	0.4	9.2	10.2	10.2	
	YEAR OF OCCURRENCE		1988	1979	1951	1971		1994	2007	1989		1993	1950	1963	DEC 1963	
	MAXIMUM SNOW DEPTH (IN)	52	70	8	7	0	0	0	0	0	0	0	5	7	70	
	YEAR OF OCCURRENCE		1948	1979	1968								1966	1963	JAN 1948	
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.0	1.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.8	

PRECIPITATION (inches) 2008 NASHVILLE (KBNA)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	7.13	4.01	4.92	7.80	8.18	2.79	4.27	4.59	11.44	3.97	5.98	5.04	70.12
1980	2.59	1.38	7.27	3.67	6.14	2.89	3.53	1.24	1.09	1.17	2.55	1.40	34.92
1981	1.60	3.83	3.38	4.78	3.05	8.05	3.49	3.10	1.37	2.82	3.83	2.38	41.68
1982	6.50	4.80	3.00	4.36	4.19	2.28	5.47	3.46	3.23	1.91	3.87	6.36	49.43
1983	2.56	2.93	3.44	6.80	11.04	3.93	1.71	1.36	0.45	2.77	6.98	7.75	51.72
1984	1.79	2.38	5.14	8.41	9.68	4.49	6.63	2.42	0.97	6.00	6.20	2.38	56.49
1985	3.02	3.30	2.70	2.91	2.65	1.53	2.00	3.91	2.52	1.59	3.81	0.98	30.92
1986	0.19	3.59	2.29	0.52	3.36	2.38	0.77	3.38	2.19	2.19	7.43	3.31	31.60
1987	1.61	4.87	1.18	1.03	4.41	2.82	2.56	0.73	1.95	0.21	3.40	5.46	30.23
1988	3.73	2.02	2.18	2.09	1.86	0.45	3.26	2.39	2.45	1.54	5.49	3.95	31.41
1989	4.52	9.36	5.31	2.68	4.61	7.87	3.18	3.67	6.30	3.62	3.94	1.97	57.03
1990	2.76	4.73	3.26	1.60	2.80	2.37	4.86	3.12	2.13	4.41	4.29	10.76	47.09
1991	2.92	5.44	4.25	3.35	5.63	1.25	2.82	1.79	5.47	3.88	2.87	7.27	46.94
1992	2.97	2.60	4.50	0.77	3.12	4.31	5.89	3.25	3.45	1.62	4.48	2.88	39.84
1993	2.76	3.33	5.50	3.33	4.50	5.31	3.64	1.76	2.90	2.20	2.53	6.62	44.38
1994	4.36	6.18	7.56	5.72	3.76	8.08	4.82	5.05	4.20	3.31	4.04	2.69	59.77
1995	5.61	1.81	3.87	3.95	7.66	3.69	1.95	3.40	5.00	5.60	3.98	2.32	48.84
1996	3.82	2.46	5.15	3.68	4.48	3.68	5.45	1.09	4.89	3.16	6.00	4.77	48.63
1997	4.19	3.10	9.64	2.42	4.92	6.66	3.26	3.52	5.75	2.71	6.59	2.19	54.95
1998	3.68	4.11	3.13	6.31	4.46	11.95	4.63	2.93	1.39	1.59	1.30	6.53	52.01
1999	9.28	2.33	4.27	2.29	4.35	3.56	3.19	3.05	1.97	2.04	2.99	2.50	41.82
2000	3.52	3.75	3.34	6.23	7.66	1.74	2.25	1.95	1.90	0.26	6.39	3.44	42.43
2001	3.21	8.54	2.73	2.42	5.54	4.47	2.77	4.07	1.79	4.61	5.09	3.32	48.56
2002	4.93	1.99	9.40	4.31	3.98	3.76	5.64	3.13	6.29	4.48	2.91	5.81	56.63
2003	1.59	8.47	2.30	4.69	10.73	7.08	2.87	3.88	8.70	1.80	4.17	3.19	59.47
2004	3.60	5.77	4.81	6.69	6.90	3.39	3.19	4.24	4.55	4.90	5.21	5.93	59.18
2005	4.42	3.84	3.90	6.93	1.03	2.70	2.39	6.89	1.44	0.02	3.29	2.46	39.31
2006	6.57	2.69	2.90	4.14	4.95	2.19	2.64	5.20	4.00	2.98	4.05	3.41	45.72
2007	3.32	1.84	2.26	2.75	3.30	2.37	1.47	1.38	1.99	4.95	6.20	3.83	35.66
2008	4.76	2.53	5.56	7.20	5.54	2.21	4.32	1.67	0.88	5.03	1.75	6.72	48.17
POR= 61 YRS	4.35	4.13	4.89	4.17	4.73	3.93	3.70	3.27	3.43	2.74	3.99	4.48	47.81

WBAN : 13897

AVERAGE TEMPERATURE (°F) 2008 NASHVILLE (KBNA)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	29.7	33.4	50.7	57.8	66.3	73.7	77.6	77.0	70.5	60.3	48.6	41.5	57.3
1980	39.7	35.7	46.3	57.3	67.8	75.5	82.8	81.7	76.0	57.8	48.5	41.0	59.2
1981	35.5	42.6	47.5	64.0	64.2	77.5	79.8	76.6	68.1	60.4	49.9	38.3	58.7
1982	34.0	39.5	52.5	54.6	71.0	73.3	79.8	76.1	69.6	61.1	51.4	48.2	59.3
1983	38.8	42.7	50.3	54.5	64.8	75.5	80.5	83.2	73.7	62.4	49.9	34.0	59.2
1984	32.2	43.4	46.1	58.2	64.2	77.4	76.1	76.5	68.6	66.7	46.0	49.6	58.8
1985	27.8	36.5	53.2	61.9	68.4	75.7	80.2	77.2	70.8	64.4	56.9	34.2	58.9
1986	37.2	44.7	50.8	60.8	68.6	76.5	82.4	76.7	74.9	61.0	49.9	39.9	60.3
1987	36.1	43.1	51.8	57.7	73.4	77.5	80.2	81.1	72.2	54.6	52.4	44.1	60.4
1988	34.4	38.7	49.3	57.1	67.3	77.3	81.4	81.9	72.8	54.2	51.1	42.4	59.0
1989	44.9	39.0	52.6	59.3	65.7	74.7	79.1	78.0	70.5	61.0	51.4	29.5	58.8
1990	45.8	49.9	53.6	58.4	66.4	78.2	80.4	79.6	74.7	60.1	54.3	43.7	62.1
1991	39.2	43.9	52.5	63.8	74.2	78.2	81.1	78.3	72.3	61.2	47.2	44.5	61.4
1992	40.0	45.9	50.1	59.6	65.8	72.4	79.9	74.9	70.9	59.4	49.5	41.2	59.1
1993	41.6	39.3	47.1	56.7	67.6	75.9	83.3	81.0	71.0	58.6	47.4	40.3	59.2
1994	33.4	44.0	50.7	62.5	64.1	78.1	78.5	77.1	69.1	61.0	54.5	45.3	59.9
1995	38.6	40.4	60.9	68.5	74.7	80.8	83.3	70.7	60.0	44.0	39.5	39.5	58.3
1996	36.3	40.6	44.6	55.8	71.5	75.6	77.6	77.5	69.5	60.8	45.7	44.4	58.3
1997	37.3	45.6	53.6	54.4	63.2	72.0	79.8	76.9	71.9	59.8	45.5	39.5	58.3
1998	44.7	46.0	49.4	57.9	71.5	77.6	79.6	79.2	77.1	63.5	52.3	43.1	61.8
1999	42.5	45.8	45.6	62.6	67.6	76.5	81.9	79.4	71.9	59.9	54.0	43.7	61.0
2000	39.2	46.7	53.1	56.7	69.9	76.4	80.3	79.8	71.3	63.8	48.0	30.8	59.7
2001	35.4	44.7	45.3	63.7	68.8	73.4	79.8	78.8	70.2	58.5	54.3	44.9	59.8
2002	42.2	40.6	49.6	62.0	65.7	76.9	80.1	80.0	75.0	61.4	46.4	40.5	60.0
2003	32.9	38.0	52.0	61.2	67.2	71.9	78.3	79.3	70.2	60.6	53.5	40.3	58.8
2004	38.6	40.7	53.3	59.4	71.7	75.6	77.7	74.3	72.1	64.5	53.6	40.0	60.1
2005	43.4	45.0	47.6	59.7	66.1	76.9	81.1	81.8	75.1	61.1	51.3	37.6	60.6
2006	46.2	40.7	51.1	65.2	66.7	75.7	80.6	82.2	71.4	59.5	51.5	46.4	61.4
2007	41.7	37.2	58.3	57.4	71.2	78.0	79.9	86.9	75.8	65.5	49.8	46.3	62.3
2008	37.0	42.9	50.2	58.1	66.8	78.1	79.6	79.0	73.9	60.2	46.4	40.7	59.4
POR= 61 YRS	37.9	41.5	49.7	59.5	68.1	75.9	79.7	78.7	72.0	60.6	49.3	41.0	59.5

HEATING DEGREE DAYS (base 65°F) 2008 NASHVILLE (KBNA)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0	0	5	180	487	723	777	848	571	240	38	0	3869
1980-81	0	0	9	259	487	739	909	621	537	97	96	0	3754
1981-82	0	0	42	175	445	820	956	707	416	309	8	0	3878
1982-83	0	0	30	194	413	537	806	620	458	322	71	0	3451
1983-84	0	0	45	121	447	956	1009	621	578	220	106	0	4103
1984-85	0	0	59	63	564	473	1146	794	383	145	25	6	3658
1985-86	0	0	30	91	264	948	854	561	432	171	55	0	3406
1986-87	0	3	0	175	447	773	889	608	401	242	6	0	3544
1987-88	0	0	7	317	376	640	941	756	485	242	43	2	3809
1988-89	0	0	5	343	408	693	618	721	397	258	90	0	3533
1989-90	0	0	36	158	408	1095	590	422	373	245	65	1	3393
1990-91	0	0	21	195	323	654	791	586	402	80	9	0	3061
1991-92	0	0	42	166	535	628	768	544	456	217	85	2	3443
1992-93	0	0	26	181	461	731	717	713	552	252	32	4	3669
1993-94	0	0	27	227	528	759	974	585	437	134	90	0	3761
1994-95	0	0	21	144	316	605	814	683		175	42	0	
1995-96	0	0	31	184	624	783	886	702	626	292	32	0	4160
1996-97	0	0	25	160	572	634	851	538	357	319	107	4	3567
1997-98	0	0	0	227	576	785	622	527	505	209	19	5	3475
1998-99	0	0	0	111	375	671	686	531	595	125	10	0	3104
1999-00	0	0	18	185	322	654	796	523	364	248	14	0	3124
2000-01	0	0	32	123	518	1051	912	565	602	124	17	7	3951
2001-02	0	0	47	218	315	617	704	677	477	171	89	0	3315
2002-03	0	0	2	161	554	752	991	748	393	147	24	8	3780
2003-04	0	0	26	150	341	761	814	698	365	201	39	0	3395
2004-05	0	3	4	63	346	767	664	554	531	179	75	0	3186
2005-06	0	0	2	196	419	845	578	677	439	97	69	0	3322
2006-07	0	0	15	222	407	568	714	774	255	269	17	0	3241
2007-08	0	0	0	102	451	571	861	636	453	224	46	0	3344
2008-	0	0	0	202	552	747							

WBAN : 13897

COOLING DEGREE DAYS (base 65°F) 2008 NASHVILLE (KBNA)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1979	0	0	11	5	103	264	393	381	175	44	0	0	1376
1980	0	0	0	17	131	322	562	527	344	44	1	0	1948
1981	0	0	1	71	81	383	464	366	145	42	0	0	1553
1982	0	0	37	4	199	256	470	352	177	84	12	21	1612
1983	0	0	9	12	69	320	488	568	315	49	2	0	1832
1984	0	0	0	21	87	382	352	364	173	121	0	1	1501
1985	0	2	24	59	137	335	479	386	206	79	29	0	1736
1986	0	0	1	52	174	352	551	371	304	59	0	0	1864
1987	0	0	0	31	272	381	479	507	227	3	7	0	1907
1988	0	0	5	17	120	380	515	531	246	17	0	0	1831
1989	0	0	21	93	120	298	446	408	208	39	8	0	1641
1990	0	4	26	51	115	401	485	458	315	52	10	0	1917
1991	0	0	22	50	300	403	507	419	268	57	4	0	2030
1992	0	0	0	60	115	233	471	311	208	15	2	0	1415
1993	0	0	1	9	121	336	573	506	215	33	7	0	1801
1994	0	3	0	66	67	400	426	381	152	26	8	0	1529
1995	0	0	0	60	158	297	496	573	210	34	1	0	
1996	0	4	0	22	240	324	397	395	166	35	0	2	1585
1997	0	0	13	6	61	222	465	374	211	72	0	0	1424
1998	0	0	27	5	227	391	459	447	370	69	1	1	1997
1999	0	0	0	60	100	354	533	453	229	35	1	0	1765
2000	2	0	6	6	172	346	483	467	227	95	18	0	1822
2001	0	0	0	93	146	264	468	437	209	27	2	0	1646
2002	3	0	6	87	118	364	474	471	310	55	4	0	1892
2003	0	0	0	40	99	221	417	451	187	22	5	0	1442
2004	4	0	10	38	252	323	398	297	226	52	11	0	1611
2005	0	0	0	26	118	363	502	530	313	83	15	0	1950
2006	0	0	14	112	126	327	491	540	216	58	8	0	1892
2007	0	0	53	49	214	395	473	688	330	122	0	1	2325
2008	0	3	2	25	109	401	458	439	273	62	0	1	1773

SNOWFALL (inches) 2008 NASHVILLE (KBNA)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0.0	0.0	0.0	0.0	T	T	0.3	6.6	3.1	0.0	0.0	0.0	10.0
1980-81	0.0	0.0	0.0	0.0	T	T	1.2	1.7	T	0.0	0.0	0.0	2.9
1981-82	0.0	0.0	0.0	0.0	0.0	0.2	4.8	3.7	1.0	0.0	0.0	0.0	9.7
1982-83	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.8	T	0.0	0.0	0.0	1.5
1983-84	0.0	0.0	0.0	0.0	0.0	0.7	5.3	3.7	T	0.0	0.0	0.0	9.7
1984-85	0.0	0.0	0.0	0.0	0.0	0.8	9.8	8.0	0.0	0.0	0.0	0.0	18.6
1985-86	0.0	0.0	0.0	0.0	0.0	0.5	0.4	2.1	T	0.0	0.0	0.0	3.0
1986-87	0.0	0.0	0.0	0.0	0.0	T	1.4	1.3	1.6	T	0.0	0.0	4.3
1987-88	0.0	0.0	0.0	0.0	T	T	8.6	1.4	T	0.0	0.0	0.0	10.0
1988-89	0.0	0.0	0.0	0.0	0.0	1.6	T	5.2	0.0	0.0	0.0	0.0	6.8
1989-90	0.0	T	0.0	T	T	0.4	T	T	0.4	0.0	0.0	0.0	0.8
1990-91	0.0	0.0	0.0	0.0	0.0	0.3	T	0.6	1.1	0.0	0.0	0.0	2.0
1991-92	0.0	0.0	0.0	0.0	T	0.0	T	0.0	1.0	0.0	0.0	0.0	1.0
1992-93	0.0	0.0	0.0	0.0	T	0.3	T	5.9	2.8	T	0.0	T	9.0
1993-94	0.0	0.0	0.0	0.4	T	0.3	2.3	1.0	T	T	0.0	T	4.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	0.1	0.0	0.0	0.0	2.9
1995-96	0.0	0.0	0.0	0.0	T	0.4	6.2	7.8	9.3	0.0	0.0	0.0	
1996-97								0.2					
1997-98													
1998-99									1.0				
1999-00													
2000-01													
2001-02													
2002-03							8.4						
2003-04													
2004-05													
2005-06						T	0.5	1.2	T	T	0.0	T	
2006-07	0.0	0.0	0.0	0.0	0.0	T	T	2.2	0.0	T	0.0	0.0	2.2
2007-08	T	0.0	0.0	0.0	T	T	T	1.2	0.8	0.0	0.0	0.0	2.0
2008-	0.0	0.0	0.0	0.0	T	1.0							
POR= 60 YRS	T	T	0.0	T	0.4	1.0	3.4	2.6	1.3	T	0.0	T	8.7

WBAN : 13897

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2008 NASHVILLE TENNESSEE (KBNA)

The city of Nashville is located on the Cumberland River, in the northwestern corner of the Central Basin of middle Tennessee near the escarpment of the Highland Rim. The Rim, as it is called, rises to the height of 300 to 400 feet above the mean elevation of the basin, forming an amphitheater about the city from the southwest to the southeast, with the south being more or less open but undulating.

Temperatures are moderate, with great extremes of either heat or cold rarely occurring, yet there are changes of sufficient amplitude and frequency to give variety.

Based on the 1951-1980 period, the average first occurrence of 32 degrees Fahrenheit in the fall is October 29 and the average last occurrence in the spring is April 5.

Humidity is an important phase of climate in relation to bodily health and comfort. The Nashville records show that the average relative humidity is moderate as compared with the general conditions east of the Mississippi River and south of the Ohio.

Nashville is not in the most frequented path of general storms that cross the country, however, it is in the zone of moderate frequency of thunderstorms. The thunderstorm season usually begins in the latter part of March and continues through September.

Station Location

NASHVILLE

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE							REMARKS
				NORTH	WEST	SEA LEVEL	GROUND						AUTOMATIC OBSERVING EQUIPMENT *		
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE		8 INCH RAIN GAUGE	
*NOTE:															
AIRPORT															
Government Services Bldg. Metropolitan AP	6/23/75	9/29/85	500 ft. E	36° 07'	86° 41'	590	i25			31	31	31	31	i5 j5	i. Not moved 6/23/75. j. Type change 10/18/84.
GENESCO Building Metropolitan Airport	9/29/85	06/15/90	Unknown	36° 07'	86° 41'	590	k25			103	103	103		k5	k. Not moved 9/29/85.
Airport State Fire Protection Bldg.	6/15/90	06/01/96		36° 07'	86° 41'	598	m33		m8	m5	m5			5	m. Relocated 6/15/90.
Metropolitan Airport	06/01/96	Present	NA	36° 07'	86° 41'	n571									n. ASOS Commissioned 06/01/96 Ground elevation.

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous editions.