




2008 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-0599

WINSLOW, ARIZONA (KINW)

Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2008

WINSLOW (KINW)

LATITUDE: 35° 1' N LONGITUDE: -110° 43' W ELEVATION (FT): GRND: 4886 BARO: 4892 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 23194

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	46.0	52.7	64.8	72.8	78.2	93.7	94.6	92.5	87.1	74.9	62.2	50.0	72.5	
	HIGHEST DAILY MAXIMUM	59	71	76	85	97	100	103	101	94	85	81	70	103	
	DATE OF OCCURRENCE	04	29	27+	29+	20+	22+	03	01	06	02	01	02	JUL 03	
	MEAN DAILY MINIMUM	19.0	25.2	28.0	32.8	40.9	53.8	63.7	63.4	52.7	35.8	28.1	23.7	38.9	
	LOWEST DAILY MINIMUM	4	8	16	20	25	41	54	55	44	21	17	11	4	
	DATE OF OCCURRENCE	17+	06	17	12	03+	05	07	22	14	23+	07	27	JAN 17+	
	AVERAGE DRY BULB	32.5	39.0	46.4	52.8	59.6	73.8	79.2	78.0	69.9	55.4	45.2	36.9	55.7	
	MEAN WET BULB	26.7	32.4	34.0	36.4	43.1	50.4	60.4	60.3	52.0	39.6	33.8	30.2	41.6	
	MEAN DEW POINT	17.7	24.5	13.4	7.1	20.7	23.0	47.5	48.7	35.6	18.0	17.6	21.2	24.6	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	4	22	26	21	7	0	0	0	0	80
	MAXIMUM <= 32°	1	1	0	0	0	0	0	0	0	0	0	1	3	3
	MINIMUM <= 32°	29	25	23	14	2	0	0	0	0	12	24	27	156	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	997	748	568	361	190	5	0	0	1	295	589	865	4619	
	COOLING DEGREE DAYS	0	0	0	2	27	275	446	406	154	5	0	0	1315	
RH	MEAN (PERCENT)	60	63	31	18	28	18	39	43	32	26	40	59	38	
	HOUR 05 LST	74	80	53	33	45	31	60	65	54	42	54	75	56	
	HOUR 11 LST	47	49	17	10	17	9	24	26	20	17	29	41	26	
	HOUR 17 LST	49	47	15	11	17	10	28	32	18	16	32	48	27	
	HOUR 23 LST	69	74	39	22	36	23	45	53	39	31	46	70	46	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	1	1	0	0	0	0	0	0	0	0	0	1	3	
	THUNDERSTORMS	0	0	0	0	2	2	13	13	4	0	0	0	34	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	25.18	25.13	25.12	25.09	25.04	25.11	25.14	25.12	25.17	25.24	25.23	25.14	25.14	
	MEAN SEA-LEVEL PRESS. (IN.)	30.16	30.06	30.00	29.92	29.82	29.83	29.85	29.83	29.92	30.08	30.14	30.08	29.97	
WINDS	RESULTANT SPEED (MPH)	2.5	2.6	5.1	6.3	5.2	5.3	2.6	3.4	2.3	2.4	2.1	4.1	3.5	
	RES. DIR. (TENS OF DEGS.)	22	22	24	23	22	23	23	24	18	20	23	22	23	
	MEAN SPEED (MPH)	6.7	7.0	9.3	10.8	10.0	9.4	7.7	7.7	6.8	6.8	5.8	7.5	8.0	
	PREVAIL.DIR.(TENS OF DEGS.)	11	11	22	22	21	21	23	24	11	22	12	23	21	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	46	51	44	48	41	41	36	39	41	60	37	47	60	
	DIR. (TENS OF DEGS.)	23	21	21	22	25	21	25	17	21	19	23	21	19	
	DATE OF OCCURRENCE	28	03	30	30	21	04	05	01	07	11	09	13	OCT 11	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	54	62	54	59	53	53	43	47	52	75	45	60	75	
DIR. (TENS OF DEGS.)	23	22	22	23	23	21	24	22	20	19	23	22	19		
DATE OF OCCURRENCE	28	03	30	30	12	04	05	15	07	11	09	13	OCT 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.55	0.95	T	T	0.20	0.10	0.89	0.92	0.07	0.01	0.58	0.39	4.66	
	GREATEST 24-HOUR (IN.)	0.31	0.52	T	T	0.17	0.06	0.50	0.24	0.07	0.01	0.58	0.19	0.58	
	DATE OF OCCURRENCE	07	15	17+	09+	13	04	27	10	09	04	26-27	17-18	NOV 26-27	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	5	4	0	0	3	2	4	11	1	1	2	9	42	
PRECIPITATION 0.10	2	2	0	0	1	0	2	4	0	0	2	1	14		
PRECIPITATION 1.00	0	0	0	0	0	0	0	0	0	0	0	0	0		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	NUMBER OF DAYS WITH:														
SNOWFALL >= 1.0															

NORMALS, MEANS, AND EXTREMES WINSLOW (KINW)

LATITUDE: 35° 1' N LONGITUDE: -110° 43' W ELEVATION (FT): GRND: 4886 BARO: 4892 TIME ZONE: MOUNTAIN (UTC -7) WBAN: 23194

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	47.1	54.4	61.5	69.8	79.0	90.0	93.0	90.1	83.5	71.7	57.7	47.1	70.4
	MEAN DAILY MAXIMUM	100	46.2	52.2	61.7	69.3	79.8	89.2	93.5	90.4	83.3	72.8	57.8	46.9	70.3
	HIGHEST DAILY MAXIMUM	77	75	78	85	92	101	106	109	103	99	93	81	74	109
	YEAR OF OCCURRENCE		1971	1957	1989	1943	2002	1970	1971	1995	1950	1972	2008	1958	JUL 1971
	MEAN OF EXTREME MAXS.	101	63.1	69.3	76.0	83.7	92.1	100.1	101.6	98.4	93.7	85.5	73.3	63.7	83.4
	NORMAL DAILY MINIMUM	30	21.3	25.5	31.1	36.9	45.3	54.2	62.0	61.1	52.9	40.1	28.7	21.0	40.0
	MEAN DAILY MINIMUM	100	19.7	24.0	30.1	36.4	44.7	52.8	62.1	60.7	51.9	39.8	27.4	20.5	39.2
	LOWEST DAILY MINIMUM	77	-18	-7	-2	16	23	35	44	41	31	13	-1	-12	-18
	YEAR OF OCCURRENCE		1937	1939	2002	1975	1964	1979	2004	1968	1978	1970	1952	1967	JAN 1937
	MEAN OF EXTREME MINS.	101	5.3	10.8	16.7	24.6	32.3	42.1	54.0	52.9	40.9	26.5	14.4	5.7	27.2
	NORMAL DRY BULB	30	34.2	40.0	46.3	53.4	62.2	72.1	77.5	75.6	68.2	55.9	43.2	34.1	55.2
	MEAN DRY BULB	100	33.0	38.1	45.9	52.9	62.3	71.0	77.8	75.6	67.6	56.3	42.6	33.7	54.7
	MEAN WET BULB	13	26.8	28.6	32.0	34.6	41.4	47.2	56.6	58.5	50.8	39.5	31.0	26.0	39.4
	MEAN DEW POINT	13	22.4	22.1	24.1	26.7	30.7	34.0	48.8	52.5	44.5	32.2	25.0	20.2	31.9
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	0.1	2.6	16.8	23.3	18.1	5.3	0.1	0.0	0.0	66.3
	MAXIMUM <= 32	30	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.7	6.4
MINIMUM <= 32	30	28.3	23.0	18.0	8.0	1.1	0.0	0.0	0.0	0.1	5.5	20.9	28.2	133.1	
MINIMUM <= 0	30	0.7	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.6	1.3	
H/C	NORMAL HEATING DEG. DAYS	30	961	713	580	357	133	12	0	1	31	290	649	965	4692
	NORMAL COOLING DEG. DAYS	30	0	0	0	3	39	221	384	327	124	6	0	0	1104
RH	NORMAL (PERCENT)	30							38						
	HOUR 05 LST	30							57						
	HOUR 11 LST	30							28	34					
	HOUR 17 LST	30							25	29					
	HOUR 23 LST	30							44	50					
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	29	0.9	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.9	3.4
	THUNDERSTORMS	45	0.0	0.3	0.3	0.8	1.6	2.3	8.1	7.8	3.8	1.0	0.2	0.1	26.3
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)														
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH: CLEAR	1	3.0	3.0	13.0		22.0	13.0	10.7						
	PARTLY CLOUDY			3.0	6.0		3.0	1.0	12.2						
	CLOUDY	1	1.0	2.0	4.0		2.0	1.0	8.1						
PR	MEAN STATION PRESSURE(IN)	13	25.19	25.14	25.10	25.08	25.09	25.11	25.18	25.19	25.16	25.17	25.20	25.20	25.15
	MEAN SEA-LEVEL PRES. (IN)	13	30.15	30.06	29.97	29.90	29.84	29.82	29.88	29.92	29.92	30.00	30.11	30.18	29.98
WINDS	MEAN SPEED (MPH)	13	6.6	7.6	8.7	10.6	10.0	9.8	8.3	7.5	7.4	7.1	6.3	6.4	8.0
	PREVAIL.DIR(TENS OF DEGS)	17	14	24	24	23	23	23	25	24	23	23	24	14	23
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	46	56	61	54	47	45	40	45	45	60	40	47	61
	DIR. (TENS OF DEGS)		23	21	22	22	21	23	24	21	20	19	22	21	22
	YEAR OF OCCURRENCE		2008	2006	1999	1997	2007	2007	2007	2002	2007	2008	2003	2008	MAR 1999
	MAXIMUM 3-SECOND SPEED (MPH)	13	54	68	72	67	56	58	51	56	59	75	53	60	75
	DIR. (TENS OF DEGS)		23	21	23	22	20	16	32	10	22	19	19	22	19
YEAR OF OCCURRENCE		2008	2006	1999	2007	2007	2006	2005	2004	1996	2008	2001	2008	OCT 2008	
PRECIPITATION	NORMAL (IN)	30	0.46	0.53	0.61	0.27	0.36	0.30	1.18	1.31	1.02	0.90	0.55	0.54	8.03
	MAXIMUM MONTHLY (IN)	77	1.70	2.05	2.07	1.59	2.11	3.22	3.53	4.80	3.45	5.61	1.67	3.73	5.61
	YEAR OF OCCURRENCE		2005	1973	1973	1934	1992	1972	1992	1963	1996	1972	1952	1967	OCT 1972
	MINIMUM MONTHLY (IN)	77	T	0.00	0.00	0.00	0.00	0.00	.04	0.07	0.00	0.00	0.00	.00	0.00
	YEAR OF OCCURRENCE		1984	2002	1997	1989	2002	1971	2005	1998	1957	1952	1932	2005	DEC 2005
	MAXIMUM IN 24 HOURS (IN)	77	0.76	0.70	1.07	0.76	0.90	2.12	1.04	.58	1.43	2.22	1.33	1.51	2.22
	YEAR OF OCCURRENCE		1980	1956	1984	1988	1969	1955	1998	2005	1994	1974	1987	1969	OCT 1974
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	4.8	4.5	5.2	3.0	3.2	2.1	6.6	8.5	5.8	3.9	3.4	4.1	55.1
PRECIPITATION >= 1.00	30	0.0	0.0	0.0	0.0	0.0	*	0.2	0.1	0.1	0.1	*	*	0.5	
SNOWFALL	NORMAL (IN)	30	2.4	2.1	1.9	0.4	0.*	0.0	0.0	0.0	0.0	0.2	0.7	2.7	10.4
	MAXIMUM MONTHLY (IN)	64	11.3	10.7	11.0	4.8	0.6	0.0	0.0	0.0	T	8.2	7.4	39.6	39.6
	YEAR OF OCCURRENCE		1987	1973	1973	1977	1978				1945	1961	1952	1967	DEC 1967
	MAXIMUM IN 24 HOURS (IN)	51	6.4	8.0	8.0	2.9	0.6	0.0	0.0	0.0	T	6.6	4.8	17.0	17.0
	YEAR OF OCCURRENCE		1987	1977	1991	1977	1978				1945	1961	1966	1967	DEC 1967
	MAXIMUM SNOW DEPTH (IN)	48	7	8	7	2	0	0	0	0	0	3	3	29	29
	YEAR OF OCCURRENCE		1968	1977	1991	1977						1972	1994	1967	DEC 1967
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.8	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.0	3.9	

PRECIPITATION (inches) 2008 WINSLOW (KINW)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	1.03	0.18	0.36	0.36	1.39	0.04	0.26	1.47	0.06	0.28	0.18	0.54	6.15
1980	1.18	1.36	0.78	0.45	0.03	0.17	1.71	1.29	0.64	0.22	T	0.23	8.06
1981	0.68	0.15	0.30	0.29	0.70	0.80	1.71	1.80	0.53	1.11	0.75	T	8.82
1982	1.18	0.83	0.33	0.11	1.27	T	2.07	2.69	0.69	T	1.54	1.40	12.11
1983	0.35	0.46	0.79	0.18	0.07	0.01	1.09	1.39	2.37	0.69	0.49	0.77	8.66
1984	T	0.21	1.20	0.08	0.05	0.03	2.32	1.53	1.96	1.16	0.31	1.59	10.44
1985	0.47	0.51	1.13	0.71	0.17	T	1.65	1.25	0.96	1.37	0.91	0.44	9.57
1986	0.02	0.75	0.80	0.16	0.04	0.33	2.32	0.42	0.55	1.14	1.28	0.56	8.37
1987	1.21	0.86	0.38	T	0.54	0.29	0.50	1.88	0.15	1.29	1.39	1.28	9.77
1988	0.24	0.82	T	1.28	0.09	1.30	0.64	1.47	0.04	0.61	0.70	0.09	7.28
1989	0.59	0.28	0.43	0.00	0.11	T	1.69	1.73	0.09	0.26	T	0.41	5.59
1990	0.11	0.68	0.25	0.16	0.15	0.02	1.64	0.48	0.88	0.19	0.97	0.31	5.84
1991	0.79	0.18	1.58	T	0.08	0.91	0.10	0.44	0.71	0.27	1.00	1.26	7.32
1992	0.31	0.20	0.84	0.32	2.11	0.06	3.53	2.58	0.15	0.31	0.28	1.80	12.49
1993	1.54	0.56	0.61	T	0.23	0.00	0.04	2.64	T	1.13	0.49	0.06	7.30
1994	0.17	0.35	0.59	0.75	0.62	0.09	0.12	0.79	1.56	0.32	0.44	0.44	6.24
1995	0.36	1.01	0.45	0.09	0.31	0.04	0.39	2.12	1.61	T	0.54	0.36	7.28
1996	0.02	0.40	0.20	T	T	0.01	0.41		3.45	0.39	0.56	T	
1997	1.02	0.28	0.00	0.37	0.59	0.24	0.21	1.26	0.84	0.20	0.29	0.28	5.58
1998	0.11	1.03	1.59	0.06	T	T	3.02	0.07	1.02	1.27	0.19	0.02	8.38
1999	0.05	0.02	0.09	0.90	0.08	0.28	1.47	1.70	2.59	0.00	0.00	T	7.18
2000	0.14	0.04	1.31	0.03	0.04	0.07	0.55	0.89	0.15	1.87	0.53	0.06	5.68
2001	0.60	0.26	0.54	0.19	0.74	0.06	1.16	1.23	0.90	0.16	0.05	0.63	6.52
2002	0.08	0.00	0.33	0.54	0.00	T	0.42	0.12	1.95	0.12	0.17	0.61	4.34
2003	0.03	0.65	0.16	0.10	0.04	0.01	T	0.18	0.08	0.02	0.57	0.60	2.44
2004	0.39	T	0.21	0.73	0.00	0.24	0.51	1.12	1.16	0.66	0.64	1.23	6.89
2005	1.70	1.05	0.35	0.70	0.12	0.27	T	1.89	0.33	0.19	0.05	0.00	6.65
2006	0.05	0.00	0.24	T	T	0.13	0.57	0.84	0.33	0.40	0.15	0.39	3.10
2007	0.43	0.63	0.98	T	0.59	0.10	0.81	1.13	0.38	T	0.32	0.66	6.03
2008	0.55	0.95	T	T	0.20	0.10	0.89	0.92	0.07	0.01	0.58	0.39	4.66
POR= 101 YRS	0.47	0.47	0.49	0.37	0.30	0.28	1.24	1.44	0.92	0.66	0.46	0.60	7.70

WBAN : 23194

AVERAGE TEMPERATURE (°F) 2008 WINSLOW (KINW)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	29.2	37.8	43.9	54.3	60.6	71.0	78.6	74.7	70.9	57.8	38.0	33.7	54.2
1980	38.3	41.6	42.9	51.8	58.1	72.0	78.5	75.7	68.4	53.7	43.2	40.5	55.4
1981	39.4	41.8	45.2	57.4	62.8	76.2	78.5	75.9	68.5	55.7	47.2	39.0	57.3
1982	32.1	40.2	46.7	55.0	61.2	70.6	75.9	75.4	69.1	52.3	43.5	35.9	54.8
1983	34.1	40.9	47.3	48.3	61.1	69.4	76.6	75.3	71.0	58.1	44.6	40.6	55.6
1984	33.0	35.9	44.9	51.8	68.9	72.5	77.4	75.7	70.2	53.0	45.4	36.0	55.4
1985	35.1	38.8	46.5	56.6	63.2	74.2	77.9	76.1	64.2	56.1	44.4	34.5	55.6
1986	39.8	43.2	49.6	54.6	62.6	73.4	75.9	77.2	65.2	53.7	44.8	34.8	56.2
1987	30.2	39.1	42.7	56.1	62.4	73.4	74.5	73.4	67.5	60.1	42.8	31.0	54.4
1988	33.5	41.3	45.1	53.8	61.6	72.8	79.4	75.1	66.3	61.4	46.4	34.9	56.0
1989	32.3	40.0	51.6	60.6	66.0	72.5	79.0	74.5	68.9	55.4	44.2	33.7	56.6
1990	34.4	37.8	47.7	55.1	60.6	73.3	75.9	72.0	67.6	54.5	41.9	26.4	53.9
1991	32.4	40.5	41.4	51.0	58.5	66.6	74.9	73.7	66.9	56.2	41.3	30.8	52.9
1992	27.8	39.8	45.2	57.2	60.9	68.6	72.3	73.0	68.2	57.7	37.8	24.8	52.8
1993	39.1	40.0	47.4	54.8	63.3	69.7	76.0	73.6	66.6	54.7	40.2	33.3	54.9
1994	34.7	38.0	47.6	53.9	61.3	75.1	78.0	78.2	69.0	54.3	40.1	36.4	55.6
1995	36.7	45.2	48.3	51.5	58.1	68.3	76.8	78.4	69.4	55.9	47.6	37.5	56.1
1996	36.9	44.7	46.0	54.3			80.5		65.3			38.8	
1997	34.6	38.1	49.4	51.4	66.2	70.5	75.7	75.9	71.4	53.7	44.7	31.8	55.3
1998	37.5	38.7	45.3	49.0	60.4	69.4	78.5	77.7	70.1	55.1	45.5	35.4	55.2
1999	38.5	41.6	49.8	49.2	62.0	71.2	76.2	74.1	66.6	56.1	46.5	32.2	55.3
2000	40.6	43.3	45.4	58.4	67.4	75.4	79.3	77.2	70.9	55.8	37.1	36.4	57.3
2001	31.7	39.7	47.9	54.4	66.5	73.9	77.5	75.3	71.0	60.0	46.4	34.1	56.5
2002	34.4	36.7	43.4	58.3	63.6	74.8	80.4	77.1	68.5	54.2	42.5	30.0	55.3
2003	38.8	39.3	46.0	51.1	65.1	73.0	81.9	76.7	69.6	60.5	41.9	34.6	56.5
2004	34.4	36.5	52.5	53.2	64.5	72.3	76.8	73.9	66.5	55.5	43.1	35.1	55.4
2005	41.1	42.7	47.3	54.1	65.1	70.2	80.7	74.8	69.4	57.7	44.2	34.8	56.8
2006	35.1	39.6	44.2	55.9	67.0	77.1	80.8	75.3	65.4	54.8	45.8	35.0	56.3
2007	30.1	41.7	49.0	56.3	65.5	74.6	80.7	78.2	70.9	57.1	48.0	33.6	57.1
2008	32.5	39.0	46.4	52.8	59.6	73.8	79.2	78.0	69.9	55.4	45.2	36.9	55.7
POR= 100 YRS	33.0	38.1	45.9	52.9	62.3	71.0	77.8	75.6	67.6	56.3	42.6	33.7	54.7

HEATING DEGREE DAYS (base 65°F) 2008 WINSLOW (KINW)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0	0	6	229	802	966	822	672	678	391	210	14	4790
1980-81	0	0	13	355	645	753	785	642	608	230	105	6	4142
1981-82	0	1	7	289	527	798	1011	690	561	294	129	4	4311
1982-83	0	0	32	390	638	895	950	668	543	494	183	16	4809
1983-84	0	0	23	207	606	748	985	838	617	388	31	0	4443
1984-85	0	0	21	365	580	891	919	726	568	248	85	12	4415
1985-86	0	0	86	268	613	938	774	604	470	308	122	0	4183
1986-87	0	0	72	345	599	931	1075	717	687	262	87	0	4775
1987-88	0	0	12	153	658	1050	972	681	612	330	154	5	4627
1988-89	0	0	44	118	550	926	1005	696	408	156	64	1	3968
1989-90	0	0	21	292	618	964	941	756	530	287	147	9	4565
1990-91	0	4	37	317	686	1187	1002	679	723	415	197	30	5277
1991-92	0	0	13	264	704	1052	1145	723	607	232	125	11	4876
1992-93	2	10	5	220	808	1238	797	696	538	298	103	27	4742
1993-94	0	1	42	318	736	975	932	749	531	336	140	0	4760
1994-95	0	0	11	325	740	881	871	548	510	403	207	30	4526
1995-96	0	0	19	276	514	846	865	581	584	321	846	30	4526
1996-97	0	0	67	0	0	807	936	750	477	406	47	18	3508
1997-98	0	0	3	367	601	1025	849	730	606	472	151	17	4821
1998-99	0	0	5	303	581	910	811	651	463	469	122	27	4342
1999-00	0	0	34	270	547	1007	753	622	601	197	57	0	4088
2000-01	0	0	26	300	829	877	1025	701	522	310	55	10	4655
2001-02	0	0	3	164	548	953	943	785	663	198	98	0	4355
2002-03	0	0	16	327	668	1076	805	716	582	407	115	0	4712
2003-04	0	0	11	149	686	937	941	821	383	349	57	5	4339
2004-05	0	0	71	286	651	921	732	620	540	320	94	7	4242
2005-06	0	0	13	237	615	927	923	706	626	265	41	0	4353
2006-07	0	0	60	334	570	862	1078	646	488	260	75	9	4382
2007-08	0	0	28	249	504	967	997	748	568	361	190	5	4617
2008-	0	0	1	295	589	865							

WBAN : 23194

COOLING DEGREE DAYS (base 65°F) 2008 WINSLOW (KINW)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1979	0	0	0	2	30	213	430	310	187	13	0	0	1185
1980	0	0	0	0	5	234	426	339	121	9	0	0	1134
1981	0	0	0	12	44	347	423	345	117	6	0	0	1294
1982	0	0	0	2	21	180	346	328	160	0	0	0	1037
1983	0	0	0	0	71	154	365	324	210	0	0	0	1124
1984	0	0	0	0	162	232	388	341	184	2	0	0	1309
1985	0	0	0	1	35	296	406	349	67	0	0	0	1154
1986	0	0	0	0	52	260	344	383	83	0	0	0	1122
1987	0	0	0	0	14	256	302	270	94	9	0	0	945
1988	0	0	0	0	55	247	452	323	93	15	0	0	1185
1989	0	0	0	30	100	231	441	301	143	2	0	0	1248
1990	0	0	0	0	17	264	342	226	122	0	0	0	971
1991	0	0	0	0	3	85	315	277	78	0	0	0	758
1992	0	0	0	5	3	125	236	263	111	0	0	0	743
1993	0	0	0	0	55	174	348	277	97	7	0	0	958
1994	0	0	0	11	33	306	409	416	135	1	0	0	1311
1995	0	0	0	3	3	139	374	422	158	1	0	0	1100
1996	0	0	0	8			485		83				0
1997	0	0	0	6	92	189	339	342	200	25	0	0	1193
1998	0	0	0	0	19	156	425	397	164	3	0	0	1164
1999	0	0	0	1	36	218	354	289	88	2	0	0	988
2000	0	0	0	7	137	317	452	388	211	21	0	0	1533
2001	0	0	0	1	106	282	396	326	193	16	0	0	1320
2002	0	0	0	3	61	301	484	381	128	0	0	0	1358
2003	0	0	0	0	127	249	532	371	158	18	0	0	1455
2004	0	0	0	4	49	230	373	285	120	0	0	0	1061
2005	0	0	0	0	104	169	494	308	149	16	0	0	1240
2006	0	0	0	1	108	373	497	328	79	23	0	0	1409
2007	0	0	0	5	95	304	493	414	213	11	0	0	1535
2008	0	0	0	2	27	275	446	406	154	5	0	0	1315

SNOWFALL (inches) 2008 WINSLOW (KINW)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1976-77	0.0	0.0	0.0	0.0	2.9	1.0	3.4	8.0	1.8	4.8	0.0	0.0	21.9
1977-78	0.0	0.0	0.0	0.0	T	T	2.0	3.3	T	0.2	0.6	0.0	6.1
1978-79	0.0	0.0	0.0	0.0	T	6.8	7.0	0.4	T	T	T	0.0	14.2
1979-80	0.0	0.0	0.0	0.0	0.1	0.6	6.4	T	6.4	T	0.0	0.0	13.5
1980-81	0.0	0.0	0.0	T	T	2.8	T	T	T	T	0.0	0.0	2.8
1981-82	0.0	0.0	0.0	0.0	T	0.0	9.3	0.0	0.1	T	0.0	0.0	9.4
1982-83	0.0	0.0	0.0	0.0	T	1.8	0.0	1.6	2.3	T	0.0	0.0	5.7
1983-84	0.0	0.0	0.0	0.0	T	0.7	T	T	0.0	T	0.0	0.0	0.7
1984-85	0.0	0.0	0.0	0.0	0.0	5.5	2.6	0.9	3.7	0.6	0.0	0.0	13.3
1985-86	0.0	0.0	0.0	0.0	0.1	5.6	0.0	2.5	0.2	T	0.0	0.0	8.4
1986-87	0.0	0.0	0.0	0.0	0.0	T	11.3	6.6	2.8	0.0	0.0	0.0	20.7
1987-88	0.0	0.0	0.0	0.0	T	11.2	0.5	1.1	T	T	0.0	0.0	12.8
1988-89	0.0	0.0	0.0	0.0	2.9	1.3	1.0	3.3	0.5	0.0	0.0	0.0	9.0
1989-90	0.0	0.0	0.0	0.0	0.0	1.0	0.7	6.9	1.9	0.0	0.0	0.0	10.5
1990-91	0.0	0.0	0.0	0.0	2.2	1.7	0.1	0.0	10.6	T	0.0	0.0	14.6
1991-92	0.0	0.0	0.0	T	2.3	4.0	3.7	T	1.2	0.0	0.0	0.0	11.2
1992-93	0.0	0.0	0.0	0.0	0.2	5.8	0.4	T	0.0	0.0	0.0	0.0	6.4
1993-94	0.0	0.0	0.0	0.0	T	T	2.0	0.2	0.0	T	0.0	0.0	2.2
1994-95	0.0	0.0	0.0	0.0	3.1	0.0	0.2	0.0	T	0.3	0.0	0.0	3.6
1995-96	0.0	0.0	0.0		0.0								
1996-97													
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-													
POR= 83 YRS	0.0	0.0	0.0	0.2	0.9	3.6	2.6	1.8	1.7	0.5	T	0.0	11.3

WBAN : 23194

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2008 WINSLOW ARIZONA (KINW)

Winslow is located in the Little Colorado River Valley. The adjacent terrain rises gradually in all directions except to the north-northwest along the river. The White Mountain area, 100 miles to the southeast, rises to over 11,000 feet. To the south and west the Mogollon Rim averages very close to 8,000 feet above sea level, while 60 miles to the northwest the San Francisco Peaks rise to 12,655 feet.

The surrounding high terrain has a considerable effect upon the climate and weather of the Winslow area. It acts as a barrier to the movement of low-level moist air currents, as well as to cold wintertime air masses from the plains states. As a consequence, the climate is very dry and relatively mild for the latitude and elevation.

The elevation of Winslow and the generally clear skies tend to create a large diurnal temperature variation during all seasons. Below-zero readings occur during the winter months about one year in three. Daytime temperatures over 70 degrees have been recorded during all winter months. Summer days are warm with temperatures of 90 degrees or higher occurring frequently from late May to mid-September. Because of the extremely low humidity, however, the high daytime temperatures are quite comfortable. The air cools rapidly after sunset so that nights are generally cool during the summer months.

Monthly and annual precipitation is extremely variable in amount. Moist air carried aloft over the surrounding mountains from the Gulf of Mexico and the Pacific Ocean during the summer and early fall helps produce the major portion of the annual precipitation. The lifting of the moist air over the mountains and the intense surface heating of the sparsely covered lower elevations causes considerable thunderstorm activity during this summer period. Snowfall during the winter is generally light, and because of warm daytime temperatures, it soon melts. The annual snowfall is about 10 inches, but occasionally a winter season will pass with only a trace being recorded. With the annual precipitation averaging about 7 inches, agricultural activity in the vicinity of Winslow is restricted to small irrigated tracts. The non-irrigated land is used mostly for winter range purposes.

More than 270 days during the year are clear or only partly cloudy. The average growing period is 186 days.

During the spring months, occasional high winds pick up considerable dust. During the late fall and winter months the prevailing wind direction is from the southeast, while in the spring and summer months the winds blow primarily from the southwest. Destructive weather such as tornadoes and ice storms rarely occur.

Station Location

WINSLOW

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		ELEVATION ABOVE										REMARKS
				NORTH	WEST	SEA LEVEL	GROUND								AUTOMATIC OBSERVING EQUIPMENT *	
						GROUND TEMPERATURE SITE	WIND INSTRUMENT	EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE	WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE	HYGROTHERMOMETER		
*NOTE:																
<u>AIRPORT</u>																
Winslow Municipal Airport	10/29/31	5/10/74	1 mi. W	35° 01'	110° 44'	4880 h4895	d34 e37 f20	6 b20	5 b19	NA	NA	NA a3 b17 c4	3 b18 c4	NA g4	NA	a. Added 11/16/31. b. Effective 10/17/44. c. Effective 12/10/48. d. Effective 6/15/48. e. Effective 9/1/51. f. Effective 2/7/59. g. Commissioned 2050' WNW of office 6/1/60. h. Effective 6/1/60.
Weather Service Office Municipal Airport	5/10/74	07/01/95	900 ft. WSW	35° 01'	110° 44'	4895	i20 j32 m32	4	4	NA	NA T5	6 k4	6 k4	i4 T8	NA T	i. Not moved 5/10/74. j. Raised 9/29/78. T. Commissioned 8/29/79. k. Minor adjustment 2/1983. m. Minor adjustment 4/9/84.
Winslow Airport	07/01/95	Present	NA	35° 01'	110° 43'	n4889								S		ASOS Commissioned 07/01/95 n. Ground elevation.

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous edition.