




2008 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-277X

ST CLOUD, MINNESOTA (KSTC)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2008

ST CLOUD (KSTC)

LATITUDE: 45° 32'N LONGITUDE: -94° 3'W ELEVATION (FT): GRND: 1018 BARO: 1024 TIME ZONE: CENTRAL (UTC -6) WBAN: 14926

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	18.8	20.5	33.9	51.7	64.8	76.1	83.2	81.6	70.7	57.4	40.1	20.3	51.6	
	HIGHEST DAILY MAXIMUM	42	36	50	75	81	88	91	91	88	73	72	40	91	
	DATE OF OCCURRENCE	07+	17	11	23+	16	24	11+	18	01	12	03	02	AUG 18	
	MEAN DAILY MINIMUM	-0.2	1.0	15.3	30.2	41.9	53.9	57.5	55.2	48.1	36.7	23.7	-3.3	30.0	
	LOWEST DAILY MINIMUM	-24	-20	-18	15	33	49	46	44	34	20	3	-24	-24	
	DATE OF OCCURRENCE	24	21	07	14	05	18+	03	25+	09	28	21	16	DEC 16	
	AVERAGE DRY BULB	9.3	10.8	24.6	41.0	53.4	65.0	70.4	68.4	59.4	47.1	31.9	8.5	40.8	
	MEAN WET BULB	8.8	10.5	22.7	36.3	46.2	57.0	62.8	61.2	54.3	42.3	29.6	8.6	36.7	
	MEAN DEW POINT	3.8	4.9	16.3	29.6	37.6	50.9	57.5	56.2	50.4	36.7	24.7	3.6	31.0	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	0	0	0	2	1	0	0	0	0	3
	MAXIMUM <= 32°	25	26	11	0	0	0	0	0	0	0	10	25	97	
MINIMUM <= 32°	31	29	30	20	0	0	0	0	0	8	23	31	172		
MINIMUM <= 0°	16	12	6	0	0	0	0	0	0	0	0	19	53		
H/C	HEATING DEGREE DAYS	1719	1565	1246	716	354	47	7	13	186	550	985	1745	9133	
	COOLING DEGREE DAYS	0	0	0	0	0	55	180	127	28	2	0	0	392	
RH	MEAN (PERCENT)	75	73	70	66	59	64	66	68	74	70	74	75	70	
	HOUR 00 LST	78	77	76	73	71	77	79	81	83	77	78	78	77	
	HOUR 06 LST	80	79	78	79	74	80	84	89	88	84	82	77	81	
	HOUR 12 LST	71	70	61	57	47	48	51	50	60	58	67	72	59	
	HOUR 18 LST	70	68	61	56	46	49	48	51	64	63	70	73	60	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	2	4	1	3	0	2	2	1	6	0	0	3	24	
	THUNDERSTORMS	0	0	0	2	6	5	7	2	4	2	0	0	28	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	28.89	28.90	28.94	28.84	28.77	28.75	28.80	28.88	28.95	29.00	28.87	28.88	28.87	
	MEAN SEA-LEVEL PRESS. (IN.)	30.08	30.08	30.11	29.98	29.89	29.86	29.90	29.99	30.08	30.14	30.03	30.07	30.02	
WINDS	RESULTANT SPEED (MPH)	2.9	2.7	0.8	1.1	2.0	2.5	1.6	2.0	2.2	1.1	1.4	2.5	1.1	
	RES. DIR. (TENS OF DEGS.)	28	31	31	04	01	29	26	17	19	24	30	29	29	
	MEAN SPEED (MPH)	8.1	7.8	8.4	9.5	8.8	8.2	7.0	6.6	7.9	8.0	8.5	9.3	8.2	
	PREVAIL.DIR.(TENS OF DEGS.)	32	31	31	01	35	30	30	16	16	10	32	31	32	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	32	37	32	38	39	43	45	28	29	35	38	37	45	
	DIR. (TENS OF DEGS.)	31	31	32	18	21	27	25	16	29	30	20	30	25	
	DATE OF OCCURRENCE	29	29	02	15	16	14	11	31	23	26	06	29	JUL 11	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	40	46	39	48	45	55	56	43	29	47	46	43	56	
DIR. (TENS OF DEGS.)	31	31	34	18	21	27	23	33	19	29	18	30	23		
DATE OF OCCURRENCE	29	09	20	15	16	14	11	21	26	26	06	29	JUL 11		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	0.17	0.54	1.47	2.94	3.83	4.38	1.39	4.18	3.35	2.60	0.93	1.58	27.36	
	GREATEST 24-HOUR (IN.)	0.17	0.26	0.38	0.89	1.38	1.58	0.51	2.36	1.39	1.35	0.66	0.46	2.36	
	DATE OF OCCURRENCE	10	13	21-22	24-25	29-30	05-06	10-11	03	11	06-07	06-07	14	AUG 03	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	1	6	11	7	11	11	11	5	9	11	6	9	98	
PRECIPITATION 0.10	1	2	5	7	6	6	5	3	5	7	3	4	54		
PRECIPITATION 1.00	0	0	0	0	2	2	0	2	1	1	0	0	8		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	1.8	7.3	17.8	10.9	0.0	0.0	0.0	0.0	0.0	T	1.3	23.0	62.1	
	GREATEST 24-HOUR (IN.)	1.3	3.0	5.0	4.9	0.0	0.0	0.0	0.0	0.0	T	0.8	6.1	6.1	
	DATE OF OCCURRENCE	10	13	31	11						26	11	30	DEC 30	
	MAXIMUM SNOW DEPTH (IN.)	8	10	8	7	0	0	0	0	0	0	1	13	13	
	DATE OF OCCURRENCE	01	17+	11+	12							12	31	DEC 31	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	1	2	4	3	0	0	0	0	0	0	0	7	17		

NORMALS, MEANS, AND EXTREMES ST CLOUD (KSTC)

LATITUDE: 45° 32'N LONGITUDE: -94° 3'W ELEVATION (FT): GRND: 1018 BARO: 1024 TIME ZONE: CENTRAL (UTC -6) WBAN: 14926

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	18.7	25.7	37.7	54.9	69.0	77.3	81.7	78.9	69.0	56.3	37.2	23.2	52.5
	MEAN DAILY MAXIMUM	111	19.6	23.4	37.2	54.3	68.0	75.6	82.4	79.2	69.5	56.5	37.3	24.5	52.3
	HIGHEST DAILY MAXIMUM	68	55	55	79	96	98	102	103	103	98	90	75	61	103
	YEAR OF OCCURRENCE		1942	2000	2007	1980	2006	1988	1940	1947	1978	1992	1999	1998	AUG 1947
	MEAN OF EXTREME MAXS.	114	40.1	44.1	58.1	78.0	87.2	92.1	93.5	92.3	87.5	78.8	59.9	43.4	71.3
	NORMAL DAILY MINIMUM	30	-1.2	6.4	19.1	32.2	44.1	52.9	57.9	55.5	45.7	34.3	20.4	5.5	31.1
	MEAN DAILY MINIMUM	111	-0.0	3.6	17.7	32.1	44.1	52.8	59.0	55.7	46.6	35.4	20.5	7.3	31.2
	LOWEST DAILY MINIMUM	68	-43	-40	-32	-3	19	32	40	33	18	5	-20	-41	-43
	YEAR OF OCCURRENCE		1977	1996	1962	1975	1967	1993	1972	2004	1974	1976	1964	1983	JAN 1977
	MEAN OF EXTREME MINS.	114	-23.8	-18.8	-6.6	16.4	28.7	39.4	46.6	42.8	29.9	19.0	0.5	-15.7	13.2
	NORMAL DRY BULB	30	8.8	16.1	28.4	43.6	56.6	65.1	69.8	67.2	57.4	45.3	28.8	14.4	41.8
	MEAN DRY BULB	111	9.8	13.5	27.5	43.2	56.1	64.3	70.7	67.5	58.1	46.0	28.9	15.9	41.8
	MEAN WET BULB	25	11.8	15.8	26.3	38.3	49.9	59.4	63.9	62.1	53.8	41.3	27.4	15.8	38.8
	MEAN DEW POINT	25	8.1	11.8	21.4	31.4	43.8	55.3	60.7	59.2	50.2	36.7	23.9	12.5	34.6
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.0	*	0.5	1.8	3.9	2.4	0.5	*	0.0	0.0	9.1
	MAXIMUM <= 32	30	25.8	18.2	8.4	0.7	0.0	0.0	0.0	0.0	0.0	0.2	9.9	23.5	86.7
MINIMUM <= 32	30	31.0	27.5	27.2	15.9	3.4	*	0.0	0.0	2.5	13.9	26.7	30.7	178.8	
MINIMUM <= 0	30	16.9	10.7	3.6	*	0.0	0.0	0.0	0.0	0.0	0.0	2.1	11.1	44.4	
H/C	NORMAL HEATING DEG. DAYS	30	1742	1381	1135	637	285	79	19	49	253	604	1077	1554	8815
	NORMAL COOLING DEG. DAYS	30	0	0	0	2	26	90	172	121	31	1	0	0	443
RH	NORMAL (PERCENT)	30													
	HOURLY 00 LST	30													
	HOURLY 06 LST	30	79	81	82	81	82	87	90	92	91	86	84	82	85
	HOURLY 12 LST	30	71	68	63	50	50	55	57	59	59	58	69	72	61
	HOURLY 18 LST	30	74	70	65	50	48	53	57	60	62	61	74	77	63
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG (VISIB <= 1/4 MI)	26	2.2	2.5	2.9	1.5	1.0	1.5	1.6	3.0	2.6	2.0	2.0	2.7	25.5
	THUNDERSTORMS	36	0.0	0.1	0.5	2.6	4.5	7.5	7.4	6.5	4.3	1.9	0.2	0.0	35.5
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)														
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH: CLEAR	1	1.0		6.0		4.0	8.0							
	PARTLY CLOUDY			1.0	9.0		2.0	3.0							
	CLOUDY	1	3.0	5.0	5.0		9.0	4.0							
PR	MEAN STATION PRESSURE (IN)	25	28.94	29.00	28.93	28.86	28.84	28.84	28.87	28.91	28.90	28.90	28.90	28.93	28.90
	MEAN SEA-LEVEL PRES. (IN)	25	30.12	30.14	30.08	29.98	29.95	29.94	29.97	30.01	30.01	30.03	30.05	30.10	30.03
WINDS	MEAN SPEED (MPH)	25	8.5	8.5	9.2	9.9	9.4	8.1	7.1	6.8	7.7	8.5	8.7	8.3	8.4
	PREVAIL. DIR. (TENS OF DEGS)	14	32	33	32	33	33	19	19	19	19	32	32	32	32
	MAXIMUM 2-MINUTE: SPEED (MPH)	13	40	46	43	44	41	62	49	45	34	43	41	45	62
	DIR. (TENS OF DEGS)		31	30	30	30	27	32	22	22	32	31	29	31	32
	YEAR OF OCCURRENCE		2005	2002	2002	2000	2005	1998	1997	1996	1997	2001	2005	2004	JUN 1998
	MAXIMUM 3-SECOND SPEED (MPH)	13	47	52	49	48	54	77	61	52	51	54	54	55	77
	DIR. (TENS OF DEGS)		31	27	31	18	29	32	21	34	25	32	28	31	32
	YEAR OF OCCURRENCE		2005	2002	2002	2008	2002	1998	1997	1997	2002	1996	2005	2004	JUN 1998
PRECIPITATION	NORMAL (IN)	30	0.76	0.59	1.50	2.13	2.97	4.51	3.34	3.93	2.93	2.24	1.54	0.69	27.13
	MAXIMUM MONTHLY (IN)	68	2.52	2.76	3.43	8.42	8.01	10.52	8.00	7.55	9.48	6.16	3.83	2.04	10.52
	YEAR OF OCCURRENCE		1969	1951	1965	2001	1962	1990	1955	1956	1985	1971	1996	1969	JUN 1990
	MINIMUM MONTHLY (IN)	68	0.02	0.04	0.10	0.05	0.32	0.05	0.21	0.46	0.07	0.07	0.01	0.01	0.01
	YEAR OF OCCURRENCE		1942	1964	1959	1987	1948	1988	1975	1950	1952	1952	2007	1943	NOV 2007
	MAXIMUM IN 24 HOURS (IN)	68	0.99	1.83	1.81	3.74	3.70	4.06	2.29	4.62	5.37	4.11	2.22	1.38	5.37
	YEAR OF OCCURRENCE		1949	1951	1957	2001	1979	1983	1972	1956	1985	2005	1977	1984	SEP 1985
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	8.8	6.9	8.3	9.4	11.1	11.4	10.6	10.0	9.3	8.5	8.3	7.9	110.5
PRECIPITATION >= 1.00	30	0.0	0.0	0.1	0.2	0.4	1.2	0.8	1.1	0.6	0.6	0.2	0.0	5.2	
SNOWFALL	NORMAL (IN)	30	10.5	7.2	8.5	2.9	0.2	0.0	0.0	0.0	0.*	0.6	9.1	8.6	47.6
	MAXIMUM MONTHLY (IN)	62	29.9	21.6	51.7	11.1	3.2	0.0	0.0	T	1.8	6.0	26.9	25.4	51.7
	YEAR OF OCCURRENCE		1975	1971	1965	1950	1971				2006	1942	1995	1940	MAR 1965
	MAXIMUM IN 24 HOURS (IN)	62	9.4	12.2	14.5	7.0	3.2	0.0	0.0	T	1.8	4.9	11.4	10.2	14.5
	YEAR OF OCCURRENCE		1975	1951	1985	1994	1971				2006	1942	1995	1975	MAR 1985
	MAXIMUM SNOW DEPTH (IN)	54	30	30	35	27	1	0	0	0	0	3	14	18	35
	YEAR OF OCCURRENCE		1969	1969	1965	1965	1954					1951	1983	1985	MAR 1965
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	3.4	2.6	2.8	1.0	0.0	0.0	0.0	0.0	0.0	0.1	2.5	3.0	15.4

PRECIPITATION (inches) 2008 ST CLOUD (KSTC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	1.28	1.67	3.02	0.74	5.17	6.34	1.21	4.88	1.58	4.36	0.62	0.31	31.18
1980	1.17	0.84	0.76	0.48	1.62	6.06	1.28	7.01	5.99	0.71	0.20	0.22	26.34
1981	0.44	1.10	1.05	3.29	1.40						0.45	1.11	
1982	0.97	0.13	1.75	0.97	3.91	2.53	3.90	3.37	4.38	4.52	2.31	1.72	30.46
1983	0.61	0.13	2.60	1.57	2.39	9.52	2.21	3.48	6.55	3.09	3.11	0.92	36.18
1984	0.67	0.87	0.65	4.16	2.02	8.11	2.94	2.57	3.39	5.84	0.17	1.81	33.20
1985	0.43	0.23	1.70	3.83	2.81	5.28	2.80	4.57	9.48	1.28	1.43	0.57	34.41
1986	0.71	0.79	0.94	5.55	2.56	4.02	7.53	5.23	6.28	0.42	1.06	0.33	35.42
1987	0.41	0.12	0.71	0.05	2.17	2.14	4.41	4.47	1.94	0.72	1.64	0.76	19.54
1988	0.51	0.17	1.39	0.73	2.22	0.05	2.64	5.45	3.19	0.68	2.75	0.60	20.38
1989	0.85	0.62	0.84	2.33	3.26	2.20	1.74	4.35	2.09	0.71	0.97	0.33	20.29
1990	0.06	0.66	3.09	2.68	3.74	10.52	5.15	3.38	1.70	2.70	0.30	0.68	34.66
1991	0.39	1.08	1.84	4.68	5.04	5.63	3.74	2.88	3.91	2.04	2.31	0.48	34.02
1992	0.69	0.27	1.49	1.78	2.20	3.03	2.95	1.51	1.00	1.12	1.39	0.94	18.37
1993	0.99	0.33	1.26	1.95	5.64	4.99	3.76	5.49	2.09	1.44	2.15	0.78	30.87
1994	1.06	0.63	0.73	3.92	1.13	3.27	4.10	3.15	3.14	3.12	0.98	0.51	25.74
1995	0.48	0.56	2.51	2.22	2.06	3.42	2.41	7.35	2.27	2.95	0.45	0.32	27.00
1996	1.38	0.23	0.64	0.67	2.96	1.94	2.72	2.08	1.20	2.95	3.83	.99	21.59
1997	1.71	0.25	1.14	0.69	1.28	2.59	6.89	5.80	1.70	1.30	0.98	0.23	24.56
1998	0.79	0.74	2.77	1.14	3.65	4.23	3.31	3.18	1.25	1.89	1.53	0.86	25.34
1999	0.61	0.07	0.85	2.29	4.72	3.99	3.84	4.95	2.61	1.35	0.20	0.10	25.58
2000	0.42	0.82	1.61	0.98	2.96	3.10	3.24	1.20	0.93	1.60	3.15	0.28	20.29
2001	0.66	0.94	0.72	8.42	4.13	3.00	2.10	1.69	1.78	1.28	2.81	0.16	27.69
2002	0.28	0.95	1.06	3.68	2.06	4.92	5.10	5.59	6.67	3.48	0.15	0.09	34.03
2003	0.17	0.39	1.47	4.73	3.81	3.62	3.43	0.69	3.94	1.10	1.05	0.28	24.68
2004	0.42	0.80	1.34	1.29	6.72	3.67	3.48	1.63	5.13	3.37	0.54	0.46	28.85
2005	1.80	0.97	0.65	2.11	3.30	4.37	2.11	3.64	5.54	4.81	2.56	1.01	32.87
2006	0.34	0.20	0.97	4.03	1.59	2.55	2.10	3.97	5.09	1.14	0.72	1.53	24.23
2007	0.16	1.42	3.33	1.69	1.30	2.92	1.63	4.14	4.10	4.14	0.01	1.11	25.95
2008	0.17	0.54	1.47	2.94	3.83	4.38	1.39	4.18	3.35	2.60	0.93	1.58	27.36
POR= 114 YRS	0.72	0.68	1.32	2.27	3.35	4.28	3.42	3.60	3.08	2.02	1.22	0.69	26.65

WBAN : 14926

AVERAGE TEMPERATURE (°F) 2008 ST CLOUD (KSTC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1979	-2.5	5.1	24.3	39.2	51.2	63.5	69.0	65.1	58.5	44.7	28.7	22.9	39.1
1980	10.8	11.7	23.2	47.4	58.9	64.1	71.2	67.2	56.4	42.7	33.4	16.7	42.0
1981	15.3	20.9	35.5	46.2	54.9						35.4	14.0	
1982	-3.1	12.1	24.5	40.9	59.2	59.6	70.6	67.2	57.1	47.5	25.6	21.8	40.3
1983	14.2	23.8	31.2	40.6	51.5	64.3	73.6	73.4	59.4	46.2	31.9	-0.4	42.5
1984	9.2	25.7	23.0	45.7	54.6	66.5	70.1	70.5	53.7	49.0	30.8	13.9	42.7
1985	7.3	13.8	33.0	49.1	59.7	60.7	69.0	63.8	55.8	44.1	21.1	4.0	40.1
1986	14.5	12.0	30.6	47.8	57.3	65.1	70.7	63.9	57.0	46.1	25.7	19.9	42.6
1987	17.8	28.9	35.7	50.9	59.6	68.2	73.4	65.7	59.3	41.8	34.7	21.3	46.4
1988	6.8	10.2	30.8	44.5	63.6	71.1	74.6	70.3	58.8	40.8	29.1	16.0	43.1
1989	16.0	4.6	23.6	42.5	55.3	64.8	72.7	68.5	57.8	46.4	24.9	7.7	40.4
1990	22.0	19.0	32.2	43.9	53.9	66.6	68.1	67.4	59.9	44.1	33.5	13.7	43.7
1991	8.8	22.1	31.6	46.3	60.5	68.3	69.5	69.1	56.5	43.8	22.2	17.4	43.0
1992	18.5	24.6	30.9	41.4	57.8	61.8	63.1	63.2	56.7	43.9	28.8	16.6	42.3
1993	10.8	14.0	25.9	41.6	54.3	62.1	67.6	67.4	51.7	43.3	27.0	17.5	40.3
1994	0.1	8.7	31.4	42.9	58.0	66.4	67.5	64.7	60.8	49.8	34.2	19.9	42.0
1995	13.4	13.5	30.9	38.9	54.1	68.3	70.2	70.7	56.7	44.8	23.9	14.6	41.7
1996	2.4	12.7	20.8	38.2	53.7	66.2	67.3	67.6	59.1	45.7	22.5	9.7	38.8
1997	6.3	16.0	25.1	41.2	51.1	68.1	68.7	65.3	60.4	47.6	25.6	24.0	41.6
1998	15.4	29.6	30.1	48.7	62.1	63.3	70.0	69.2	62.9	49.1	33.7	20.9	46.3
1999	8.5	25.0	31.7	45.5	58.4	65.8	72.6	67.3	57.1	45.7	37.4	22.2	44.8
2000	11.7	22.0	37.5	43.2	58.0	62.2	69.2	68.8	57.6	48.2	28.6	3.9	42.6
2001	16.0	6.3	23.6	44.5	57.5	66.3	72.0	70.4	57.9	45.8	41.8	23.9	43.8
2002	21.2	25.2	18.6	42.0	51.5	68.5	72.9	66.9	61.2	38.1	29.8	23.2	43.3
2003	12.5	11.0	27.2	44.5	55.3	64.7	69.6	70.6	58.6	48.2	28.0	22.3	42.7
2004	7.4	17.4	32.8	46.0	53.7	62.7	67.9	62.3	64.1	47.7	34.6	19.6	43.0
2005	11.0	22.7	29.1	48.8	54.5	70.1	73.0	68.1	63.3	48.8	33.2	18.1	45.1
2006	25.5	14.5	32.2	49.9	59.4	67.5	75.1	69.0	56.6	43.0	33.1	25.6	46.0
2007	17.1	10.7	34.0	43.8	61.1	69.1	72.3	68.2	61.1	50.9	31.2	11.5	44.3
2008	9.3	10.8	24.6	41.0	53.4	65.0	70.4	68.4	59.4	47.1	31.9	8.5	40.8
POR= 111 YRS	9.8	13.5	27.5	43.2	56.1	64.3	70.7	67.5	58.1	46.0	28.9	15.9	41.8

HEATING DEGREE DAYS (base 65°F) 2008 ST CLOUD (KSTC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	8	79	220	623	1081	1297	1679	1540	1286	529	227	83	8652
1980-81	4	35	279	683	939	1491	1535	1230	906	556	314		
1981-82					883	1577	2115	1479	1251	717	192	168	
1982-83	13	63	255	534	1176	1333	1568	1148	1044	723	412	114	8383
1983-84	8	0	229	579	987	2026	1729	1135	1293	571	325	34	8916
1984-85	16	29	348	492	1021	1580	1785	1431	984	475	185	162	8508
1985-86	8	76	300	642	1314	1892	1559	1480	1061	508	269	82	9191
1986-87	0	94	252	580	1170	1390	1454	1002	899	426	221	50	7538
1987-88	8	65	179	713	905	1348	1801	1585	1057	609	112	23	8405
1988-89	1	39	202	744	1071	1514	1513	1689	1276	669	305	88	9111
1989-90	0	23	231	576	1198	1773	1325	1281	1010	653	346	55	8471
1990-91	18	41	204	642	939	1591	1739	1197	1029	554	219	23	8196
1991-92	16	23	285	651	1279	1472	1437	1167	1048	703	259	133	8473
1992-93	83	110	252	648	1079	1495	1679	1425	1208	695	328	117	9119
1993-94	21	38	400	667	1134	1470	2013	1573	1031	655	233	47	9282
1994-95	18	85	169	462	918	1390	1593	1437	1047	778	332	72	8301
1995-96	12	2	271	623	1228	1558	1940	1516	1366	798	355	66	9735
1996-97	17	18	223	593	1269	1709	1812	1366	1232	708	421	14	9382
1997-98	50	66	158	553	1175	1263	1527	985	1073	483	134	125	7592
1998-99	6	4	137	486	932	1363	1745	1114	1025	577	219	96	7704
1999-00	3	21	271	595	820	1318	1647	1240	844	646	248	135	7788
2000-01	29	15	243	513	1083	1891	1512	1638	1278	618	244	76	9140
2001-02	22	13	234	588	690	1266	1348	1107	1433	688	430	47	7866
2002-03	4	30	183	827	1051	1292	1621	1508	1164	616	297	74	8667
2003-04	6	16	236	523	1101	1317	1779	1372	992	569	345	107	8363
2004-05	39	121	107	530	905	1399	1665	1174	1106	484	323	1	7854
2005-06	9	29	110	504	948	1451	1220	1406	1007	446	247	41	7418
2006-07	0	2	264	677	950	1214	1477	1492	955	636	174	26	7867
2007-08	2	30	184	441	1009	1649	1719	1565	1246	716	354	47	8962
2008-	7	13	186	550	985	1745							

WBAN : 14926

COOLING DEGREE DAYS (base 65°F) 2008 ST CLOUD (KSTC)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1979	0	0	0	0	14	52	140	87	31	0	0	0	324
1980	0	0	0	6	44	61	202	111	27	0	0	0	451
1981	0	0	0	0	9						0	0	
1982	0	0	0	0	16	14	194	138	24	0	0	0	386
1983	0	0	0	0	0	98	284	268	66	1	0	0	717
1984	0	0	0	0	8	84	180	210	13	1	0	0	496
1985	0	0	0	4	28	42	138	47	32	0	0	0	291
1986	0	0	0	0	37	92	182	64	19	0	0	0	394
1987	0	0	0	8	59	152	279	92	14	0	0	0	604
1988	0	0	0	0	76	211	304	208	22	0	0	0	821
1989	0	0	0	0	14	90	248	142	21	6	0	0	521
1990	0	0	0	25	8	110	121	121	60	0	0	0	445
1991	0	0	0	0	86	130	167	155	37	0	0	0	575
1992	0	0	0	0	42	45	34	62	9	0	0	0	192
1993	0	0	0	0	4	40	113	121	3	0	0	0	281
1994	0	0	0	0	24	97	101	82	51	0	0	0	355
1995	0	0	0	0	1	177	181	184	29	6	0	0	578
1996	0	0	0	0	13	111	95	106	54	2	0	0	381
1997	0	0	0	0	0	113	172	81	27	18	0	0	411
1998	0	0	0	0	50	80	164	142	81	0	0	0	517
1999	0	0	0	0	22	127	245	99	42	0	0	0	535
2000	0	0	0	0	38	55	165	140	25	0	0	0	423
2001	0	0	0	7	17	121	248	189	28	0	0	0	610
2002	0	0	0	6	21	157	253	96	75	0	0	0	608
2003	0	0	0	8	2	73	157	197	50	8	0	0	495
2004	0	0	0	4	4	49	135	48	87	0	0	0	327
2005	0	0	0	5	4	159	260	133	64	11	0	0	636
2006	0	0	0	0	77	118	320	132	19	5	0	0	671
2007	0	0	0	4	63	155	238	137	74	12	0	0	683
2008	0	0	0	0	0	55	180	127	28	2	0	0	392

SNOWFALL (inches) 2008 ST CLOUD (KSTC)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1979-80	0.0	0.0	0.0	0.0	5.0	1.9	14.4	9.1	12.0	1.8	T	0.0	44.2
1980-81	0.0	0.0	0.0	T	0.6	1.8	6.7	5.5	T	1.9	0.0	0.0	
1981-82					0.0	0.0	18.1	2.6	12.1	1.6	0.0	0.0	
1982-83	0.0	0.0	0.0	0.5	16.9	13.9	4.9	1.7	9.3	6.1	0.0	0.0	53.3
1983-84	0.0	0.0	0.0	0.7	25.0	11.0	10.0	6.5	10.2	0.2	0.0	0.0	63.6
1984-85	0.0	0.0	T	1.2	0.9	8.0	8.6	4.1	22.8	T	0.0	0.0	45.6
1985-86	0.0	0.0	T	0.0	18.3	10.9	11.2	11.5	6.7	0.0	0.0	0.0	58.6
1986-87	0.0	0.0	0.0	0.1	6.9	3.9	3.9	1.5	0.4	T	0.0	0.0	16.7
1987-88	0.0	0.0	0.0	1.5	5.4	8.2	7.6	2.9	6.3	0.2	0.0	0.0	32.1
1988-89					18.2	9.0	12.6	11.2	13.1	1.0	T	0.0	
1989-90	0.0	0.0	T	0.0	12.9	4.0	0.1	10.3	2.8	2.4	0.0	0.0	32.5
1990-91	0.0	0.0	0.0	T	1.6	7.8	5.1	15.9	6.1	9.4	0.3	0.0	46.2
1991-92	0.0	0.0	0.0	3.1	21.3	8.5	7.2	2.7	5.7	6.0	0.0	0.0	54.5
1992-93	0.0	0.0	0.0	1.4	14.1	9.7	15.6	4.0	7.5	7.2	T	0.0	59.5
1993-94	0.0	0.0	0.0	0.1	13.5	9.3	19.9	11.5	3.7	7.0	0.0	0.0	65.0
1994-95	0.0	0.0	0.0	0.0	7.8	7.1	5.6	6.4	16.1	3.7	0.0	0.0	
1995-96	0.0	0.0	0.2	6.0	6.6	9.4	21.9	3.5	9.4	2.6	0.0	0.0	59.6
1996-97	0.0	0.0	0.0	T	13.4								
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03							3.1	8.8	9.6	1.7	0.0	0.0	
2003-04	0.0	0.0	0.0	T	13.2	7.1	11.7	9.3	8.9	T	0.0	0.0	50.2
2004-05	0.0	0.0	0.0	T	0.2	2.0	15.0	8.9	1.0	T	0.1	0.0	27.2
2005-06	0.0	0.0	0.0	0.0	4.6	15.1	3.8	3.7	6.2	0.0	0.0	0.0	33.4
2006-07	0.0	T	0.0	T	0.3	2.4	2.0	13.6	8.2	5.1	0.0	0.0	31.6
2007-08	0.0	0.0	0.0	0.0	0.5	13.9	1.8	7.3	17.8	10.9	0.0	0.0	52.2
2008-	0.0	0.0	0.0	T	1.3	23.0							
POR= 67 YRS	0.0	T	T	0.5	6.4	7.4	8.2	6.8	8.6	2.5	0.1	0.0	40.5

WBAN : 14926

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.</p>	<p>GENERAL CONTINUED: CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED. WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.</p> <p>ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.</p> <p>NOTE: The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	--

2008 SAINT CLOUD MINNESOTA (KSTC)

St. Cloud is located in central Minnesota on the banks of the Mississippi River. The topography is gently rolling terrain with numerous lakes and wooded areas.

The climate is influenced by atmospheric moisture flowing into the state from the Gulf of Mexico and the Pacific coast. Air masses carrying moisture which is eventually released as precipitation may travel nearly 1,500 miles. Due to this long trek, a minor change in the wind system can result in the area receiving well below or well above the normal precipitation. Rainfall is generally ample for farm and garden crops. Although the total amount is important, its distribution during the average 140 day growing season from mid-May to the end of September is even more significant. Thunderstorms are the principal source of rainfall during this period.

Spring, summer, and fall are very pleasant. Prolonged periods of hot and humid weather are infrequent. Extremely hot days with temperatures of 100 degrees or higher occur only once every five to ten years and rarely are temperatures this high recorded on successive days. Tornadoes and severe local storms are common.

Winter is cold, but not unpleasant, since strong winds and high humidities are generally absent on the coldest days. Cold Canadian air masses are prevalent throughout the winter season. The normal winter will have five to ten days with temperatures in the -20 to -30 degree range. Heavy snowfalls do occur, but the northern location limits the numerous heavy snowfalls that occur just a short distance to the south. Snowfalls of 3 inches or more in a 24 hour period occur only on an average of four times per year. Snow generally remains on the ground from the onset of the winter season until spring. Blizzards occur on the average of once per year with a severe blizzard once every three or four years. Ice storms are infrequent because temperatures are usually too cold and the transition period from season to season is rather abrupt.

Station Location

ST CLOUD

LOCATION	Occupied From	Occupied To	Airline Distances and Directions from previous Location	Latitude		Longitude		ELEVATION ABOVE								REMARKS
				NORTH	WEST	GROUND TEMPERATURE SITE	WIND INSTRUMENT	GROUND				WEIGHING RAIN GAUGE	8 INCH RAIN GAUGE	HYGROTHERMOMETER	AUTOMATIC OBSERVING EQUIPMENT *	
								EXTREME THERMOMETERS	PSYCHROMETER	SUNSHINE SWITCH	TIPPING BUCKET RAIN GAUGE					
*NOTE:																
AIRPORT																
Saint Cloud Municipal Airport, Whitney Memorial	2/25/36	2/28/47	4 mi. NW	45° 35'	94° 11'	1034	22	5	4				#	4	#. Added after 1940; 8" gage data used for record.	
Saint Cloud Municipal Airport, Whitney Memorial	3/01/47	2/14/72	200' N	45° 35'	94° 11'	1034	a46	5	5				b6		Cotton region shelter replaced with large size shelter 10/22/51. Winds from SW through NW reduced somewhat due to hangars constructed in 1946. a. 36 ft. to 10/8/63. b. 4 ft. to 7/12/60; data used for record from 6/1/51.	
Municipal Airport	2/14/72	06/01/95	5.4 mi. SE	45° 33'	94° 04'	1028	20	5 d5	5 d5				6	6	c5 c. Commissioned 7/11/85. d. Relocated to Hygro-thermometer site as standby.	
Municipal Airport	06/01/95	Present	NA	45° 33'	94° 03'	e1021									s ASOS Commissioned 06/01/95 e. Ground Elevation	

For Hard Copy Subscription:

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: www.ncdc.noaa.gov

Non-Subscription Request:

NCDC Customer Services;
Phone: 828-271-4800
Fax: 828-271-4876
Email: ncdc.orders@noaa.gov

FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED

* NOTES: For earlier station history see previous editions.