




2013 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 2160-9713

MELBOURNE, FLORIDA (KMLB)


Daily Max/Min Temperature



Daily Precipitation



Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL
OCEANIC AND
ATMOSPHERIC ADMINISTRATION

NATIONAL
ENVIRONMENTAL SATELLITE, DATA
AND INFORMATION SERVICE

NATIONAL
CLIMATIC DATA CENTER
ASHEVILLE, NORTH CAROLINA

Thomas R. Karl
DIRECTOR
NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 2013

MELBOURNE (KMLB)

LATITUDE: 28° 6'N LONGITUDE: 80° 38'W ELEVATION (FT): GRND: 27 BARO: 60 TIME ZONE: EASTERN (UTC -5) WBAN: 12838

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	75.9	76.1	72.8	81.3	83.3	88.2	88.3	89.4	88.5	86.0	80.6	77.0	82.3	
	HIGHEST DAILY MAXIMUM	84	89	91	91	91	94	92	94	93	92	90	86	94	
	DATE OF OCCURRENCE	17	23	24	12	24+	28	22	31	26	22	01	23	AUG 31	
	MEAN DAILY MINIMUM	57.4	54.1	48.4	66.7	67.4	74.3	75.3	76.3	74.0	68.2	65.9	60.5	65.7	
	LOWEST DAILY MINIMUM	42	35	33	54	55	72	71	72	68	56	40	46	33	
	DATE OF OCCURRENCE	24	18+	04	06	07	22+	21	31+	30	27	28	19	MAR 04	
	AVERAGE DRY BULB	66.7	65.1	60.6	74.0	75.3	81.3	81.8	82.8	81.3	77.1	73.2	68.7	74.0	
	MEAN WET BULB	62.9	59.5	54.3	68.0	68.5	75.1	75.7	76.5	74.7	70.3	66.5	64.5	68.0	
	MEAN DEW POINT	60.2	55.1	47.6	64.4	64.5	72.5	73.3	74.2	72.2	66.8	62.7	61.6	64.6	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	2	1	2	10	8	15	7	4	1	0	0	50
	MAXIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MINIMUM <= 32°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
H/C	HEATING DEGREE DAYS	44	92	179	0	0	0	0	0	0	0	14	25	354	
	COOLING DEGREE DAYS	104	102	52	276	327	498	530	560	497	382	269	151	3748	
RH	MEAN (PERCENT)	81	73	65	73	71	78	78	77	78	73	73	79	75	
	HOUR 01 LST	91	84	81	80	80	87	85	86	88	84	81	86	84	
	HOUR 07 LST	92	88	77	75	74	79	79	79	82	82	79	88	81	
	HOUR 13 LST	63	52	43	61	60	68	69	64	63	55	61	63	60	
	HOUR 19 LST	82	74	64	75	71	80	80	78	79	73	76	79	76	
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	4	1	0	1	2	1	1	0	0	3	1	0	14	
	THUNDERSTORMS	0	0	1	4	4	11	7	7	6	0	1	0	41	
PR	MEAN STATION PRESS. (IN.)	30.14	30.03	30.04	30.01	30.00	29.98	30.03	30.00	29.93	29.98	30.05	30.10	30.02	
	MEAN SEA-LEVEL PRESS. (IN.)	30.17	30.06	30.07	30.05	30.04	30.01	30.06	30.03	29.96	30.01	30.08	30.13	30.06	
WINDS	RESULTANT SPEED (MPH)	2.3	1.2	1.8	4.3	4.0	4.3	4.1	4.8	3.0	2.7	5.9	1.8	2.3	
	RES. DIR. (TENS OF DEGS.)	05	23	29	09	10	15	13	11	07	04	05	05	09	
	MEAN SPEED (MPH)	7.7	8.0	9.0	9.6	8.9	7.6	7.0	7.4	7.3	7.4	11.2	8.2	8.3	
	PREVAIL.DIR.(TENS OF DEGS.)	12	14	29	10	10	12	11	12	07	07	08	36	12	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	29	30	37	26	25	28	30	31	28	22	31	24	37	
	DIR. (TENS OF DEGS.)	28	28	30	14	09	24	28	21	10	35	36	36	30	
	DATE OF OCCURRENCE	17	16	24	19	31	19	24	31	18	09	13	24	MAR 24	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	35	36	46	33	32	35	41	39	38	26	39	32	46	
DIR. (TENS OF DEGS.)	07	28	30	14	11	24	15	19	09	02	36	01	30		
DATE OF OCCURRENCE	18	16	24	19	30	28	01	31	18	09	13	24	MAR 24		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	1.66	1.00	0.58	5.70	6.39	6.74	6.91	2.21	4.54	0.26	4.69	2.15	42.83	
	GREATEST 24-HOUR (IN.)	0.83	0.87	0.41	3.88	1.95	2.03	1.48	0.43	2.23	0.11	3.43	0.67	3.88	
	DATE OF OCCURRENCE	05-06	14-15	24	14	19	05-06	13-14	03-04	23-24	08-09	20-21	15	APR 14	
	NUMBER OF DAYS WITH:														
PRECIPITATION 0.01	11	6	4	9	12	17	19	11	16	7	9	7	128		
PRECIPITATION 0.10	4	1	1	6	10	12	12	7	9	1	4	4	71		
PRECIPITATION 1.00	0	0	0	1	2	2	2	0	1	0	2	0	10		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)														
	GREATEST 24-HOUR (IN.)														
	DATE OF OCCURRENCE														
	MAXIMUM SNOW DEPTH (IN.)														
DATE OF OCCURRENCE															
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0															

NORMALS, MEANS, AND EXTREMES MELBOURNE (KMLB)

LATITUDE: 28° 6'N LONGITUDE: 80° 38'W ELEVATION (FT): GRND: 27 BARO: 60 TIME ZONE: EASTERN (UTC -5) WBAN: 12838

ELEMENT		POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	71.4	73.6	76.7	80.8	85.6	89.1	90.7	90.5	88.4	84.1	78.5	73.3	81.9
	MEAN DAILY MAXIMUM	30	72.4	74.2	77.5	80.8	85.8	89.0	90.3	90.2	88.2	83.7	77.8	73.4	81.9
	HIGHEST DAILY MAXIMUM	31	88	90	93	97	97	101	100	101	97	94	91	87	101
	YEAR OF OCCURRENCE		1991	2012	1994	1999	2000	1998	2010	1999	2010	2009	1992	2009	AUG 1999
	MEAN OF EXTREME MAXS.	30	83.0	84.9	88.5	89.4	93.1	95.2	95.3	95.0	93.4	90.2	85.8	83.2	89.8
	NORMAL DAILY MINIMUM	30	49.2	51.7	55.1	60.0	67.0	71.7	72.6	73.2	72.7	67.9	59.5	52.8	62.8
	MEAN DAILY MINIMUM	30	51.5	53.5	56.8	61.2	67.5	71.7	73.0	73.4	73.0	68.1	59.5	54.0	63.6
	LOWEST DAILY MINIMUM	31	25	28	33	41	47	61	67	67	60	45	32	22	22
	YEAR OF OCCURRENCE		2010	1996	2013	1997	1992	1990	1950	1994	2006	2012	1950	1989	DEC 1989
	MEAN OF EXTREME MINS.	30	34.6	36.8	42.1	47.4	58.6	66.3	69.0	69.9	67.7	53.7	43.8	37.0	52.2
	NORMAL DRY BULB	30	60.3	62.7	65.9	70.4	76.3	80.4	81.7	81.8	80.6	76.0	69.0	63.0	72.3
	MEAN DRY BULB	30	62.2	64.1	67.5	71.2	76.8	80.4	81.6	81.8	80.7	75.9	68.7	63.9	72.9
	MEAN WET BULB	3	53.9	56.6	55.1	62.6	66.8	71.8	73.7	74.5	72.5	65.0	59.8	54.9	63.9
	MEAN DEW POINT	3	58.3	60.7	60.3	66.8	70.3	74.5	76.2	76.7	74.9	68.7	63.6	59.1	67.5
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	0.0	0.2	0.6	5.7	11.8	18.3	18.9	8.2	1.9	0.1	0.0	65.7
	MAXIMUM <= 32	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MINIMUM <= 32	30	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.8
MINIMUM <= 0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
H/C	NORMAL HEATING DEG. DAYS	30	190	120	71	16	1	0	0	0	0	4	38	137	577
	NORMAL COOLING DEG. DAYS	30	44	54	99	178	351	462	516	522	466	345	158	76	3271
RH	NORMAL (PERCENT)	30													
	HOUR 01 LST	30													
	HOUR 07 LST	30													
	HOUR 13 LST	30													
	HOUR 19 LST	30													
S	PERCENT POSSIBLE SUNSHINE														
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	10	6.8	3.0	1.3	0.6	0.5	2.0	0.9	0.2	0.6	1.3	1.3	3.6	22.1
	THUNDERSTORMS	10	0.8	0.4	2.2	3.4	3.3	10.2	14.1	6.0	7.9	2.4	0.8	0.4	51.9
CLOUDINESS	MEAN: SUNRISE-SUNSET (OKTAS)														
	MIDNIGHT-MIDNIGHT (OKTAS)														
	MEAN NO. DAYS WITH: CLEAR														
	PARTLY CLOUDY CLOUDY														
PR	MEAN STATION PRESSURE(IN)	3	30.10	30.07	30.07	30.00	29.97	29.97	30.01	29.95	29.94	29.94	30.05	30.08	30.01
	MEAN SEA-LEVEL PRES. (IN)	3	30.13	30.10	30.10	30.03	30.00	30.00	30.04	29.98	29.97	29.97	30.08	30.11	30.04
WINDS	MEAN SPEED (MPH)	4	8.1	8.3	9.3	9.4	9.0	8.1	7.1	7.3	7.5	8.8	9.6	8.3	8.4
	PREVAIL.DIR(TENS OF DEGS)	3	28	12	10	11	10	10	12	11	07	07	08	36	10
	MAXIMUM 2-MINUTE: SPEED (MPH)	4	36	32	39	45	32	41	43	33	30	43	31	36	45
	DIR. (TENS OF DEGS)		32	23	29	29	28	28	30	14	20	03	36	28	29
	YEAR OF OCCURRENCE		2011	2012	2011	2011	2011	2010	2012	2012	2011	2011	2013	2010	APR 2011
	MAXIMUM 3-SECOND SPEED (MPH)	4	46	44	59	58	47	51	51	47	38	56	39	45	59
	DIR. (TENS OF DEGS)		30	29	29	04	22	29	30	14	09	05	36	27	29
	YEAR OF OCCURRENCE		2011	2010	2011	2012	2011	2010	2012	2012	2013	2012	2013	2011	MAR 2011
PRECIPITATION	NORMAL (IN)	30	2.27	2.53	3.28	2.13	3.29	6.71	5.96	7.68	7.64	5.06	2.88	2.57	52.00
	MAXIMUM MONTHLY (IN)	31	5.40	6.14	11.58	8.15	11.72	12.87	15.05	26.87	19.72	13.38	8.78	10.07	26.87
	YEAR OF OCCURRENCE		1998	1998	1996	1951	2009	2005	2007	2008	1948	1999	1994	2002	AUG 2008
	MINIMUM MONTHLY (IN)	31	T	0.21	0.28	0.27	0.29	0.16	1.20	1.34	1.80	T	0.38	0.24	0.16
	YEAR OF OCCURRENCE		2012	2011	2006	1990	2010	1998	1999	2007	2002	2010	2009	2000	JUN 1998
	MAXIMUM IN 24 HOURS (IN)	31	2.97	3.76	5.24	3.88	5.21	6.57	3.59	11.85	7.98	5.72	4.70	6.77	11.85
	YEAR OF OCCURRENCE		1998	2005	1996	2013	2009	2007	2007	2008	1999	2011	1997	2002	AUG 2008
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	7.8	7.3	7.3	5.8	7.4	12.9	12.1	14.4	13.7	11.0	8.5	7.9	116.1
	PRECIPITATION >= 1.00	30	0.6	0.7	1.0	0.5	0.8	2.1	1.8	2.3	2.5	1.4	0.6	0.7	15.0
SNOWFALL	NORMAL (IN)	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	MAXIMUM MONTHLY (IN)														
	YEAR OF OCCURRENCE														
	MAXIMUM IN 24 HOURS (IN)														
	YEAR OF OCCURRENCE														
	NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

PRECIPITATION (inches) 2013 MELBOURNE (KMLB)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1949	0.40	1.72	0.97	2.50	2.15	9.19	1.46	9.99	9.97	3.96	1.31	3.14	46.76
1950	0.57	2.02	6.06	2.10	5.08	1.44	3.95	2.93	3.91	10.45	0.93	0.93	40.37
1951	0.24	3.04	1.05	8.15	3.16	2.62	6.02	2.18	9.81	5.52	4.19	1.49	47.47
1952	2.30	2.97	4.11	0.35	3.12	1.64	3.94	4.15	10.40	11.31	0.70	1.05	46.04
1953	1.97	3.25	2.92	7.37	1.75	5.39	4.58	10.88	8.83	10.72	4.87	1.49	64.02
1989											0.80	3.84	
1990	0.78	3.50	0.49	0.27	2.08	7.22	8.51	6.46	6.93	9.80	1.21	0.77	48.02
1991	2.95	1.11	4.90	4.27	5.97	6.25	11.32	6.14	9.15	4.45	1.59	0.48	58.58
1992	1.41	3.26	4.01	4.21	1.46	12.30	2.88	5.83	7.22	2.67	2.59	1.52	49.36
1993	5.24	1.75	8.55	1.75	2.01	1.30	3.97	3.01	5.37	4.63	1.22	0.49	39.29
1994	3.20	3.34	0.74	2.73	2.42	11.17	6.90	10.09	9.21	6.92	8.78	4.35	69.85
1995	2.57	2.04	2.82	3.08	4.58	8.65	7.86	19.05	7.94	10.05	0.65	0.82	70.11
1996	3.64	0.81	11.58	0.95	2.44	8.98	3.18	5.58	3.57	5.07	1.97	1.75	49.52
1997	1.99	1.78	1.65	5.19	5.35	5.85	8.86	9.04	8.62	3.77	5.95	6.57	64.62
1998	5.40	6.14	4.90	0.84	0.85	0.16	9.11	8.04	10.36	1.30	5.53	2.55	55.18
1999	3.63	0.47	0.61	1.25	6.50	5.67	1.20	6.82	17.10	13.38	2.47	2.41	61.51
2000	2.34	0.34	2.18	2.64	0.41	7.03	9.77	3.46	8.41	5.21	0.36	0.25	42.40
2001	0.34	1.21	3.58	0.64	5.51	6.21	11.33	6.06	11.60	4.70	5.26	0.66	57.10
2002	2.05	2.78	0.50	2.59	1.46	8.70	4.85	9.35	1.62	5.11	1.92	10.28	51.21
2003	0.76	1.68	3.05	1.51	1.78	10.69	5.30	8.05	4.47	0.89	2.05	2.73	42.96
2004	2.12	2.56	1.04	1.03	0.99	10.59	2.48	10.56	16.63	4.89	1.21	3.01	57.11
2005	1.67	3.50	4.09	2.25	4.09	11.37	2.35	7.16	8.00	11.85	1.19	2.23	59.75
2006	0.53	2.15	0.25	1.15	1.73	7.05	8.18	6.92	5.98	1.02	3.67	1.32	39.95
2007	2.01	1.75	0.52	1.46	1.36	9.49	11.46	1.17	8.95	4.14	0.93	0.68	43.92
2008	2.97	2.20	2.70	2.17	0.46	6.33	11.01	21.06	3.31	9.06	2.43	0.75	64.45
2009	0.92	1.05	0.86	2.16	9.28	3.97	7.61	3.49	8.99	0.74	0.37	5.52	44.96
2010	0.94	2.57	8.74	2.13	0.29	2.90	1.23	5.59	5.94	T	3.43	1.95	35.71
2011	4.09	0.21	4.47	1.74	0.50	5.90	4.23	7.49	2.43	9.54	1.24	3.29	45.13
2012	T	1.28	3.03	2.45	6.17	8.16	3.53	5.20	4.05	3.04	0.66	2.14	39.71
2013	1.66	1.00	0.58	5.70	6.39	6.74	6.91	2.21	4.54	0.26	4.69	2.15	42.83
POR= 30 YRS	2.09	2.09	3.14	2.53	3.16	6.54	5.96	7.16	8.10	5.57	2.44	2.35	51.13

WBAN : 12838

AVERAGE TEMPERATURE (°F) 2013 MELBOURNE (KMLB)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1949	65.5	70.9	66.3	72.4	76.1	79.3	81.9	81.3	80.2	77.8	63.7	67.3	73.6
1950	68.8	65.6	67.2	66.1	76.1	80.8	80.2	80.9	79.9	77.1	64.6	58.3	72.1
1951	60.6	60.5	66.3	69.4	75.5	79.8	80.7	82.5	81.2	76.5	66.1	67.6	72.2
1952	63.5	62.5	68.8	68.7	76.3	81.0	81.6	81.5	80.2	74.7	67.4	59.7	72.2
1953	61.1	64.9	69.9	71.0	78.3	79.3	80.9	81.1	79.4	73.0	68.0	64.6	72.6
1989											68.9	56.2	
1990	65.7	68.8	68.4	71.2	78.1	80.1	81.5	81.4	80.7	77.0	69.7	66.6	74.1
1991	66.6	63.9	67.1	74.2	78.3	80.1	81.4	81.4	80.6	75.6	66.7	65.7	73.5
1992	59.3	64.6	65.5	69.2	73.4	79.9	82.1	80.7	80.5	74.1	71.2	64.3	72.1
1993	67.0	60.6	64.7	67.4	75.2	80.0	82.2	81.8	80.4	76.1	69.6	59.2	72.0
1994	62.3	67.3	68.6	74.5	76.0	80.0	80.6	80.1	79.2	76.7	72.9	65.9	73.7
1995	59.2	61.2	68.6	71.8	79.1	79.6	81.3	82.2	80.9	77.9	66.6	61.3	72.5
1996	60.4	60.4	63.6	68.9	77.1	79.1	81.8	80.9	80.6	74.7	69.3	62.9	71.6
1997	62.0	68.2	72.3	70.1	76.1	79.5	81.6	81.7	80.5	74.6	67.1	62.4	73.0
1998	63.5	62.1	64.2	71.5	77.7	85.1	83.9	83.1	81.4	78.3	72.1	68.0	74.2
1999	64.6	63.8	64.6	72.9	74.6	79.5	82.3	83.1	80.5	76.4	70.2	63.1	73.0
2000	61.6	62.7	69.9	70.1	77.4	80.2	81.3	81.01	81.0	73.8	66.2	60.8	72.2
2001	56.1	67.9	67.2	70.8	75.6	79.7	81.1	80.7	78.8	75.1	70.1	67.9	72.6
2002	62.6	62.6	69.3	74.5	78.1	79.2	80.7	80.9	81.8	78.0	66.1	60.5	72.9
2003	54.1	63.9	72.0	70.3	78.6	80.3	81.2	80.7	80.0	76.2	72.1	61.2	72.6
2004	60.4	63.8	68.2	69.2	76.2	81.1	81.5	81.5	82.0	75.4	70.4	61.8	72.6
2005	62.3	63.2	65.1	67.8	74.9	79.6	82.9	83.0	80.5	75.4	69.7	61.3	72.1
2006	62.6	59.8	66.3	74.0	75.9	80.3	81.0	81.9	80.2	74.6	67.0	69.8	72.8
2007	65.5	62.2	69.8	71.1	77.1	80.8	82.7	84.2	82.4	80.7	69.3	68.9	74.6
2008	64.0	68.2	68.2	70.4	78.1	80.8	80.3	81.2	80.8	74.7	64.4	65.4	73.0
2009	60.0	61.5	67.9	72.2	78.2	81.1	81.6	82.6	80.7	77.1	69.5	65.0	73.1
2010	55.2	55.5	61.5	70.9	78.6	83.0	83.8	83.9	82.3	74.8	68.7	54.0	71.0
2011	61.5	66.7	67.7	74.0	77.3	81.3	82.6	83.9	81.4	74.0	70.7	67.7	74.1
2012	61.3	67.3	71.6	72.3	77.6	79.1	81.7	82.1	80.4	75.6	65.0	65.9	73.3
2013	66.7	65.1	60.6	74.0	75.3	81.3	81.8	82.8	81.3	77.1	73.2	68.7	74.0
POR= 30 YRS	62.2	64.1	67.5	71.2	76.8	80.4	81.6	81.8	80.7	75.9	68.7	63.9	72.9

HEATING DEGREE DAYS (base 65°F) 2013 MELBOURNE (KMLB)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1949-50													
1950-51													
1951-52													
1952-53													
1953-54													
1989-90													
1990-91													
1991-92													
1992-93													
1993-94													
1994-95													
1995-96													
1996-97													
1997-98													
1998-99													
1999-00													
2000-01													
2001-02													
2002-03													
2003-04													
2004-05													
2005-06													
2006-07													
2007-08													
2008-09													
2009-10							338	273	124	1	0	0	
2010-11	0	0	0	0	31	338	147	58	36	3	0	0	613
2011-12	0	0	0	6	18	42	145	51	15	9	0	0	286
2012-13	0	0	0	19	54	75	44	92	179	0	0	0	463
2013-	0	0	0	0	14	25							

WBAN : 12838

COOLING DEGREE DAYS (base 65°F) 2013 MELBOURNE (KMLB)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1949													
1950													
1951													
1952													
1953													
1989													
1990													
1991													
1992													
1993													
1994													
1995													
1996													
1997													
1998													
1999													
2000													
2001													
2002													
2003													
2004													
2005													
2006													
2007													
2008													
2009													
2010	41	11	24	186	431	547	590	592	527	309	145	5	3408
2011	45	111	128	281	389	497	554	591	497	292	195	133	3713
2012	36	122	226	234	396	431	523	536	470	357	63	111	3505
2013	104	102	52	276	327	498	530	560	497	382	269	151	3748

SNOWFALL (inches) 2013 MELBOURNE (KMLB)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1948-49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1949-50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1950-51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1951-52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1952-53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1953-54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1989-90					0.0	0.0							
1990-91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1991-92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1992-93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1993-94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1994-95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1995-96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1996-97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1997-98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1998-99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1999-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2000-01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2001-02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2002-03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2003-04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2004-05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2005-06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2006-07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2007-08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2008-09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2009-10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
POR= 26 YRS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

WBAN : 12838

REFERENCE NOTES :

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS.</p> <p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN</p>	<p>PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTHS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED STATION HISTORY INFORMATION GO TO "Historical Observing Metadata Repository", URL IS: http://www.ncdc.noaa.gov/homr/ SNOWFALL STOPPED MONTH & YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p>NOTE: The "Period of Record:(POR)" for all "averages" is based on "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
---	---

2013 MELBOURNE FLORIDA (KMLB)

Melbourne is located along the east central Florida coastline and is separated from the Atlantic Ocean by the Intracoastal Waterway and a narrow barrier island to the east. Its climate is strongly influenced by this maritime environment, especially during the summer when the sea breeze boundary is highly pronounced during the afternoon hours.

Normal high temperatures during the summer range from 87-91 degrees Fahrenheit with normal summer lows ranging from 70-73 degrees. Humid conditions during the summer, with average dew points in the low to mid 70s, can easily allow for heat index values to reach around 100 degrees many afternoons. In contrast, during the winter months normal highs vary from 71-75 degrees and normal lows range from 50-55 degrees. While freezing temperatures during the winter months are not common, they do occur an average of two nights each year. However, some years freezing temperatures may not occur at all. This has happened with generally one third of all years in the period of record. The hottest maximum temperature ever recorded at this station is 102 degrees on July 14, 1980, and the coldest temperature ever recorded was 17 degrees on January 19, 1977.

There are generally two rainfall regimes across Florida: the wet season and the dry season. The wet season generally runs from late May through mid October and is characterized by an increase in rainfall due to daily, mainly midday to evening, sea breeze generated showers and thunderstorms. Normal rainfall from May through October is around 33 inches total, with generally around 5 to 7 inches of rainfall experienced each month during this time frame.

The dry season, which normally occurs from late October through early May, is marked by lower humidity values and a general lack of sea breeze boundary activity. Therefore these months tend to be drier, with the main source of precipitation being from storm systems and frontal boundaries that cross the area. Normal rainfall from November through April is around 15 inches with generally around 2 to 3 inches of rainfall observed during each of these months.

Rainfall can vary widely during the dry season as the number of storm systems that impact the region is usually heavily dependent on the phase of the El-Nino and Southern Oscillation (ENSO) pattern over the equatorial Pacific waters. During times of El Nino, or warmer than normal sea surface temperatures (SSTs) over the tropical Pacific, a higher number of storm systems typically push across Florida, which brings above normal rainfall, cooler temperatures and generally more severe weather to the region. This pattern is reversed during times of La Nina, or cooler than normal SSTs over the tropical Pacific waters, with the passage of fewer storm systems and ordinarily below normal rainfall amounts during the winter and much of the spring.

The Atlantic tropical season, which runs from June 1st through November 30th, can also have a huge influence on rainfall amounts across the area. The greatest precipitation total from a tropical system came with Tropical Storm Fay in August of 2008. During the course of that storm from the 18th through the 24th, 19.08 inches was observed at the Melbourne Airport with even higher totals up to 20-27 inches farther north of the station. Most of the hurricane activity that impacts Melbourne occurs during the peak of the tropical season from August through October. Many of the Atlantic basin hurricanes tend to recurve northward well offshore of the Florida east coast or move farther south of the area, either moving into the Gulf or making landfall over south Florida. From 1900-2010, only 16 hurricanes have passed within 65 nautical miles of Melbourne with 6 of these being major hurricanes (Category 3-5).

Station History

MELBOURNE, FL

NAME	Begin Date	End Date	Latitude	Longitude	Elevation Feet	Relocation	Platform

Element History

Element	Begin Date	End Date	Frequency	Time Of Observation	Equipment *	Equipment * Modifications	Equipment Exposure
---------	---------------	-------------	-----------	------------------------	-------------	------------------------------	-----------------------

* For explanation of codes and abbreviations see Station Metadata link below.

Other Station Information can be found at:

ASOS Implementation by NWS: <http://www.nws.noaa.gov/ops2/Surface/asosimplementation.htm>

Station Metadata website: <http://www.ncdc.noaa.gov/homr>

INQUIRES/COMMENTS CALL: (828) 271-4800, option 2

Fax Number : (828) 271-4876

TDD : (828) 271-4010

Email : ncdc.orders@noaa.gov

NOAA/National Climatic Data Center

Attn: User Engagement & Services Branch

151 Patton Avenue

Asheville, NC 28801-5001

Visit our Web Site for other weather data: www.ncdc.noaa.gov