




# 2010 LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA


ISSN 0198-4071

## TULSA, OKLAHOMA (KTUL)

### Daily Max/Min Temperature



### Daily Precipitation



### Daily Station Pressure



I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL  
OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

NATIONAL  
ENVIRONMENTAL SATELLITE, DATA  
AND INFORMATION SERVICE

NATIONAL  
CLIMATIC DATA CENTER  
ASHEVILLE, NORTH CAROLINA

*Thomas R. Karl*  
DIRECTOR  
NATIONAL CLIMATIC DATA CENTER

# METEOROLOGICAL DATA FOR 2010

## TULSA (KTUL)

LATITUDE: 36° 11'N      LONGITUDE: -95° 53'W      ELEVATION (FT): GRND: 640    BARO: 742      TIME ZONE: CENTRAL (UTC -6)      WBAN: 13968

ELEMENT		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	MEAN DAILY MAXIMUM	41.7	44.7	61.0	74.1	80.1	90.8	93.1	96.8	85.8	77.7	63.9	49.3	71.6	
	HIGHEST DAILY MAXIMUM	64	59	84	83	91	96	102	105	96	88	79	71	105	
	DATE OF OCCURRENCE	19	18	31	29	30+	26+	31	14+	02	07	24+	30	AUG 14+	
	MEAN DAILY MINIMUM	25.6	27.8	39.8	53.2	59.3	72.9	75.8	74.1	64.4	48.8	39.6	28.0	50.8	
	LOWEST DAILY MINIMUM	3	16	24	38	43	65	69	54	45	34	23	15	3	
	DATE OF OCCURRENCE	10	09	03	08	08	07	01	26	27	29	26	13	JAN 10	
	AVERAGE DRY BULB	33.7	36.3	50.4	63.7	69.7	81.9	84.5	85.5	75.1	63.3	51.8	38.7	61.2	
	MEAN WET BULB	30.3	32.2	43.7	55.4	63.4	74.2	75.9	73.2	67.6	54.4	45.0	34.2	54.1	
	MEAN DEW POINT	24.9	26.0	35.8	47.8	59.1	70.7	72.5	67.2	63.3	46.4	36.7	26.3	48.1	
	NUMBER OF DAYS WITH:														
	MAXIMUM >= 90°	0	0	0	0	5	21	24	26	10	0	0	0	0	86
	MAXIMUM <= 32°	10	0	0	0	0	0	0	0	0	0	0	0	0	10
MINIMUM <= 32°	19	22	5	0	0	0	0	0	0	0	8	25	79		
MINIMUM <= 0°	0	0	0	0	0	0	0	0	0	0	0	0	0		
H/C	HEATING DEGREE DAYS	963	798	453	100	35	0	0	0	12	95	392	808	3656	
	COOLING DEGREE DAYS	0	0	9	67	186	514	607	642	324	48	1	0	2398	
RH	MEAN (PERCENT)	72	70	61	59	71	70	70	58	70	59	60	63	65	
	HOUR 00 LST	77	75	68	65	79	77	78	67	79	70	67	67	72	
	HOUR 06 LST	79	81	74	73	87	85	85	76	87	82	76	76	80	
	HOUR 12 LST	66	63	53	52	60	61	58	47	57	40	47	55	55	
	HOUR 18 LST	67	61	49	48	57	58	60	42	56	43	50	54	54	
S	PERCENT POSSIBLE SUNSHINE														
W/O	NUMBER OF DAYS WITH:														
	HEAVY FOG(VISBY <= 1/4 MI)	6	7	1	0	2	0	2	0	0	0	0	1	19	
	THUNDERSTORMS	2	1	2	4	9	10	8	5	4	3	2	1	51	
CLOUDNESS	SUNRISE-SUNSET: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
	SATELLITE (> 12,000 FT.)														
	MIDNIGHT-MIDNIGHT: (OKTAS)														
	CEILOMETER (<= 12,000 FT.)														
SATELLITE (> 12,000 FT.)															
NUMBER OF DAYS WITH:															
CLEAR															
PARTLY CLOUDY															
CLOUDY															
PR	MEAN STATION PRESS. (IN.)	29.43	29.37	29.21	29.15	29.18	29.19	29.23	29.19	29.24	29.31	29.31	29.37	29.27	
	MEAN SEA-LEVEL PRESS. (IN.)	30.17	30.11	29.94	29.88	29.89	29.89	29.93	29.89	29.94	30.03	30.03	30.11	29.98	
WINDS	RESULTANT SPEED (MPH)	1.6	2.2	1.0	7.1	2.8	6.8	6.7	3.4	3.7	2.8	2.4	0.1	2.6	
	RES. DIR. (TENS OF DEGS.)	36	33	23	18	15	17	17	16	15	18	19	31	18	
	MEAN SPEED (MPH)	8.4	7.5	11.3	11.5	8.4	9.7	8.7	8.1	8.7	7.5	10.6	8.7	9.1	
	PREVAIL.DIR.(TENS OF DEGS.)	34	34	17	17	17	17	17	17	17	17	17	17	17	
	MAXIMUM 2-MINUTE WIND														
	SPEED (MPH)	32	29	35	37	41	33	43	29	33	35	33	33	43	
	DIR. (TENS OF DEGS.)	31	34	17	17	27	36	35	33	33	30	17	17	35	
	DATE OF OCCURRENCE	25	08	30	30	13	23	16	31	02	25	28	31	JUL 16	
	MAXIMUM 3-SECOND WIND:														
	SPEED (MPH)	45	36	44	48	56	45	54	35	43	45	46	43	56	
DIR. (TENS OF DEGS.)	30	35	17	18	26	36	35	32	33	32	18	18	26		
DATE OF OCCURRENCE	25	08	30	30	13	23	16	31	02	25	28	30	MAY 13		
PRECIPITATION	WATER EQUIVALENT:														
	TOTAL (IN.)	2.36	2.03	3.25	2.08	5.23	7.07	4.67	1.19	2.85	1.23	1.96	0.55	34.47	
	GREATEST 24-HOUR (IN.)	1.12	1.36	1.51	0.73	2.77	3.08	2.48	1.15	1.87	1.01	1.49	0.38	3.08	
	DATE OF OCCURRENCE	20-21	20-21	24-25	17-18	19	14-15	08	17	08-09	18-19	12	31	JUN 14-15	
	NUMBER OF DAYS WITH:														
	PRECIPITATION 0.01	9	8	6	9	10	8	8	3	9	6	5	3	84	
PRECIPITATION 0.10	5	5	4	5	5	6	6	1	5	2	3	2	49		
PRECIPITATION 1.00	0	1	1	0	2	2	1	1	1	0	1	0	10		
SNOWFALL	SNOW,ICE PELLETS,HAIL														
	TOTAL (IN.)	7.3	2.4	5.7	T	0.0	0.0	0.0	0.0	0.0	0.0	T	T	15.4	
	GREATEST 24-HOUR (IN.)	6.4	1.4	4.3	T	0.0	0.0	0.0	0.0	0.0	0.0	T	T	6.4	
	DATE OF OCCURRENCE	29	08	20	30							25	25	JAN 29	
	MAXIMUM SNOW DEPTH (IN.)	7	5	2	0	0	0	0	0	0	0	0	0	7	
	DATE OF OCCURRENCE	30	01	21										JAN 30	
NUMBER OF DAYS WITH:															
SNOWFALL >= 1.0	1	2	2	0	0	0	0	0	0	0	0	0	5		

# NORMALS, MEANS, AND EXTREMES TULSA (KTUL)

LATITUDE:  
36 ° 11'N

LONGITUDE:  
-95 ° 53'W

ELEVATION (FT):  
GRND: 640 BARO: 742

TIME ZONE:  
CENTRAL (UTC -6)

WBAN: 13968

	ELEMENT	POR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR	
TEMPERATURE °F	NORMAL DAILY MAXIMUM	30	46.5	52.9	62.4	72.1	79.6	88.0	93.8	93.2	84.1	74.0	60.0	49.6	71.4	
	MEAN DAILY MAXIMUM	69	46.6	51.8	61.4	71.8	79.4	87.2	93.2	92.8	84.1	74.1	60.4	50.0	71.1	
	HIGHEST DAILY MAXIMUM	71	79	90	96	102	97	103	112	110	109	98	87	80	112	
	YEAR OF OCCURRENCE		1950	1996	1974	1972	2006	1953	1954	1970	1939	1979	1945	1966	JUL 1954	
	MEAN OF EXTREME MAXS.	69	69.4	74.7	83.3	87.8	90.9	96.0	101.9	102.1	96.4	89.2	79.0	70.9	86.8	
	NORMAL DAILY MINIMUM	30	26.3	31.1	40.3	49.5	59.0	67.9	73.1	71.2	62.9	51.1	39.3	29.8	50.1	
	MEAN DAILY MINIMUM	69	26.3	30.4	38.8	49.5	59.0	67.4	72.4	70.8	62.2	50.8	38.7	29.8	49.7	
	LOWEST DAILY MINIMUM	71	-8	-11	-3	22	35	49	51	50	35	18	10	-8	-11	
	YEAR OF OCCURRENCE		1947	1996	1948	1957	2005	1954	1971	2009	1984	1993	1976	1989	FEB 1996	
	MEAN OF EXTREME MINS.	69	7.4	12.9	20.4	33.1	44.2	55.8	62.4	59.8	46.6	34.3	22.3	11.5	34.2	
	NORMAL DRY BULB	30	36.4	42.0	51.4	60.8	69.3	78.0	83.5	82.2	73.5	62.6	49.7	39.7	60.8	
	MEAN DRY BULB	69	36.5	41.1	50.1	60.7	69.2	77.4	82.8	81.8	73.2	62.5	49.6	39.9	60.4	
	MEAN WET BULB	27	32.0	35.7	43.2	51.9	62.0	69.4	72.1	71.1	64.3	53.9	43.3	34.3	52.8	
	MEAN DEW POINT	27	28.2	31.4	38.7	47.6	59.2	67.0	69.3	68.2	61.3	50.6	39.5	30.4	49.3	
	NORMAL NO. DAYS WITH: MAXIMUM >= 90	30	0.0	*	0.1	0.4	2.1	12.7	23.8	22.4	9.2	1.0	0.0	0.0	71.7	
	MAXIMUM <= 32	30	5.3	2.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.9	11.4	
MINIMUM <= 32	30	22.5	15.2	6.8	0.6	0.0	0.0	0.0	0.0	0.0	0.5	7.7	18.9	72.2		
MINIMUM <= 0	30	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9		
H/C	NORMAL HEATING DEG. DAYS	30	898	658	437	179	38	1	0	0	29	152	468	782	3642	
	NORMAL COOLING DEG. DAYS	30	0	1	10	50	163	385	568	524	277	64	6	1	2049	
RH	NORMAL (PERCENT)	30	68	65	63	62	70	70	64	65	69	68	68	70	67	
	HOURLY 00 LST	30	73	70	68	69	78	79	72	73	77	76	75	75	74	
	HOURLY 06 LST	30	79	78	76	78	86	86	82	83	86	83	81	80	82	
	HOURLY 12 LST	30	61	57	54	52	59	59	54	52	58	55	59	61	57	
	HOURLY 18 LST	30	60	55	51	49	57	57	50	49	56	56	61	63	55	
S	PERCENT POSSIBLE SUNSHINE	53	54	55	58	59	59	69	76	74	68	65	56	53	62	
W/O	MEAN NO. DAYS WITH: HEAVY FOG(VISBY <= 1/4 MI)	47	2.0	1.3	0.8	0.4	0.5	0.4	0.2	0.1	0.6	1.2	1.2	1.5	10.2	
	THUNDERSTORMS	63	0.8	1.3	3.4	5.7	8.3	7.8	6.0	5.7	4.8	2.8	1.6	1.0	49.2	
CLOUDNESS	MEAN: SUNRISE-SUNSET (OKTAS)	1	6.4	5.6	5.2	6.0	5.2	2.8	3.2	2.7	5.6	3.5	4.8	4.0	4.6	
	MIDNIGHT-MIDNIGHT (OKTAS)	1	6.4	5.6	6.4	6.0	4.8	2.4	2.8	2.8	4.0	3.5	4.8	4.8	4.5	
	MEAN NO. DAYS WITH: CLEAR	3	5.0	8.3	8.0	9.5	9.7	10.7	13.5	15.0	7.5	10.0	7.0	9.0	113.2	
	PARTLY CLOUDY	3	3.7	3.3	1.0	1.0	3.7	8.0	6.5	5.0	3.5	3.5	1.0	5.0	45.2	
	CLOUDY	3	8.3	7.3	8.7	10.5	8.7	3.7	4.0	4.5	4.5	6.5	9.5	7.0	83.2	
PR	MEAN STATION PRESSURE(IN)	27	29.42	29.38	29.29	29.22	29.21	29.22	29.25	29.26	29.29	29.32	29.35	29.40	29.30	
	MEAN SEA-LEVEL PRES. (IN)	27	30.15	30.11	30.02	29.94	29.92	29.92	29.95	29.96	30.00	30.04	30.08	30.14	30.02	
WINDS	MEAN SPEED (MPH)	27	9.3	9.6	10.8	10.9	9.8	9.2	8.8	8.0	8.0	8.8	9.7	9.1	9.3	
	PREVAIL.DIR(TENS OF DEGS)	37	19	19	19	19	19	19	19	19	19	19	19	19	19	
	MAXIMUM 2-MINUTE: SPEED (MPH)	18	37	41	46	55	41	54	51	46	39	43	44	38	55	
	DIR. (TENS OF DEGS)		30	20	18	34	27	32	19	25	27	24	29	34	34	
	YEAR OF OCCURRENCE		2008	2000	1997	1993	2010	2008	1993	2006	1999	2007	1998	2009	APR 1993	
	MAXIMUM 3-SECOND SPEED (MPH)	18	54	53	55	63	56	61	55	56	49	63	55	48	63	
	DIR. (TENS OF DEGS)		31	21	16	34	26	31	19	32	27	24	17	34	24	
YEAR OF OCCURRENCE		2008	2000	1997	1993	2010	2008	1993	2009	1999	2007	2005	2009	OCT 2007		
PRECIPITATION	NORMAL (IN)	30	1.60	1.95	3.57	3.95	6.11	4.72	2.96	2.85	4.76	4.05	3.47	2.43	42.42	
	MAXIMUM MONTHLY (IN)	71	6.65	5.73	11.94	9.33	18.00	11.17	11.39	8.78	18.81	16.51	7.57	8.70	18.81	
	YEAR OF OCCURRENCE		1949	1985	1973	2008	1943	1948	1994	2003	1971	1941	1946	1984	SEP 1971	
	MINIMUM MONTHLY (IN)	71	0.00	0.16	0.08	0.34	1.17	0.53	0.03	0.01	T	T	0.01	0.10	0.00	
	YEAR OF OCCURRENCE		1993	1996	1971	1989	1988	1963	1954	2000	1948	1952	1949	1996	JAN 1993	
	MAXIMUM IN 24 HOURS (IN)	71	2.25	4.34	3.17	4.58	9.27	5.01	7.54	5.37	7.25	5.80	5.14	3.27	9.27	
	YEAR OF OCCURRENCE		1946	1985	2004	1964	1984	1941	1963	1989	2007	1983	1974	1984	MAY 1984	
	NORMAL NO. DAYS WITH: PRECIPITATION >= 0.01	30	6.5	6.5	9.4	8.9	10.4	9.2	6.0	6.8	8.2	7.3	7.0	6.4	92.6	
PRECIPITATION >= 1.00	30	0.3	0.4	1.1	1.2	1.8	1.4	1.0	0.9	1.6	1.4	1.1	0.6	12.8		
SNOWFALL	NORMAL (IN)	30	3.0	2.3	1.4	0.*	0.0	0.0	0.0	0.0	0.0	0.*	0.6	1.9	9.2	
	MAXIMUM MONTHLY (IN)	69	12.7	10.5	14.1	1.7	T	T	T	T	0.0	T	0.3	10.5	14.1	
	YEAR OF OCCURRENCE		1979	2003	1994	1957	2009	2009	2009	1994		1990	1993	2006	2000	MAR 1994
	MAXIMUM IN 24 HOURS (IN)	69	9.0	7.0	12.9	1.7	T	T	T	T	0.0	T	0.3	4.0	8.8	
	YEAR OF OCCURRENCE		1944	2003	1994	1957	2009	2009	1994	1994	1990	1993	1972	1954	MAR 1994	
	MAXIMUM SNOW DEPTH (IN)	62	11	6	10	T	0	0	0	0	0	0	3	8	11	
	YEAR OF OCCURRENCE		1988	1949	1968	1993							2001	1954	JAN 1988	
NORMAL NO. DAYS WITH: SNOWFALL >= 1.0	30	1.0	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	3.1		

**PRECIPITATION (inches) 2010 TULSA (KTUL)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	0.69	1.63	1.67	1.90	6.70	3.31	6.22	2.47	3.11	6.73	2.25	0.20	36.88
1982	3.58	0.67	1.04	1.28	9.30	4.13	1.65	1.42	2.95	1.22	4.61	3.39	35.24
1983	2.95	1.98	2.19	3.88	6.85	1.47	0.58	0.65	2.11	9.33	2.14	0.61	34.74
1984	1.00	1.95	6.72	2.44	11.25	1.72	0.48	1.96	2.77	6.98	2.80	8.70	48.77
1985	1.24	5.74	5.39	5.62	4.19	7.63	2.38	1.91	3.29	6.26	6.27	1.39	51.31
1986	0.00	1.22	2.28	5.10	6.97	4.23	1.15	3.96	8.36	5.53	2.99	0.97	42.76
1987	2.21	4.72	2.20	0.70	10.02	2.31	4.20	3.72	3.52	1.27	5.17	5.87	45.91
1988	1.11	1.03	6.52	3.18	1.17	0.58	4.20	2.43	5.37	1.43	4.38	1.82	33.22
1989	2.94	2.26	3.14	0.34	3.95	5.16	4.09	6.69	3.32	2.80	0.15	0.26	35.10
1990	2.93	4.14	6.51	5.31	5.21	1.08	0.24	1.83	4.19	2.15	2.41	2.94	38.94
1991	1.47	0.38	1.02	2.58	5.11	3.64	0.35	1.17	6.15	5.12	1.98	4.57	33.54
1992	0.48	1.32	1.37	4.75	5.65	8.41	2.12	3.09	2.66	3.53	4.83	5.21	43.42
1993		2.86	2.76	4.59	6.86	3.79	2.42	2.29	6.90	1.13	1.69	1.76	
1994	0.68	2.21	3.35	6.57	2.81	2.73	11.39	4.12	3.60	3.68	7.10	1.21	49.45
1995	0.93	0.57	1.83	5.92	10.73	9.84	2.55	1.44	4.96	1.05	0.25	1.77	41.84
1996	0.47	0.16	2.07	1.40	2.14	3.64	3.22	1.34	5.04	5.60	7.16	0.10	32.34
1997	0.27	3.41	1.39	4.09	1.66	5.77	5.64	7.89	3.06	2.07	1.63	4.32	41.20
1998	3.49	0.30	7.30	4.54	2.52	3.36	4.31	1.67	5.13	9.14	3.26	1.58	46.60
1999	3.03	1.25	3.55	7.20	9.55	5.21	0.40	0.42	9.70	1.75	1.32	5.10	48.48
2000	0.89	1.33	3.77	2.71	7.01	6.25	6.58	0.01	1.10	6.32	3.51	1.62	41.10
2001	2.09	2.62	0.77	1.19	6.32	3.04	0.51	2.26	1.95	2.81	3.33	2.25	29.14
2002	2.67	0.90	2.39	3.71	5.21	2.86	2.18	3.55	1.24	3.33	0.45	2.74	31.23
2003	0.14	1.76	3.25	2.17	5.25	5.96	0.89	8.78	4.94	3.95	1.73	2.46	41.28
2004	2.36	1.20	6.16	5.97	3.07	6.41	8.62	1.62	0.82	8.51	3.92	0.84	49.50
2005	3.69	1.93	1.21	2.80	1.61	3.94	1.62	5.91	3.09	1.58	0.31	0.52	28.21
2006	0.72	0.35	2.80	5.83	3.04	5.85	4.41	4.06	2.01	1.31	3.58	4.27	38.23
2007	2.27	1.23	3.07	2.25	10.03	9.17	6.10	0.69	10.82	3.04	0.54	3.88	53.09
2008	0.88	2.01	4.73	9.33	9.61	9.43	4.64	4.59	4.40	2.75	1.96	1.77	56.10
2009	0.68	2.28	5.02	4.34	6.80	3.51	2.84	3.76	8.29	6.14	0.58	1.88	46.12
2010	2.36	2.03	3.25	2.08	5.23	7.07	4.67	1.19	2.85	1.23	1.96	0.55	34.47
POR= 68 YRS	1.51	1.81	3.00	3.92	5.67	4.88	3.35	3.10	4.31	3.68	2.56	2.06	39.85

WBAN : 13968

**AVERAGE TEMPERATURE (°F) 2010 TULSA (KTUL)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1981	37.6	43.6	53.3	68.0	65.9	80.0	85.9	79.4	73.9	60.9	51.4	38.5	61.5
1982	33.6	38.2	55.3	59.3	72.9	74.7	84.2	85.3	74.6	63.4	50.6	44.4	61.4
1983	39.1	42.9	49.0	55.4	67.0	76.6	84.7	88.1	77.4	64.5	52.9	26.7	60.4
1984	34.4	46.4	48.3	58.0	67.5	80.1	82.0	82.7	71.5	63.8	50.4	44.7	60.8
1985	30.2	35.9	54.7	63.3	70.6	75.8	82.9	81.7	74.6	63.1	47.8	34.5	59.6
1986	42.8	43.2	55.0	62.6	69.4	79.7	86.6	78.2	74.7	61.0	43.6	40.0	61.4
1987	36.0	45.4	51.5	63.2	74.1	78.9	81.9	83.1	72.4	59.3	51.6	41.4	61.6
1988	34.8	39.3	49.3	59.5	71.0	79.9	82.6	83.0	73.2	58.5	51.7	43.4	60.5
1989	43.4	31.9	49.3	63.3	69.2	74.8	80.2	80.4	68.7	64.0	52.7	31.6	59.1
1990	46.1	46.1	53.2	59.6	67.4	82.1	83.2	83.5	78.3	61.2	56.4	38.5	63.0
1991	34.7	48.3	55.1	63.8	73.7	80.0	84.9	82.9	72.7	64.3	45.8	44.6	62.6
1992	42.8	50.1	54.9	61.6	67.6	74.7	81.8	76.6	72.8	60.8	45.9	38.6	60.7
1993	35.7	37.8	46.8	55.8	66.0	76.8	84.4	83.5	68.6	56.2	44.5	42.3	58.2
1994	35.2	39.0	52.9	60.4	67.4	80.5	79.3	78.4	70.9	63.4	52.0	42.7	60.2
1995	39.4	44.2	51.5	58.3	65.5	74.1	82.3	84.6	70.5	62.8	48.8	39.4	60.1
1996	35.4	43.0	45.4	59.2	72.9	78.5	81.6	79.8	70.0	61.4	44.9	42.1	59.5
1997	35.9	44.1	52.4	55.9	66.9	75.5	81.7	78.3	73.9	62.0	46.0	39.3	59.3
1998	40.1	44.8	46.7	57.8	72.9	79.9	85.4	84.1	80.8	63.0	53.4	40.8	62.5
1999	39.0	50.0	48.8	61.5	68.1	75.4	84.4	84.6	69.8	62.3	57.7	43.4	62.1
2000	40.0	48.0	53.2	59.5	70.8	74.4	81.4	86.8	75.7	66.2	43.8	28.6	60.7
2001	35.3	41.3	47.1	66.4	70.6	78.2	87.4	85.2	71.9	62.0	55.2	43.6	62.0
2002	40.3	42.1	47.2	62.4	67.2	78.3	82.7	83.0	76.3	58.0	48.7	42.7	60.7
2003	37.0	37.7	49.7	61.9	69.9	75.4	85.6	84.4	69.3	63.0	51.4	43.4	60.7
2004	38.6	39.9	54.8	60.3	71.8	75.1	79.1	77.0	74.9	64.9	51.6	42.4	60.9
2005	38.9	45.8	50.7	61.1	69.3	79.6	82.5	83.0	77.2	63.0	54.3	38.7	62.0
2006	48.5	41.8	54.5	66.8	71.5	78.2	84.7	85.9	71.1	61.2	51.5	43.2	63.2
2007	36.5	40.6	60.7	57.9	70.6	77.0	81.3	85.4	75.2	64.8	52.2	38.6	61.7
2008	38.5	41.1	51.4	59.0	70.4	78.3	83.7	80.8	71.5	61.7	50.8	39.4	60.6
2009	36.9	46.4	52.9	59.2	67.4	81.2	81.0	79.4	70.7	55.9	54.9	34.6	60.0
2010	33.7	36.3	50.4	63.7	69.7	81.9	84.5	85.5	75.1	63.3	51.8	38.7	61.2
POR= 69 YRS	36.5	41.1	50.1	60.7	69.2	77.4	82.8	81.8	73.2	62.5	49.6	39.9	60.4

**HEATING DEGREE DAYS (base 65°F) 2010 TULSA (KTUL)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0	0	23	178	402	817	967	747	322	208	11	5	3680
1982-83	0	0	23	146	437	635	794	611	492	321	50	0	3509
1983-84	0	0	19	89	378	1179	941	533	509	229	47	0	3924
1984-85	0	0	73	130	438	628	1073	809	330	103	7	0	3591
1985-86	0	0	46	111	510	936	680	602	322	127	13	0	3347
1986-87	0	0	5	148	632	771	893	544	413	149	0	0	3555
1987-88	0	0	1	189	416	727	928	739	483	187	9	0	3679
1988-89	0	0	8	218	393	662	663	921	487	155	53	0	3560
1989-90	0	0	67	126	375	1029	580	527	376	194	54	0	3328
1990-91	0	0	8	172	271	813	933	459	327	83	17	0	3083
1991-92	0	0	35	121	570	628	682	423	311	156	53	0	2979
1992-93	0	0	9	151	565	812	903	755	556	280	57	0	4088
1993-94	0	0	40	294	611	695	917	721	387	186	56	0	3907
1994-95	0	0	25	126	390	683	783	574	436	219	70	0	3306
1995-96	0	0	79	112	480	786	911	640	604	204	19	0	3835
1996-97	0	0	26	152	594	701	896	579	393	275	40	0	3656
1997-98	0	0	3	195	563	791	764	558	581	225	12	6	3698
1998-99	0	0	0	109	344	747	798	415	496	134	18	0	3061
1999-00	0	0	38	130	238	664	770	487	363	183	23	2	2898
2000-01	0	0	26	100	628	1121	914	657	546	93	18	0	4103
2001-02	0	0	20	142	298	660	760	634	544	146	57	0	3261
2002-03	0	0	0	268	491	686	864	758	474	155	11	0	3707
2003-04	0	0	32	113	414	661	814	722	322	178	49	0	3305
2004-05	0	0	0	74	395	695	804	531	442	151	59	0	3151
2005-06	0	0	7	164	342	808	505	646	354	78	32	0	2936
2006-07	0	0	12	191	397	669	878	676	186	262	6	0	3277
2007-08	0	0	0	111	394	807	818	693	419	205	34	0	3481
2008-09	0	0	4	145	431	787	867	516	397	224	54	0	3425
2009-10	0	1	12	284	304	934	963	798	453	100	35	0	3884
2010-	0	0	12	95	392	808							

WBAN : 13968

**COOLING DEGREE DAYS (base 65°F) 2010 TULSA (KTUL)**

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1981	0	5	4	145	96	456	658	452	296	57	1	0	2170
1982	0	0	28	44	266	300	601	637	319	106	10	5	2316
1983	0	0	3	40	120	353	615	725	396	80	20	0	2352
1984	0	0	0	25	132	464	534	556	272	100	9	2	2094
1985	0	0	19	59	185	333	564	523	340	57	0	0	2080
1986	0	0	20	60	157	448	676	415	303	31	0	0	2110
1987	0	0	2	102	290	421	532	567	230	18	19	0	2181
1988	0	0	2	30	200	454	555	564	262	23	1	0	2091
1989	0	0	6	107	191	300	475	483	183	105	14	0	1864
1990	0	0	17	38	137	521	571	581	416	63	21	0	2365
1991	0	0	29	53	293	458	622	562	274	108	3	0	2402
1992	0	0	5	63	140	298	526	369	251	29	0	0	1681
1993	0	0	1	7	95	360	609	579	153	27	0	0	1831
1994	0	0	21	55	135	470	452	424	212	82	8	0	1859
1995	0	0	24	26	97	282	545	618	252	50	0	0	1894
1996	0	6	0	37	273	410	522	463	183	49	0	0	1943
1997	3	0	9	10	106	321	524	420	278	108	0	0	1779
1998	0	0	18	16	264	459	640	598	480	53	5	2	2535
1999	0	2	0	35	118	318	607	616	190	57	25	0	1968
2000	0	0	2	26	211	290	517	684	353	143	1	0	2227
2001	0	2	0	139	197	401	700	630	236	56	10	3	2374
2002	0	0	1	75	132	405	557	563	348	60	8	0	2149
2003	0	0	5	71	170	316	645	608	165	57	13	0	2050
2004	3	0	14	42	269	309	444	381	302	81	0	0	1845
2005	0	0	6	40	198	443	552	564	381	108	28	0	2320
2006	0	1	35	142	241	404	617	655	201	80	4	1	2381
2007	0	0	62	54	188	367	511	639	314	111	15	0	2261
2008	4	6	3	32	207	405	591	496	205	51	12	0	2012
2009	0	2	28	59	136	490	503	453	194	9	8	0	1882
2010	0	0	9	67	186	514	607	642	324	48	1	0	2398

**SNOWFALL (inches) 2010 TULSA (KTUL)**

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
1981-82	0.0	0.0	0.0	0.0	0.0	T	0.3	5.6	T	0.0	0.0	0.0	5.9
1982-83	0.0	0.0	0.0	0.0	T	T	3.8	1.4	T	0.0	0.0	0.0	5.2
1983-84	0.0	0.0	0.0	0.0	T	3.0	4.6	0.2	T	0.0	0.0	0.0	7.8
1984-85	0.0	0.0	0.0	0.0	0.0	6.6	3.3	4.3	0.0	0.0	0.0	0.0	14.2
1985-86	0.0	0.0	0.0	0.0	T	2.5	0.0	4.9	0.0	0.0	0.0	0.0	7.4
1986-87	0.0	0.0	0.0	0.0	0.0	0.0	8.7	4.6	0.0	0.0	0.0	0.0	13.3
1987-88	0.0	0.0	0.0	0.0	T	6.7	11.0	T	0.5	0.0	0.0	0.0	18.2
1988-89	0.0	0.0	0.0	0.0	0.4	2.7	3.4	0.3	9.7	0.0	0.0	0.0	16.5
1989-90	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.2	0.0	0.0	0.0	2.2
1990-91	0.0	0.0	0.0	0.0	0.0	4.6	T	1.4	T	0.0	T	0.0	6.0
1991-92	0.0	0.0	0.0	0.0	0.2	0.1	0.8	0.0	T	T	0.0	0.0	1.1
1992-93	0.0	0.0	0.0	0.0	3.5	1.1	0.8	6.7	T	T	0.0	0.0	12.1
1993-94	0.0	0.0	0.0	0.3	0.0	0.0	T	T	14.1	T	0.0	T	14.4
1994-95	T	0.0	0.0	0.0	T	0.0	1.8	T	6.3	0.0	0.0	0.0	8.1
1995-96	0.0	0.0	0.0	0.0	1.8	T	1.0	5.0	0.0	0.0	0.0	0.0	7.8
1996-97	0.0	0.0	0.0	T	T	T	5.9	0.3	0.0	T	0.0	0.0	6.2
1997-98	T	0.0	0.0	0.0	T	0.6	4.0	0.0	T	0.0	0.0	0.0	4.6
1998-99	0.0	0.0	0.0	0.0	0.0	T	3.3	0.0	5.9	0.0	0.0	0.0	9.2
1999-00	0.0	0.0	0.0	0.0	0.0	T	7.1	0.0	2.2	0.0	0.0	0.0	9.3
2000-01	0.0	0.0	0.0	T	2.1	11.4	1.4	T	0.0	0.0	0.0	0.0	14.9
2001-02	0.0	0.0	0.0	0.0	3.0	T	T	1.0	6.4	0.0	0.0	0.0	10.4
2002-03	0.0	0.0	0.0	0.0	0.0	8.9	1.0	10.5	0.0	0.0	0.0	0.0	20.4
2003-04	0.0	0.0	0.0	0.0	T	5.2	1.0	1.6	0.0	T	0.0	0.0	7.8
2004-05	0.0	0.0	0.0	0.0	T	T	2.0	T	0.0	T	0.0	0.0	2.0
2005-06	0.0	0.0	0.0	0.0	T	2.2	1.2	2.1	1.5	T	T	0.0	7.0
2006-07	0.0	0.0	0.0	0.0	10.5	0.3	4.3	0.1	T	0.4	0.0	0.0	15.6
2007-08	0.0	0.0	0.0	T	T	0.5	2.4	0.3	0.3	0.0	0.0	0.0	3.5
2008-09	0.0	0.0	0.0	0.0	T	0.4	1.6	0.0	10.4	T	T	T	12.4
2009-10	0.0	0.0	0.0	0.0	T	7.4	7.3	2.4	5.7	T	0.0	0.0	22.8
2010-	0.0	0.0	0.0	0.0	T	T							
POR= 67 YRS	T	0.0	0.0	T	0.6	1.8	3.1	2.2	1.9	T	T	T	9.6

WBAN : 13968

**REFERENCE NOTES :**

<p>PAGE 1: THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).</p> <p>PAGE 2 AND 3: H/C INDICATES HEATING AND COOLING DEGREE DAYS. RH INDICATES RELATIVE HUMIDITY W/O INDICATES WEATHER AND OBSTRUCTIONS S INDICATES SUNSHINE. PR INDICATES PRESSURE. CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).</p> <p>GENERAL: T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1971 - 2000). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING. WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS, THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER OF YEARS INDICATED. 0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05. CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET. THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD. CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.</p>	<p>GENERAL CONTINUED: WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH. RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION. AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2. SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL. A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND 65 F. DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR. DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY. ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER. STATION HISTORY STOPPED WITH THE 2009 ANNUAL. IF YOU NEED HISTORY GO TO "MULTI-NETWORK MEDADATA SYSTEM", URL IS: <a href="https://mi3.ncdc.noaa.gov/mi3qry/login.cfm">https://mi3.ncdc.noaa.gov/mi3qry/login.cfm</a> SNOWFALL STOPPED MONTH &amp; YEAR INDICATED ABOVE. NO FURTHER YEARS INCLUDED UNLESS RESTARTED.</p> <p><b>NOTE:</b> The "Period of Record:(POR) for all "averages" is based on the "Summary of the Day First Order Station" and "Cooperative Summary of the Day" archives.</p>
--	--

# 2010 TULSA OKLAHOMA (KTUL)

The city of Tulsa lies along the Arkansas River at an elevation of 700 feet above sea level. The surrounding terrain is gently rolling.

At latitude 36 degrees, Tulsa is far enough north to escape the long periods of heat in summer, yet far enough south to miss the extreme cold of winter. The influence of warm moist air from the Gulf of Mexico is often noted, due to the high humidity, but the climate is essentially continental characterized by rapid changes in temperature. Generally the winter months are mild. Temperatures occasionally fall below zero but only last a very short time. Temperatures of 100 degrees or higher are often experienced from late July to early September, but are usually accompanied by low relative humidity and a good southerly breeze. The fall season is long with a great number of pleasant, sunny days and cool, bracing nights.

Rainfall is ample for most agricultural pursuits and is distributed favorably throughout the year. Spring is the wettest season, having an abundance of rain in the form of showers and thunderstorms.

The steady rains of fall are a contrast to the spring and summer showers and provide a good supply of moisture and more ideal conditions for the growth of winter grains and pastures. The greatest amounts of snow are received in January and early March. The snow is usually light and only remains on the ground for brief periods.

The average date of the last 32 degree temperature occurrence is late March and the average date of the first 32 degree occurrence is early November. The average growing season is 216 days.

The Tulsa area is occasionally subjected to large hail and violent windstorms which occur mostly during spring and early summer, although occurrences have been noted throughout the year.

Prevailing surface winds are southerly during most of the year. Heavy fogs are infrequent. Sunshine is abundant. The prevalence of good flying weather throughout the year has contributed to the development of Tulsa as an aviation center.

**Non-Subscription Request:**

NCDC Customer Services;

Phone: 828-271-4800

Fax: 828-271-4876

Email: [ncdc.orders@noaa.gov](mailto:ncdc.orders@noaa.gov)

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE \$300

CHANGE SERVICE REQUESTED

FIRST CLASS  
POSTAGE & FEES PAID  
United States Department of Commerce  
NOAA Permit No. G - 19

INQUIRES/COMMENTS CALL: Toll Free (866) 742-3322

Visit our Web Site for other weather data: [www.ncdc.noa.gov](http://www.ncdc.noa.gov)

**For Hard Copy Subscription:**

Price and ordering information: NCDC Subscribing Service Center, 310 State Route 956, Building 300, Rocket Center, WV 26726.